

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 68995

Title: Analysis of photostimulable phosphor image plate artifacts and their prevalence

Provenance and peer review: Unsolicited manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05465473

Position: Peer Reviewer

Academic degree: DDS, MSc, PhD

Professional title: Professor

Reviewer's Country/Territory: Lebanon

Author's Country/Territory: Saudi Arabia

Manuscript submission date: 2021-06-14

Reviewer chosen by: Ze-Mao Gong

Reviewer accepted review: 2021-07-27 14:57

Reviewer performed review: 2021-07-27 19:49

Review time: 4 Hours

Scientific quality	[] Grade A: Excellent [Y] Grade B: Very good [] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[Y] Grade A: Priority publishing [] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	 [] Accept (High priority) [] Accept (General priority) [Y] Minor revision [] Major revision [] Rejection
Re-review	[Y]Yes []No
Peer-reviewer	Peer-Review: [] Anonymous [Y] Onymous





7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

statements

Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

The references are relatively old (3 out 26 references are from the last 5 years). if possible,

try to add and/or replace some old references by new ones.