

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 70922

Title: Diagnostic Accuracy of ≥16-slice spiral computer tomography for Local Colon

Cancer Staging: A Systematic Review and the Meta-Analysis

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05345731 Position: Peer Reviewer Academic degree: BSc, MD

Professional title: Doctor

Reviewer's Country/Territory: Kazakhstan

Author's Country/Territory: China

Manuscript submission date: 2021-08-19

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-08-26 11:05

Reviewer performed review: 2021-08-26 11:12

Review time: 1 Hour

Scientific quality	[Y] Grade A: Excellent [] Grade B: Very good [] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [Y] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[Y] Yes [] No



Baishideng Publishing

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-399-1568 E-mail: bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer

Peer-Review: [Y] Anonymous [] Onymous

statements

Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

Please check grammar points again: "unconspicuous " -- inconspicuous Please include an example of CT image as a gold standard example you recommend to use in the diagnostic application.



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 70922

Title: Diagnostic Accuracy of ≥16-slice spiral computer tomography for Local Colon

Cancer Staging: A Systematic Review and the Meta-Analysis

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05402068 Position: Peer Reviewer Academic degree: MD, MSc

Professional title: Doctor

Reviewer's Country/Territory: United States

Author's Country/Territory: China

Manuscript submission date: 2021-08-19

Reviewer chosen by: Jin-Lei Wang

Reviewer accepted review: 2021-12-20 00:54

Reviewer performed review: 2021-12-20 04:33

Review time: 3 Hours

Scientific quality	[] Grade A: Excellent [Y] Grade B: Very good [] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[Y] Grade A: Priority publishing [] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [Y] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[]Yes [Y]No



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568

E-mail: bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer	Peer-Review: [Y] Anonymous [] Onymous
statements	Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

This is a well-written meta-analysis, best one I reviewed in the past one month. Glad to read one that does not give me headache. This one should be accepted.