

Appendix

Variable description:

1. Age - Patient's age
2. Gender
 - a. F (as reference) - Female
 - b. M - Male
3. BMI - Body Mass Index
4. ASA - American Society of Anesthesiologist score
 - a. Class 1 (as reference)
 - b. Class 2
 - c. Class 3
 - d. Class 4
5. Procedure
 - a) TKA (as reference) - Total Knee Arthroplasty
 - b) THA - Total Hip Arthroplasty
 - c) TSA - Total Shoulder Arthroplasty
6. PSH
 - a. No (as reference) - Did not visit PSH clinic or followed the PSH system pathway
 - b. Yes - Visited PSH clinic before the surgery and followed the PSH system pathway
7. Insurance
 - a. Public (as reference) - Patients who had public insurance as their payer
 - b. Private - Patients who had private insurance as their payer
8. LOS - Length of Stay
9. Discharge Disposition
 - a. No (as reference) - Discharged to home
 - b. Yes - Discharged to other facility

Supplementary Table 1 Adjusted analysis of PSH and C1-PSH

Variables	Length of Stay			Discharge Disposition			90-Day Readmission		
	Estimated Risk			Estimated Risk			Estimated Risk		
	Z value	P value	(95% CI)	Z value	P value	(95% CI)	Z value	P value	
Age	1.01 (1, 6)	31.4	<0.01	1.08 (1.05, 1.10)	6.96	<0.01	0.99 (0.97, 1.01)	-0.82	0.41
Gender, M	0.85 (0.84, 0.86)	27.0	<0.01	0.50 (0.35, 0.70)	-3.95	<0.01	1.26 (0.87, 1.83)	1.24	0.22
BMI	1.01 (1, 1.02)	8.50	<0.01	1.02 (0.98, 1.04)	1.07	0.28	0.99 (0.96, 1.02)	-0.55	0.58
ASA, Class 2	1.06 (1.03, 1.10)	3.76	<0.01	3.50 (0.46, 26.2)	1.22	0.22	1.30 (0.39, 4.32)	0.43	0.67
ASA, Class 3	1.26 (1.21, 1.30)	13.1	<0.01	5.67 (0.74, 42.8)	1.68	0.09	2.05 (0.60, 6.99)	1.15	0.25
ASA, Class 4	1.78 (1.67, 1.89)	18.6	<0.01	8.34 (0.74, 93.7)	1.72	0.08	4.92 (0.86, 28.3)	1.78	0.07
Procedure, Hip	1.14 (1.12, 1.15)	20.2	<0.01	1.06 (0.74, 1.50)	0.34	0.73	0.71 (0.46, 1.09)	-1.58	0.11
Procedure, Shoulder	1.17 (1.15, 1.19)	19.6	<0.01	0.43 (0.26, 0.71)	-3.30	<0.01	0.88 (0.53, 1.47)	-0.49	0.62

	0.90	-		0.089			0.72		
<i>PSH,</i>	(0.88,	17.4	<0.01	(0.05,	-9.26	<0.01	(0.48,	-1.57	1.09
<i>Yes</i>	0.91)	3		0.14)			1.09)		
	0.87	-		0.51			0.73		
Insurance,	(0.88,	16.4	<0.01	(0.28,0.9	-2.21	0.03	(0.43,	-1.19	0.24
Private	0.90)	0		2)			1.23)		
				1.02			1.00		
LOS	-	-	-	(1.01,	10.46	<0.01	(1.01,	1.91	0.06
				1.03)			1.02)		
							0.84		
Discharge,	-	-	-	-	-	-	(0.45,	-0.57	0.57
<i>Yes</i>							1.55)		

BMI: Body Mass Index, ASA: American Society of Anesthesiologist Score, PSH: Perioperative Surgical Home, LOS: Length of Stay.

Supplementary Table 2 Adjusted analysis of PSH and C2-PSH

Variab les	Length of Stay			Discharge Disposition			90-Day Readmission		
	Estimat ed risk	Z (95% CI)	P value	Estimat ed risk	Z (95% CI)	P value	Estimat ed risk	Z (95% CI)	P value
	1.01			1.12			0.99		
Age	(1.0, 1.02)	21.04	<0.01	(1.07, 1.17)	4.59	<0.01	(0.95, 1.03)	-0.51	0.61
Gender	0.83			0.94			1.76		
,	(0.81, M	-23.26	<0.01	(0.51, 0.84)	-0.19		(0.95, 1.76)	1.80	0.07
BMI	1.01	18.33	<0.01	(0.99, (1, 1.02)	1.65		(0.95, 1.05)	0.01	0.99
	0.88			1.11)		0.10	1.06)		
ASA,	(0.84, Class 2	-4.96	<0.01	(0.06, 0.92)	-1.04		1236211	0.02	0.98
	1.09			2.33)		0.30	(0, Inf)		
ASA,	(1.03, Class 3	3.20	<0.01	(0.09, 1.15)	-0.63		1850634	0.02	0.98
	1.61			3.40)		0.53	(0, Inf)		
ASA,	(1.44, Class 4	8.53	<0.01	(0.28, 1.79)	1.11		0.85	0.00	1.00
Proced ure, Should er	1.47	37.99	<0.01	1.03	0.07		0.61	-1.13	0.26
	(1.44, 1.50)			(0.45, 2.36)		0.94	1.43)		
Proced ure, Hip	1.32			2.61			0.96		
	(1.30, 1.35)	28.71	<0.01	(1.29, 5.27)	2.67	0.01	(0.48, 1.93)	-0.10	0.92

	0.91			0.38			1.29		
<i>PSH,</i>	(0.89,	-11.34	<0.01	(0.18,	-2.54	0.01	(0.70,	0.83	0.41
<i>Yes</i>	0.92)			0.80)			2.39)		
<i>Insurance</i>	0.85			0.65			0.50		
<i>ce,</i>	(0.82,	-13.12	<0.01	(0.14,	-0.56	0.58	(0.18,	-1.32	0.19
<i>Private</i>	0.87)			2.99)			1.40)		
				1.03					
<i>LOS</i>	-	-	-	(1.02,	7.33	<0.01	1.00	0.81	0.42
				1.03)			(1, 1.01)		
<i>Discharge</i>							1.09		
<i>ge,</i>	-	-	-	-	-	-	(0.27,	0.13	0.90
<i>Yes</i>							4.43)		

BMI: Body Mass Index, ASA: American Society of Anesthesiologist Score, PSH: Perioperative Surgical Home, LOS: Length of Stay.