

World Journal of *Clinical Cases*

World J Clin Cases 2024 February 26; 12(6): 1039-1195



EDITORIAL

- 1039 Lateral clavicle fracture-plating options and considerations
Muthu S, Annamalai S, Kandasamy V
- 1045 Tumor deposits in axillary adipose tissue in patients with breast cancer: Do they matter?
Mubarak M, Rashid R, Shakeel S

MINIREVIEWS

- 1050 New strategies in the diagnosis and treatment of immune-checkpoint inhibitor-mediated colitis
Velikova T, Krastev B, Gulinac M, Zashev M, Graklanov V, Peruhova M

ORIGINAL ARTICLE**Retrospective Cohort Study**

- 1063 Correlative factors of poor prognosis and abnormal cellular immune function in patients with Alzheimer's disease
Bai H, Zeng HM, Zhang QF, Hu YZ, Deng FF
- 1076 Bipolar hip arthroplasty using conjoined tendon preserving posterior lateral approach in treatment of displaced femoral neck fractures
Yan TX, Dong SJ, Ning B, Zhao YC

Retrospective Study

- 1084 Association of preschool children behavior and emotional problems with the parenting behavior of both parents
Wang SM, Yan SQ, Xie FF, Cai ZL, Gao GP, Weng TT, Tao FB
- 1094 Assessment of the triglyceride glucose index in adult patients with chronic diarrhea and constipation
Zhu JY, Liu MY, Sun C
- 1104 Acute pancreatitis as a complication of acute COVID-19 in kidney transplant recipients
Basic-Jukic N, Juric I, Katalinic L, Furic-Cunko V, Sesa V, Mrzljak A

Observational Study

- 1111 Clinical analysis of 12 cases of ovarian neuroendocrine carcinoma
Xing XY, Zhang W, Liu LY, Han LP

META-ANALYSIS

- 1120 Efficacy and safety of remimazolam in bronchoscopic sedation: A meta-analysis
Zhou Y, Zhao C, Tang YX, Liu JT

CASE REPORT

- 1130** Simple bone cysts of the proximal humerus presented with limb length discrepancy: A case report
Lin CS, Lin SM, Rwei SP, Chen CW, Lan TY
- 1138** Postoperative abdominal herpes zoster complicated by intestinal obstruction: A case report
Dong ZY, Shi RX, Song XB, Du MY, Wang JJ
- 1144** Clinical evolution of antisynthetase syndrome-associated interstitial lung disease after COVID-19 in a man with Klinefelter syndrome: A case report
Wu XX, Cui J, Wang SY, Zhao TT, Yuan YF, Yang L, Zuo W, Liao WJ
- 1150** Giant bile duct dilatation in newborn: A case report
Quan DW, Li PG, Xu XH, Liu SQ
- 1157** Left atrial appendage occluder detachment treated with transthoracic ultrasound combined with digital subtraction angiography guided catcher: A case report
Yu K, Mei YH
- 1163** Adult sigmoid intussusception resembling rectal prolapse: A case report
Tsai TJ, Liu YS
- 1169** Gigantic occipital epidermal cyst in a 56-year-old female: A case report
Wei Y, Chen P, Wu H
- 1174** Autoimmune hepatitis-primary biliary cholangitis overlap syndrome complicated by various autoimmune diseases: A case report
Qin YJ, Gao T, Zhou XN, Cheng ML, Li H
- 1182** Parotid metastasis of rare lung adenocarcinoma: A case report
Yan RX, Dou LB, Wang ZJ, Qiao X, Ji HH, Zhang YC
- 1190** Management of retroperitoneal high-grade serous carcinoma of unknown origin: A case report
Hsieh WL, Ding DC

ABOUT COVER

Peer Reviewer of *World Journal of Clinical Cases*, Madhan Jeyaraman, MS, PhD, Assistant Professor, Sri Lalithambigai Medical College and Hospital, Dr MGR Educational and Research Institute University, Chennai 600095, India. madhanjeyaraman@gmail.com

AIMS AND SCOPE

The primary aim of *World Journal of Clinical Cases* (*WJCC*, *World J Clin Cases*) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The *WJCC* is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Journal Citation Reports/Science Edition, Current Contents®/Clinical Medicine, PubMed, PubMed Central, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2023 Edition of Journal Citation Reports® cites the 2022 impact factor (IF) for *WJCC* as 1.1; IF without journal self cites: 1.1; 5-year IF: 1.3; Journal Citation Indicator: 0.26; Ranking: 133 among 167 journals in medicine, general and internal; and Quartile category: Q4.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Zi-Hang Xu, Production Department Director: Xu Guo, Editorial Office Director: Jin-Lei Wang.

NAME OF JOURNAL

World Journal of Clinical Cases

ISSN

ISSN 2307-8960 (online)

LAUNCH DATE

April 16, 2013

FREQUENCY

Thrice Monthly

EDITORS-IN-CHIEF

Bao-Gan Peng, Salim Surani, Jerzy Tadeusz Chudek, George Kontogorgos, Maurizio Serati

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/2307-8960/editorialboard.htm>

PUBLICATION DATE

February 26, 2024

COPYRIGHT

© 2024 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>

Retrospective Study

Association of preschool children behavior and emotional problems with the parenting behavior of both parents

Su-Mei Wang, Shuang-Qin Yan, Fang-Fang Xie, Zhi-Ling Cai, Guo-Peng Gao, Ting-Ting Weng, Fang-Biao Tao

Specialty type: Pediatrics**Provenance and peer review:**

Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind**Peer-review report's scientific quality classification**

Grade A (Excellent): 0

Grade B (Very good): B

Grade C (Good): 0

Grade D (Fair): 0

Grade E (Poor): 0

P-Reviewer: Shahriari M, Iran**Received:** September 22, 2023**Peer-review started:** September 22, 2023**First decision:** December 22, 2023**Revised:** December 29, 2023**Accepted:** January 25, 2024**Article in press:** January 25, 2024**Published online:** February 26, 2024**Su-Mei Wang, Shuang-Qin Yan, Fang-Fang Xie, Zhi-Ling Cai, Guo-Peng Gao, Ting-Ting Weng,** Department of Child Health, Ma'anshan Maternal and Child Health Center, Ma'anshan 243011, Anhui Province, China**Fang-Biao Tao,** Department of Maternal, Child and Adolescent Health, School of Public Health, Anhui Medical University, Hefei 230032, Anhui Province, China**Corresponding author:** Shuang-Qin Yan, MM, Chief Doctor, Department of Child Health, Ma'anshan Maternal and Child Health Center, No. 446 Jiashan Road, Ma'anshan 243011, Anhui Province, China. shuangqinyan@163.com**Abstract****BACKGROUND**

Parental behaviors are key in shaping children's psychological and behavioral development, crucial for early identification and prevention of mental health issues, reducing psychological trauma in childhood.

AIM

To investigate the relationship between parenting behaviors and behavioral and emotional issues in preschool children.

METHODS

From October 2017 to May 2018, 7 kindergartens in Ma'anshan City were selected to conduct a parent self-filled questionnaire - Health Development Survey of Preschool Children. Children's Strength and Difficulties Questionnaire (Parent Version) was applied to measure the children's behavioral and emotional performance. Parenting behavior was evaluated using the Parental Behavior Inventory. Binomial logistic regression model was used to analyze the association between the detection rate of preschool children's behavior and emotional problems and their parenting behaviors.

RESULTS

High level of parental support/participation was negatively correlated with conduct problems, abnormal hyperactivity, abnormal total difficulty scores and abnormal prosocial behavior problems. High level of maternal support/participation was negatively correlated with abnormal emotional symptoms and abnormal peer interaction in children. High level of parental hostility/coercion was positively correlated with abnormal emotional symptoms, abnormal conduct

problems, abnormal hyperactivity, abnormal peer interaction, and abnormal total difficulty scores in children (all $P < 0.05$). Moreover, paternal parenting behaviors had similarly effects on behavior and emotional problems of preschool children compared with maternal parenting behaviors (all $P > 0.05$), after calculating ratio of odds ratio values.

CONCLUSION

Our study found that parenting behaviors are associated with behavioral and emotional issues in preschool children. Overall, the more supportive or involved the parents are, the fewer behavioral and emotional problems the children experience; conversely, the more hostile or controlling the parents are, the more behavioral and emotional problems the children face. Moreover, the impact of fathers' parenting behaviors on preschool children's behavior and emotions is no less significant than that of mothers' parenting behaviors.

Key Words: Children; Preschool age; Parenting; Behavioral; Parenting problems

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: Seven kindergartens in Ma'anshan City were selected to conduct a questionnaire survey. The purpose of this study was to analyze the behavioral and emotional problems of preschool children in Ma'anshan City and to explore the relationship between parenting behavior and behavior and emotional problems of preschool children. The emotional and behavioral problems of preschool children in Ma'anshan City are high, and the parenting style is closely related to the emotional and behavioral problems of children. Targeted health education should be carried out to encourage the active participation of fathers to ensure the healthy physical and mental development of children.

Citation: Wang SM, Yan SQ, Xie FF, Cai ZL, Gao GP, Weng TT, Tao FB. Association of preschool children behavior and emotional problems with the parenting behavior of both parents. *World J Clin Cases* 2024; 12(6): 1084-1093

URL: <https://www.wjgnet.com/2307-8960/full/v12/i6/1084.htm>

DOI: <https://dx.doi.org/10.12998/wjcc.v12.i6.1084>

INTRODUCTION

In recent years, children's behavior and emotional problems has been the focus of research at home and abroad, and its main behavioral problems (externalized) such as aggressive behavior, illegal and criminal behavior, emotional problems (internalized) such as anxiety, depression[1-3]. Parenting behaviors play a crucial role in shaping children's psychological and behavioral development. Different parenting styles, such as authoritative, authoritarian, permissive, and uninvolved, have been linked to various outcomes in children[4-6]. It is alarming that more than half of the psycho behavioral problems originate in early childhood[7,8], in which the pre-school years are the key period of psychological development and personality formation[9].

World Health Organization (WHO) underscores the critical significance of early education and nurturing in shaping the psychological and behavioral well-being of children, particularly within the pivotal initial five years of their lives[10]. Education guidance and support for parents and caregivers are instrumental in fostering children's mental health and developmental progress[11]. Currently, programs that concentrate on parenting techniques and the dynamics of parent-child interactions, like the parent skills training programme, are designed to assist parents in cultivating appropriate educational approaches and enhancing their parenting skills[12]. The international community stresses the importance of preventing child abuse and violence in order to protect children's mental health[13,14].

Children's behavioral and emotional problems can negatively affect their daily lives and mental health in adolescence and even adulthood. Preschoolers are in the early stage of growth and development, and are susceptible to the family environment, and children's behavioral and emotional problems is closely related to the parenting style. Therefore, researching the influence of parental behaviors on the psychological and behavioral growth of children is advantageous both for society and parents. Our study aids in the early detection and prevention of mental health concerns in children, ultimately contributing to the minimization of psychological trauma during their developmental years.

MATERIALS AND METHODS

Object

Using a random cluster sampling method, from October 2017 and May 2018, seven kindergartens were randomly selected from those directly jurisdiction by Ma'anshan City. All preschool children in the kindergartens were selected as the survey participants, and their parents were investigated with the questionnaire - Survey on the Health Development of Preschool Children, developed by Anhui Medical University. The survey included a total of 75 classes, with 2427

questionnaires distributed and 2253 valid questionnaires collected, resulting in a 92.83% response rate. Among the respondents, there were 1200 boys and 1053 girls. All parents of the preschool children signed an informed consent form prior to the survey.

Research content and methods

Basic information of children: The basic information of children includes the gender, age, residence, family economic status, whether the only child, father's education level, father's age, mother's education level, mother's age, *etc.*

Behavioural and emotional problems in children: Children's Strength and Difficulties Questionnaire (Parent Version) [15] was utilized to measure the children's behavioral and emotional performance. This scale encompasses five domains: emotional problems, conduct problems, hyperactivity problems, peer interaction problems, and pro-social behavior, with a total of 25 items. Each item is scored based on the child's performance over the past 6 months, with ratings of 0, 1, and 2 points assigned for responses categorized as inconsistent, somewhat consistent, and completely consistent, respectively. Notably, the scoring for the pro-social behavior dimension is done in a reverse manner. The total score of emotional problems was 0-3 as normal, 4 as marginal, and 5-10 as abnormal. The total score of conduct problems was 0-2 as normal, 3 as marginal, and 4-10 as abnormal. The total score of hyperactivities was 0-5 as normal, 6 as marginal, and 7-10 as abnormal. The total score of peer interaction problems was 0-2 as normal, 3 as marginal, and 4-10 as abnormal. The total score of difficult problems is 0-13 for normal, 14-16 for marginal, and 17-40 for abnormal. The total score of prosocial behavior was 6-10 normal, 5 marginal, and 0-4 abnormal.

Parenting behavior: Using the Parental Behavior Inventory, from CNKI (national knowledge infrastructure, www.cnki.net) to evaluate the parenting behavior of the parents of preschool children. The scale is closely related to the evaluation of parents' emotions, parenting pressure, and children's behavior problems, and has good reliability and validity. The scale was divided into 2 dimensions: support/participation and hostility/coercion, including 10 entries each. According to the frequency of occurrence in daily life, each entry was scored as never, occasionally, sometimes, medium, regular, and always, with 0, 1, 2, 3, 4, and 5 points. The score range of each dimension is 0-50 points, the higher the score, the deeper the degree of this dimension. The total score for father and mother in both dimensions was calculated separately and then grouped by percentiles: $\leq P_{25}$ for low levels, P_{25} - P_{75} for the moderate level, $\geq P_{75}$ for a high level.

Survey method: The survey organizers provided unified training for city-level investigators and kindergarten healthcare teachers, and thoroughly explained the purpose and significance of the study to both the kindergartens and the parents. All the questionnaires were uniformly distributed to the main caregivers by the kindergarten and collected by the head teacher after completion. Subsequently, the three-level quality control was carried out by the class teacher, the health care teacher, and the municipal quality controller. If problems are found, return to inquiry and correct in time.

Statistical analyses

Epi Data 3.0 was used to establish a database for double data entry. Statistics and Logistic regression analyses were performed using the SPSS 20.0 statistical software. mean \pm SD and *n* (%) were used to describe the continuous and categorical variables, respectively. The distribution of behavioral and emotional problem detection rates in preschool children with different sociodemographic characteristics was determined to use χ^2 tests were performed for comparison. A binomial logistic regression model was used to analyze the association of parenting behavior and preschool children behavior and emotional problems by controlling for their age, sex, residence, family economic status, parental education, and age. Odds ratio (OR) was used to calculate ratio of OR [16] to compare the differences between parents in the association between high level of support/participation and high level of hostility/coercive parenting behavior and children's behavior and emotional problems. The test level was a two-sided test of $\alpha = 0.05$.

RESULTS

General information

A total of 2253 preschool children were included in this study. Children aged 3, 4, 5 and 6 accounted for 28.5%, 32.6%, 33.6% and 5.3% of the total, respectively. Boys accounted for 53.3%. Urban preschool children accounted for 84.5%. The only child accounted for 75.8%.

Detection of behavioral and emotional problems in preschool children

Among 2253 preschool children, 167 (7.4%) had abnormal emotional problems, 178 (7.9%) had abnormal conduct problems, 396 (17.6%) had abnormal hyperactivity, 528 (23.4%) had abnormal peer interaction, 232 (10.3%) had abnormal total difficulty scores, and 235 (10.4%) had abnormal prosocial behavior problems. Among them, the abnormal proportion of peer interaction problems was the highest, followed by hyperactivity problems and prosocial behavior problems.

As is shown in Table 1, our results showed that the detection rate of abnormal emotional problems in children with parents with lower education level was higher, and the difference was statistically significant ($P < 0.05$). The abnormal detection rate of conduct problems was higher in boys, children with lower education level of parents and children with younger mothers ($P < 0.05$ or $P < 0.001$). The prevalence of hyperactivity was higher in children with poor family economic status, lower educational level of father and younger parents ($P < 0.05$ or $P < 0.001$). The detection rate of abnormal peer communication was higher in children with younger age and living in non-urban areas ($P < 0.05$ or $P <$

Table 1 Distribution of behavioral and emotional problems detection rates in preschoolers with different demographic characteristics, *n* (%)

Feature	<i>n</i>	Emotional problem	Conduct problem	Hyperactivity	Peer interaction	Total score of difficulty	Pro-social behavior question
Age							
3	642	45 (7.0)	59 (9.2)	114 (17.8)	185 (28.8)	76 (11.8)	88 (13.7)
4	734	57 (7.8)	60 (8.2)	134 (18.3)	174 (23.7)	76 (10.4)	77 (10.5)
5	757	55 (7.3)	48 (6.3)	129 (17.0)	147 (19.4)	69 (9.1)	63 (8.3)
6	120	10 (8.3)	11 (9.2)	19 (15.8)	22 (18.3) ^b	11 (9.2)	7 (5.8) ^a
Sex							
Male	1200	90 (7.5)	113 (9.4)	251 (20.9)	322 (26.8)	144 (12.0)	141 (11.8)
Female	1053	77 (7.3)	65 (6.2) ^a	145 (13.8) ^b	206 (19.6) ^b	88 (8.4) ^a	94 (8.9) ^a
Domicile							
City proper	1903	126 (6.6)	133 (7.0)	333 (17.5)	423 (22.2)	178 (9.4)	187 (9.8)
Non-urban	350	41 (11.7) ^b	45 (12.9) ^b	63 (18.0)	105 (30.0) ^a	54 (15.4) ^b	48 (13.7) ^a
Family economic status							
Range	136	15 (11.0)	15 (11.0)	32 (23.5)	40 (29.4)	29 (21.3)	20 (14.7)
Same as	1870	135 (7.2)	147 (7.9)	333 (17.8)	431 (23.0)	183 (9.8)	188 (10.1)
Preferably	247	17 (6.9)	16 (6.5)	31 (12.6) ^a	57 (23.1)	20 (8.1) ^b	27 (10.9)
Single-child							
Yes	1707	126 (7.4)	133 (7.8)	309 (18.1)	400 (23.4)	180 (10.5)	175 (10.3)
No	546	41 (7.5)	45 (8.2)	87 (15.9)	128 (23.4)	52 (9.5)	60 (11.0)
Father's education level							
Junior high school and below	267	30 (11.2)	31 (11.6)	48 (18.0)	82 (30.7)	40 (15.0)	34 (12.7)
High school/technical secondary school	911	71 (7.8)	74 (8.1)	182 (20.0)	227 (24.9)	107 (11.7)	94 (10.3)
College degree or above	1075	66 (6.1) ^a	73 (6.8) ^a	166 (15.4) ^a	219 (20.4) ^b	85 (7.9) ^a	107 (10.0)
Father age							
≤ 24	355	59 (8.0)	68 (9.2)	152 (20.5)	170 (23.0)	89 (12.0)	77 (10.4)
25-29	977	67 (8.3)	61 (7.6)	146 (18.2)	184 (22.9)	90 (11.2)	89 (11.1)
≥ 30	911	41 (5.8)	49 (6.9)	98 (13.8) ^a	174 (24.5)	53 (7.5) ^a	69 (9.7)
Maternal education level							
Junior high school and below	349	33 (9.5)	46 (13.2)	68 (19.5)	99 (28.4)	49 (14.0)	45 (12.9)
High school/technical secondary school	884	75 (8.5)	68 (7.7)	180 (20.4)	232 (26.2)	106 (12.0)	91 (10.3)
College degree or above	1020	59 (5.8) ^a	64 (6.3) ^b	148 (14.5)	197 (19.3) ^b	77 (7.5) ^b	99 (9.7)
Maternal age							
≤ 24	631	60 (9.5)	66 (10.5)	142 (22.5)	151 (23.9)	79 (12.5)	63 (10.0)
25-29	1099	64 (6.8)	66 (7.0)	159 (17.0)	214 (22.8)	100 (10.7)	104 (11.1)
≥ 30	523	43 (6.3)	46 (6.7) ^a	95 (13.9) ^b	163 (23.8)	53 (7.7) ^a	68 (9.9)

^a*P* < 0.05.

^b*P* < 0.01.

0.001). The abnormal detection rate of total difficulty score of boys, children with poor family economic status, parents with lower education level and younger parents was higher ($P < 0.05$ or $P < 0.001$). The abnormal detection rate of prosocial behavior problems was higher in children with younger age, boys and living in non-urban areas, and the difference was statistically significant ($P < 0.05$; [Table 1](#)).

Relationship between parenting behavior and children's emotional and behavioral problems

As is shown in [Table 2](#), after adjusting the confounding factors of children's age, gender, residence, family economic status, parental education level and age confounding, the low-level group of each dimension was used as the reference. The analysis results revealed that high-level of father support/participation (OR = 0.35, 95%CI: 0.21-0.57) was inversely related to children's conduct problems; High-level of father support/participation (OR = 0.68, 95%CI: 0.49-0.93) was negatively correlated with hyperactivity abnormalities in children; Medium-level of father support/participation (OR = 0.64, 95%CI: 0.47-0.88) and high-level support/participation (OR = 0.42, 95%CI: 0.28-0.64) was inversely associated with abnormal total difficulty score in children; Father-medium horizontal support/participation (OR = 0.5, 95%CI: 0.37-0.68) and high-level support/participation (OR = 0.26, 95%CI: 0.17-0.40) was negatively correlated with abnormal prosocial behavior problems in children; High level of maternal support/participation (OR = 0.63, 95%CI: 0.40-0.99) was inversely associated with abnormal emotional symptoms in children; Maternal intermediate horizontal support/participation (OR = 0.54, 95%CI: 0.38-0.77) and high-level support/participation (OR = 0.33, 95%CI: 0.20-0.54) was inversely related to abnormal children's conduct problems; High level of maternal support/participation (OR = 0.53, 95%CI: 0.38-0.74) was inversely correlated with hyperactivity abnormalities in children; Maternal intermediate horizontal support/participation (OR = 0.60, 95%CI: 0.48-0.76) and high-level support/participation (OR = 0.53, 95%CI: 0.40-0.70) was negatively associated with abnormal peer communication in children; Maternal intermediate horizontal support/participation (OR = 0.60, 95%CI: 0.44-0.82) and high-level support/participation (OR = 0.41, 95%CI: 0.27-0.63) was inversely related with abnormal total score in children; Maternal intermediate horizontal support/participation (OR = 0.44, 95%CI: 0.33-0.60) and high-level support/participation (OR = 0.24, 95%CI: 0.15-0.37) was negatively associated with abnormal prosocial behavior problems in children; Father with high-level hostility/coercion (OR = 2.00, 95%CI: 1.30-3.08) was positively correlated with abnormal emotional symptoms in children; Fathers intermediate horizontal hostility/coercion (OR = 1.66, 95%CI: 1.04-2.65) and high levels of hostility/coercion (OR = 3.27, 95%CI: 2.03-5.25) was positively related with children's conduct problems; Fathers intermediate horizontal hostility/coercion (OR = 1.48, 95%CI: 1.10-2.00) and high level of hostility/coercion (OR = 2.29, 95%CI: 1.66-3.15) was positively correlated with hyperactivity in children; Father with a high level of hostility/coercion (OR = 1.92, 95%CI: 1.45-2.54) was positively associated with abnormal peer interaction in children; Fathers intermediate horizontal hostility/coercion (OR = 1.63, 95%CI: 1.08-2.46) and high levels of hostility/coercion (OR = 3.25, 95%CI: 2.14-4.94) was positively correlated with the abnormal total difficulty score of children; High level of maternal hostility/coercion (OR = 2.08, 95%CI: 1.36-3.19) was positively correlated with abnormal emotional symptoms in children; Maternal intermediate horizontal hostility/coercion (OR = 2.03, 95%CI: 1.27-3.22) and a high level of hostility/coercion (OR = 3.24, 95%CI: 2.04-5.15) was positively related with children's conduct problems; Maternal intermediate horizontal hostility/coercion (OR = 1.63, 95%CI: 1.20-2.20) and a high level of hostility/coercion (OR = 2.87, 95%CI: 2.11-3.89) was positively correlated with hyperactivity in children; Maternal intermediate horizontal hostility/coercion (OR = 1.38, 95%CI: 1.07-1.78) and high levels of hostility/coercion (OR = 1.90, 95%CI: 1.46-2.48) was positively associated with abnormal peer communication in children; Maternal intermediate horizontal hostility/coercion (OR = 1.60, 95%CI: 1.08-2.38) and high levels of hostility/coercion (OR = 2.99, 95%CI: 2.03-4.42) was positively correlated with the abnormal total difficulty score of children.

Differences between parents in the associations of children's behavioral and emotional problems with parenting behaviors

As is shown in [Table 3](#), after comparing the risk ratio of high level of parental support/involvement, high level of parental hostility/coercive parenting behavior and children's behavior and emotional problems, it was found that there was no significant difference in the correlation between parental parenting behavior and children's behavior and emotional problems between fathers and mothers ($P > 0.05$).

DISCUSSION

The WHO estimates that about 10% to 20% of children worldwide suffer from one or more psychological problems[10]. Preschoolers' psychological development is not mature, they are easily affected by internal and external factors and produce psychological behavioral problems[17,18]. Usually, the causes of behavior and emotional problems in preschool children are mainly related to the combination of genetic[19], biological environment[20], family and social factors, among which the family environment mainly includes parent-child relationship, parental relationship and family intimacy[21,22].

There are four parenting styles: authoritative (high warmth and control), authoritarian (low warmth, high control), permissive (high warmth, low control), and uninvolved (low warmth and control)[23]. It is now generally accepted that authoritative parenting, characterized by warmth, responsiveness, and appropriate levels of control, has been associated with positive child outcomes such as higher self-esteem, better academic performance, and lower rates of behavioral problems[24,25]. Permissive parenting, defined by its high levels of warmth but low levels of control, may lead to children exhibiting poor impulse control, diminished academic performance, and an increased propensity to partake in risky behaviors[26]. Uninvolved parenting, marked by low levels of warmth and control, has been linked to negative

Table 2 Logistic regression analysis of the relationship between parenting behavior and behavior and mood problems in preschoolers, OR (95%CI)

Parenting behavior dimension	Emotional symptoms	Conduct problem	Hyperactivity	Peer interaction	Total score of difficulty	Pro-social behavior question
Father with support/participation						
Low level	1.00	1.00	1.00	1.00	1.00	1.00
Medium level	0.89 (0.62, 1.29)	0.77 (0.54, 1.09)	0.94 (0.72, 1.22)	0.59 (0.46, 0.75) ^b	0.64 (0.47, 0.88) ^a	0.50 (0.37, 0.68) ^b
High tone	0.64 (0.40, 1.01)	0.35 (0.21, 0.57) ^b	0.68 (0.49, 0.93) ^a	0.61 (0.47, 0.81) ^b	0.42 (0.28, 0.64) ^b	0.26 (0.17, 0.40) ^b
Mother with the support/participation						
Low level	1.00	1.00	1.00	1.00	1.00	1.00
Medium level	0.72 (0.50, 1.04)	0.54 (0.38, 0.77) ^b	0.92 (0.71, 1.19)	0.60 (0.48, 0.76) ^b	0.60 (0.44, 0.82) ^a	0.44 (0.33, 0.60) ^b
High tone	0.63 (0.40, 0.99) ^a	0.33 (0.20, 0.54) ^b	0.53 (0.38, 0.74) ^b	0.53 (0.40, 0.70) ^b	0.41 (0.27, 0.63) ^b	0.24 (0.15, 0.37) ^b
Father is hostile/coercive						
low level	1.00	1.00	1.00	1.00	1.00	1.00
Medium level	0.97 (0.64, 1.49)	1.66 (1.04, 2.65) ^a	1.48 (1.10, 2.00) ^a	1.25 (0.97, 1.62)	1.63 (1.08, 2.46) ^a	1.18 (0.84, 1.66)
High tone	2.00 (1.30, 3.08) ^a	3.27 (2.03, 5.25) ^b	2.29 (1.66, 3.15) ^b	1.92 (1.45, 2.54) ^b	3.25 (2.14, 4.94) ^b	1.12 (0.76, 1.65)
Mother is hostile/coercive						
Low level	1.00	1.00	1.00	1.00	1.00	1.00
Medium level	1.31 (0.85, 2.01)	2.03 (1.27, 3.22) ^a	1.63 (1.20, 2.20) ^a	1.38 (1.07, 1.78) ^a	6.01 (1.08, 2.38) ^a	1.28 (0.91, 1.79)
High tone	2.08 (1.36, 3.19) ^a	3.24 (2.04, 5.15) ^b	2.87 (2.11, 3.89) ^b	1.90 (1.46, 2.48) ^b	2.99 (2.03, 4.42) ^b	1.28 (0.89, 1.85)

^a*P* < 0.05.

^b*P* < 0.01.

The child's age, gender, residence, family economic status, parental education level, and age were adjusted.

outcomes such as low self-esteem, poor academic performance, and increased risk of delinquency[27]. In summary, the role of parental behaviors is paramount in shaping children's psychological and behavioral growth. It is crucial for parents to recognize the implications of their parenting styles and aim for a balanced method, integrating warmth, responsiveness, and suitable levels of discipline. Such an approach is key to nurturing well-rounded and healthy development in children.

In our study, we compared the results of the survey data from CNKI in China. 232 children with abnormal total difficulty scores, accounting for 10.3%, which was similar to the examination rate of psychological and behavioral problems of preschool children in Xuzhou reported by Han *et al*[28] and in Xuzhou reported by Xu *et al*[29] (9.8%), and higher than the 7.76% reported by Deng *et al*[30] in Shanghai and 8.72% reported by Yu *et al*[31] in Wuhu. It is slightly lower than the 11.8% reported by Zeng *et al*[32] in Liuzhou and 11.6% reported by Huang *et al*[33] in Hunan Province. It shows that the detection rate of behavior problems among preschool children varies in different regions, but the incidence of emotional and behavioral problems in preschool children in Ma'anshan is at a relatively high level.

Preschool is a key period for the development of children's emotional, conduct, peer interaction and other functions. If the child's growth and development are neglected at this time, it may lead to a series of emotional and behavioral problems. The highest incidence of issues among children was in abnormal peer interactions, followed by hyperactivity. Notably, the rate of abnormal emotional problems was the lowest, mirroring the findings observed in Wuhu city. It shows that the behavior and emotional problems of preschool children in our city cannot be ignored, especially to pay attention to the problem of peers interaction and hyperactivity. It also suggests that parents and nurseries should attach great importance to the hyperactivity and peer interaction of preschool children, especially boys, and strengthen reasonable guidance and health education.

Fathers and mothers' rearing patterns also known as parenting style, which refers to the relatively stable behavior style that parents think, feel and show when raising their children, and is a combination of emotional behaviors when

Table 3 Comparison of the associations between parenting behavior and behavioral and emotional problems in preschool children, OR (95%CI)

Parenting behavior dimension	Emotional symptoms	Conduct problem	Hyperactivity	Peer interaction	Total score of difficulty	Pro-social behavior question
Father with a high-level of support/participation	0.64 (0.40, 1.01)	0.35 (0.21, 0.57)	0.68 (0.49, 0.93)	0.61 (0.47, 0.81)	0.42 (0.28, 0.64)	0.26 (0.17, 0.40)
High-level level of maternal support/participation	0.63 (0.40, 0.99)	0.33 (0.20, 0.54)	0.53 (0.38, 0.74)	0.53 (0.40, 0.70)	0.41 (0.27, 0.63)	0.24 (0.15, 0.37)
ROR	1.02 (0.53, 1.94)	1.06 (0.52, 2.14)	1.28 (0.81, 2.04)	1.15 (0.78, 1.70)	1.02 (0.57, 1.85)	1.08 (0.58, 2.02)
P value	0.962	0.870	0.291	0.480	0.936	0.801
Father with a high level of hostility/coercion	2.00 (1.30, 3.08)	3.27 (2.03, 5.25)	2.29 (1.66, 3.15)	1.92 (1.45, 2.54)	3.25 (2.14, 4.94)	1.12 (0.76, 1.65)
Mother with a high level of hostility/coercion	2.08 (1.36, 3.19)	3.24 (2.04, 5.15)	2.87 (2.11, 3.89)	1.90 (1.46, 2.48)	2.99 (2.03, 4.42)	1.28 (0.89, 1.85)
ROR	0.96 (0.52, 1.76)	1.01 (0.52, 1.96)	0.80 (0.51, 1.24)	1.01 (0.69, 1.49)	1.09 (0.61, 1.92)	0.88 (0.51, 1.49)
P value	0.899	0.978	0.318	0.958	0.775	0.623

ROR: Ratio of odds ratio.

interacting with their children[34]. The current study supports that parenting styles are associated with children's physical and mental health and have lasting effects as well as internalizing and externalizing problems[35]. Positive parenting style lays a good foundation for children's emotional and behavioral capacity building, and bad or ineffective parenting style and children's behavioral problems promotes each other[36]. Fatherhood-rearing is essential for children to complete the transition from within the family to the outside world[37]. Related studies have shown that early mother and child paternity can partly predict whether child behavior is problematic[38,39]. Indeed, the parenting behaviors of both parents distinctly influence the internalized behaviors of preschool children[40,41]. Furthermore, inconsistencies in parenting styles can hinder children's ability to regulate their emotions effectively. This inconsistency can heighten the risk of poor peer relationships, aggressive behavior, and diminished independence among other negative outcomes. Therefore, family parenting style is closely related to preschool children's behavior and emotional problems. It is of great significance to the early development of children to master the knowledge of child rearing, clearly recognize the value of parenting, and fully realize the love, encouragement, understanding and tolerance of parents, among which the role of father should not be ignored.

CONCLUSION

In conclusion, the emotional and behavioral problems of preschool children in Ma'anshan city are relatively high and affected by various factors, among which the parenting style is closely related to children's emotional and behavioral problems, so targeted health education should be carried out, especially to encourage fathers to be actively involved, to ensure the physical and mental health development of children.

ARTICLE HIGHLIGHTS

Research background

Parental actions are vital in molding children's mental and behavioral growth, essential for early detection and prevention of mental health problems, minimizing childhood psychological trauma.

Research motivation

To investigate the relationship between parenting behaviors and behavioral and emotional issues in preschool children. Targeted health education should be carried out to encourage the active participation of fathers to ensure the healthy physical and mental development of children.

Research objectives

Between October 2017 and May 2018, a survey in seven Ma'anshan kindergartens used random sampling. Parents of all preschoolers completed Anhui Medical University's health questionnaire, yielding 2253 valid responses (92.83%) from 75

classes, including 1200 boys and 1053 girls, with prior parental consent.

Research methods

From October 2017 to May 2018, in Ma'anshan City, parents in 7 kindergartens completed the "Health Development Survey of Preschool Children," including the Strengths and Difficulties Questionnaire and Parental Behavior Inventory to assess children's behavior, emotions, and parenting impacts, analyzed using binomial logistic regression.

Research results

Greater parental support reduces children's conduct issues, hyperactivity, total difficulties, and prosocial behavior problems. Maternal support particularly lessens children's emotional symptoms and peer issues. Conversely, parental hostility increases these problems (all $P < 0.05$). Paternal behavior impacts children's behavior and emotions similarly to maternal behavior ($P > 0.05$), as shown by odds ratio comparisons.

Research conclusions

Our research indicates a link between parenting styles and preschoolers' behavioral and emotional issues. Generally, increased parental support or involvement leads to fewer such problems in children, while greater hostility or control from parents results in more issues. Additionally, fathers' influence on children's behavior and emotions is equally significant as that of mothers.

Research perspectives

This research perspectives of this article focus on understanding the influence of parenting behaviors on preschool children's emotional and behavioral development. It emphasizes the significance of both supportive and coercive parenting styles, examining how each uniquely impacts a child's psychological well-being. The study also brings attention to the equally important roles of both fathers and mothers in shaping their children's behavior and emotions. By conducting a detailed analysis through questionnaires in multiple kindergartens, the research provides insights into how different parenting approaches can foster or hinder a child's emotional and behavioral health, underlining the necessity for balanced and supportive parenting in early childhood development.

FOOTNOTES

Author contributions: Wang SM, Yan SQ, Gao GP and Tao FB contributed to the conceptualization; Weng TT contributed to the data curation, formal analysis, and investigation; Yan SQ, Cai ZL and Tao FB contributed to the funding acquisition; Wang SM contributed to the methodology and writing-original draft; Yan SQ contributed to the project administration and supervision; Yan SQ, Xie FF, Cai ZL and Tao FB contributed to the resources; Tao FB contributed to the software; Wang SM and Yan SQ contributed to the validation; Cai ZL contributed to the visualization; Wang SM, Yan SQ and Gao GP contributed to the writing-review & editing.

Supported by the National Natural Science Foundation of China, No. 81330068.

Institutional review board statement: The study was approved by Institutional Review Board of Ma'anshan Maternal and Child Health Center.

Informed consent statement: All the study subjects provided informed consent.

Conflict-of-interest statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Data sharing statement: No additional data are available.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: China

ORCID number: Shuang-Qin Yan [0009-0007-6906-9144](https://orcid.org/0009-0007-6906-9144).

S-Editor: Zhang H

L-Editor: A

P-Editor: Zhao S

REFERENCES

- 1 **Miller KN**, Jacobson KC. The Differential Impact of Parenting on Adolescent Externalizing Behaviors in the Context of Maternal Stress. *J Youth Adolesc* 2023; **52**: 1459-1470 [PMID: 36807232 DOI: 10.1007/s10964-023-01747-0]
- 2 **Leuba AL**, Meyer AH, Kakebeke TH, Stülk K, Arhab A, Zysset AE, Leeger-Aschmann CS, Schmutz EA, Kriemler S, Jenni OG, Puder JJ, Munsch S, Messerli-Bürge N. The relationship of parenting style and eating behavior in preschool children. *BMC Psychol* 2022; **10**: 275 [PMID: 36419113 DOI: 10.1186/s40359-022-00981-8]
- 3 **Kaiser T**, Li J, Pollmann-Schult M, Song AY. Poverty and Child Behavioral Problems: The Mediating Role of Parenting and Parental Well-Being. *Int J Environ Res Public Health* 2017; **14** [PMID: 28867777 DOI: 10.3390/ijerph14090981]
- 4 **St George SM**, Wilson DK. A qualitative study for understanding family and peer influences on obesity-related health behaviors in low-income African-American adolescents. *Child Obes* 2012; **8**: 466-476 [PMID: 23061501 DOI: 10.1089/chi.2012.0067]
- 5 **Jago R**, Wood L, Zahra J, Thompson JL, Sebire SJ. Parental control, nurturance, self-efficacy, and screen viewing among 5- to 6-year-old children: a cross-sectional mediation analysis to inform potential behavior change strategies. *Child Obes* 2015; **11**: 139-147 [PMID: 25584518 DOI: 10.1089/chi.2014.0110]
- 6 **Del Puerto-Golzari N**, Azurmendi A, Carreras MR, Muñoz JM, Braza P, Vegas O, Pascual-Sagastizabal E. The Moderating Role of Surgency, Behavioral Inhibition, Negative Emotionality and Effortful Control in the Relationship between Parenting Style and Children's Reactive and Proactive Aggression. *Children (Basel)* 2022; **9** [PMID: 35053729 DOI: 10.3390/children9010104]
- 7 **Bele SD**, Bodhare TN, Valsangkar S, Saraf A. An epidemiological study of emotional and behavioral disorders among children in an urban slum. *Psychol Health Med* 2013; **18**: 223-232 [PMID: 22783928 DOI: 10.1080/13548506.2012.701751]
- 8 **Kassing F**, Godwin J, Lochman JE, Coie JD; Conduct Problems Prevention Research Group. Using Early Childhood Behavior Problems to Predict Adult Convictions. *J Abnorm Child Psychol* 2019; **47**: 765-778 [PMID: 30280365 DOI: 10.1007/s10802-018-0478-7]
- 9 **Sanefuji W**, Haryu E. Preschoolers' Development of Theory of Mind: The Contribution of Understanding Psychological Causality in Stories. *Front Psychol* 2018; **9**: 955 [PMID: 29946286 DOI: 10.3389/fpsyg.2018.00955]
- 10 **Diabetes**. In: World Health Organization. [cited 2023 Aug 20]. Available from: <https://www.who.int/westernpacific/health-topics/diabetes>
- 11 **Haine-Schlagel R**, Martinez JL, Roesch SC, Bustos CE, Janicki C. Randomized Trial of the Parent And Caregiver Active Participation Toolkit for Child Mental Health Treatment. *J Clin Child Adolesc Psychol* 2018; **47**: S150-S160 [PMID: 27442606 DOI: 10.1080/15374416.2016.1183497]
- 12 **Fursland A**, Freeman J. Proceedings of the 2014 Australia and New Zealand Academy for Eating Disorders (ANZAED) Conference. *J Eat Disord* 2014; **2**: I1-P14 [PMID: 25467931 DOI: 10.1186/2050-2974-2-S1-O36]
- 13 **Doyle JJ Jr**, Aizer A. Economics of Child Protection: Maltreatment, Foster Care, and Intimate Partner Violence. *Annu Rev Econom* 2018; **10**: 87-108 [PMID: 31007830 DOI: 10.1146/annurev-economics-080217-053237]
- 14 **Crombach A**, Bambonyé M. Intergenerational violence in Burundi: Experienced childhood maltreatment increases the risk of abusive child rearing and intimate partner violence. *Eur J Psychotraumatol* 2015; **6**: 26995 [PMID: 26679146 DOI: 10.3402/ejpt.v6.26995]
- 15 **Famodu OO**, Adebayo AM, Adebayo BE. Child labor and mental health status of in-school adolescents in a municipal local government area of Lagos state, Nigeria. *Int J Adolesc Med Health* 2018; **33** [PMID: 30367800 DOI: 10.1515/ijamh-2018-0075]
- 16 **Altman DG**, Bland JM. Interaction revisited: the difference between two estimates. *BMJ* 2003; **326**: 219 [PMID: 12543843 DOI: 10.1136/bmj.326.7382.219]
- 17 **Kim SW**, Jeon HR, Kim JY, Kim Y. Heart Rate Variability Among Children With Acquired Brain Injury. *Ann Rehabil Med* 2017; **41**: 951-960 [PMID: 29354571 DOI: 10.5535/arm.2017.41.6.951]
- 18 **Wang S**, Agius M. The use of Music Therapy in the treatment of Mental Illness and the enhancement of Societal Wellbeing. *Psychiatr Danub* 2018; **30**: 595-600 [PMID: 30439854]
- 19 **Gundersen C**, Mahatmya D, Garasky S, Lohman B. Linking psychosocial stressors and childhood obesity. *Obes Rev* 2011; **12**: e54-e63 [PMID: 21054757 DOI: 10.1111/j.1467-789X.2010.00813.x]
- 20 **Ylijoki MK**, Ekholm E, Ekblad M, Lehtonen L. Prenatal Risk Factors for Adverse Developmental Outcome in Preterm Infants-Systematic Review. *Front Psychol* 2019; **10**: 595 [PMID: 30971974 DOI: 10.3389/fpsyg.2019.00595]
- 21 **Staff RT**, Hogan MJ, Whalley LJ. The influence of childhood intelligence, social class, education and social mobility on memory and memory decline in late life. *Age Ageing* 2018; **47**: 847-852 [PMID: 30084877 DOI: 10.1093/ageing/afy111]
- 22 **Runge RA**, Soellner R. Measuring children's emotional and behavioural problems: are SDQ parent reports from native and immigrant parents comparable? *Child Adolesc Psychiatry Ment Health* 2019; **13**: 46 [PMID: 31798684 DOI: 10.1186/s13034-019-0306-z]
- 23 **Elinder LS**, Patterson E, Nyberg G, Norman Å. A Healthy School Start Plus for prevention of childhood overweight and obesity in disadvantaged areas through parental support in the school setting - study protocol for a parallel group cluster randomised trial. *BMC Public Health* 2018; **18**: 459 [PMID: 29625599 DOI: 10.1186/s12889-018-5354-4]
- 24 **Wong RSM**, Yu EYT, Guo VY, Wan EY, Chin WY, Wong CKH, Fung CSC, Tung KTS, Wong WH, Ip P, Tiwari AFY, Lam CLK. A prospective cohort study to investigate parental stress and child health in low-income Chinese families: protocol paper. *BMJ Open* 2018; **8**: e018792 [PMID: 29472262 DOI: 10.1136/bmjopen-2017-018792]
- 25 **Steinsbekk S**, Bonneville-Roussy A, Fildes A, Llewellyn CH, Wichstrøm L. Child and parent predictors of picky eating from preschool to school age. *Int J Behav Nutr Phys Act* 2017; **14**: 87 [PMID: 28679411 DOI: 10.1186/s12966-017-0542-7]
- 26 **Mukherjee SB**. Autism Spectrum Disorders - Diagnosis and Management. *Indian J Pediatr* 2017; **84**: 307-314 [PMID: 28101829 DOI: 10.1007/s12098-016-2272-2]
- 27 **He Y**, Liu C, Luo R. Emotional Warmth and Rejection Parenting Styles of Grandparents/Great Grandparents and the Social-Emotional Development of Grandchildren/Great Grandchildren. *Int J Environ Res Public Health* 2023; **20** [PMID: 36674323 DOI: 10.3390/ijerph20021568]
- 28 **Han B**, Huang H, Yao X, Li X, Li S, Yan H. The relationship between screen time and emotional behavior problems in preschool children in Ezhou City. *Zhongguo Xuexiao Weisheng* 2019; **40**: 1669-1671 [DOI: 10.16835/j.cnki.1000-9817.2019.11.019]
- 29 **Xu G**, Gong X, Zhu Z, Jiang L, Geng M, Wu X, Tao F, Chu Y, Peng L. The mediating effect of sleep disorders in preschool children on behavioral and emotional problems and parenting styles. *Zhongguo Gonggong Weisheng* 2020; **4**: 1143-1146 [DOI: 10.11847/zgggws1122985]
- 30 **Deng Y**, Ji J, Fan J, Jiang Y, Chen H, Chen Z. Investigation and analysis of behavioral and emotional problems among 23,325 preschool children in Shanghai. *Zhongguo Shequ Yishi* 2019; **35**: 159-160,163 [DOI: 10.3969/j.issn.1007-614x.2019.11.114]

- 31 **Yu M**, Wang R, He H, Zhang A, Ning M. Investigation and analysis of emotional and behavioral problems in preschool children in Wuhu city. *Shiyong Yufang Yixue* 2021; **28**: 309-312 [DOI: [10.3969/j.issn.1006-3110.2021.03.016](https://doi.org/10.3969/j.issn.1006-3110.2021.03.016)]
- 32 **Zeng P**, Feng Y, Zeng T, Zhang H, Li H. Liuzhou school-age children's emotional and behavioral problems analysis. *Zhongguo Ertong Baojian Zazhi* 2019; **27**: 1005-1007 [DOI: [10.11852/zgetbjzz2018-1506](https://doi.org/10.11852/zgetbjzz2018-1506)]
- 33 **Huang G**, Wu H, Liu Z, Du Q, Huang Q, Fang J. Investigation on emotional and behavioral problems in 1280 children aged 3 to 6 years. *Zhongguo Ertong Baojian Zazhi* 2012; **20**: 595-597,603
- 34 **Shloim N**, Edelson LR, Martin N, Hetherington MM. Parenting Styles, Feeding Styles, Feeding Practices, and Weight Status in 4-12 Year-Old Children: A Systematic Review of the Literature. *Front Psychol* 2015; **6**: 1849 [PMID: [26696920](https://pubmed.ncbi.nlm.nih.gov/26696920/) DOI: [10.3389/fpsyg.2015.01849](https://doi.org/10.3389/fpsyg.2015.01849)]
- 35 **Berkien M**, Louwse A, Verhulst F, van der Ende J. Children's perceptions of dissimilarity in parenting styles are associated with internalizing and externalizing behavior. *Eur Child Adolesc Psychiatry* 2012; **21**: 79-85 [PMID: [22222568](https://pubmed.ncbi.nlm.nih.gov/22222568/) DOI: [10.1007/s00787-011-0234-9](https://doi.org/10.1007/s00787-011-0234-9)]
- 36 **Bögels S**, Phares V. Fathers' role in the etiology, prevention and treatment of child anxiety: a review and new model. *Clin Psychol Rev* 2008; **28**: 539-558 [PMID: [17854963](https://pubmed.ncbi.nlm.nih.gov/17854963/) DOI: [10.1016/j.cpr.2007.07.011](https://doi.org/10.1016/j.cpr.2007.07.011)]
- 37 **Pinquart M**. Associations of parenting dimensions and styles with externalizing problems of children and adolescents: An updated meta-analysis. *Dev Psychol* 2017; **53**: 873-932 [PMID: [28459276](https://pubmed.ncbi.nlm.nih.gov/28459276/) DOI: [10.1037/dev0000295](https://doi.org/10.1037/dev0000295)]
- 38 **Crocetti E**, Moscatelli S, Van der Graaff J, Keijsers L, van Lier P, Koot HM, Rubini M, Meeus W, Branje S. The Dynamic Interplay among Maternal Empathy, Quality of Mother-Adolescent Relationship, and Adolescent Antisocial Behaviors: New Insights from a Six-Wave Longitudinal Multi-Informant Study. *PLoS One* 2016; **11**: e0150009 [PMID: [26990191](https://pubmed.ncbi.nlm.nih.gov/26990191/) DOI: [10.1371/journal.pone.0150009](https://doi.org/10.1371/journal.pone.0150009)]
- 39 **Noergaard B**, Johannessen H, Fenger-Gron J, Kofoed PE, Ammentorp J. Participatory Action Research in the Field of Neonatal Intensive Care: Developing an Intervention to Meet the Fathers' Needs. A Case Study. *J Public Health Res* 2016; **5**: 744 [PMID: [28083521](https://pubmed.ncbi.nlm.nih.gov/28083521/) DOI: [10.4081/jphr.2016.744](https://doi.org/10.4081/jphr.2016.744)]
- 40 **Kim P**, Leckman JF, Mayes LC, Newman MA, Feldman R, Swain JE. Perceived quality of maternal care in childhood and structure and function of mothers' brain. *Dev Sci* 2010; **13**: 662-673 [PMID: [20590729](https://pubmed.ncbi.nlm.nih.gov/20590729/) DOI: [10.1111/j.1467-7687.2009.00923.x](https://doi.org/10.1111/j.1467-7687.2009.00923.x)]
- 41 **Allen KB**, Tan PZ, Sullivan JA, Baumgardner M, Hunter H, Glovak SN. An Integrative Model of Youth Anxiety: Cognitive-Affective Processes and Parenting in Developmental Context. *Clin Child Fam Psychol Rev* 2023; **26**: 1025-1051 [PMID: [37819403](https://pubmed.ncbi.nlm.nih.gov/37819403/) DOI: [10.1007/s10567-023-00458-z](https://doi.org/10.1007/s10567-023-00458-z)]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA
Telephone: +1-925-3991568
E-mail: office@baishideng.com
Help Desk: <https://www.f6publishing.com/helpdesk>
<https://www.wjgnet.com>

