STROBE Statement—checklist of items that should be included in reports of observational studies

	Item No.	Recommendation	Line/Page
Title and abstract	1	(a) Indicate the study's design with a commonly used term in	Page 1
		the title or the abstract	Page 2
		(b) Provide in the abstract an informative and balanced	Page 2 Line 3 to
		summary of what was done and what was found	P 4 Line 10
Introduction			
Background/rationale	2	Explain the scientific background and rationale for the	Page 4 Line 2 to
C		investigation being reported	P 6- line 10
Objectives	3	State specific objectives, including any prespecified hypotheses	Page 6 line 9, 10
Methods		1 3 / 2 1 1	
Study design	4	Present key elements of study design early in the paper	Page 6, line 2-
Setting	5	Describe the setting, locations, and relevant dates, including	Page 6, line 2-
C		periods of recruitment, exposure, follow-up, and data collection	11
Participants	6	(a) Cohort study—Give the eligibility criteria, and the sources	
1		and methods of selection of participants. Describe methods of	
		follow-up	
		Case-control study—Give the eligibility criteria, and the	Page 6 line 13-
		sources and methods of case ascertainment and control	18
		selection. Give the rationale for the choice of cases and controls	
		Cross-sectional study—Give the eligibility criteria, and the	
		sources and methods of selection of participants	
		(b) Cohort study—For matched studies, give matching criteria	
		and number of exposed and unexposed	
		Case-control study—For matched studies, give matching	
		criteria and the number of controls per case	
Variables	7	Clearly define all outcomes, exposures, predictors, potential	Page 6 line 19 to
		confounders, and effect modifiers. Give diagnostic criteria, if	page8 line 4
		applicable	
Data sources/	8*	For each variable of interest, give sources of data and details of	Page 6 line 19 to
measurement		methods of assessment (measurement). Describe comparability	page 8 line 4
		of assessment methods if there is more than one group	
Bias	9	Describe any efforts to address potential sources of bias	
Study size	10	Explain how the study size was arrived at	Page 8 line 14-
Quantitative variables	11	Explain how quantitative variables were handled in the	Page 8 line 14-
		analyses. If applicable, describe which groupings were chosen	25
		and why	
Statistical methods	12	(a) Describe all statistical methods, including those used to	Page 8 line 14-
		control for confounding	25
		(b) Describe any methods used to examine subgroups and	Page 8 line 14-
		interactions	25
		(c) Explain how missing data were addressed	Page 8 line 14-
		· · · · · · · · · · · · · · · · · · ·	25

(d) Cohort study—If applicable, explain how loss to follow-up	
was addressed	
Case-control study—If applicable, explain how matching of	
cases and controls was addressed	
Cross-sectional study—If applicable, describe analytical	
methods taking account of sampling strategy	
(\underline{e}) Describe any sensitivity analyses	Page 8 line 14-
	25

Continued on next page

Results			
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	Page 9 line 2-9
		(b) Give reasons for non-participation at each stage	Page 9line 20-22
		(c) Consider use of a flow diagram	Diagram 1
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	Page 9line 20-22
		(b) Indicate number of participants with missing data for each variable of interest	Page 10 line 20-22
		(c) Cohort study—Summarise follow-up time (eg, average and total amount)	
Outcome data	15*	Cohort study—Report numbers of outcome events or summary measures over time	
		Case-control study—Report numbers in each exposure category, or summary measures of exposure	Page 9 line 20-22
		Cross-sectional study—Report numbers of outcome events or summary measures	
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	Page 9 line 20-22
		(b) Report category boundaries when continuous variables were categorized	Page 9 line 20-22
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	Page 9 line 20-22
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	Page 9 line 20-22
Discussion			
Key results	18	Summarise key results with reference to study objectives	Page 11 line 8-10
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	Page 13 line 20-22
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	
Generalisability	21	Discuss the generalisability (external validity) of the study results	Page 13 line 26, 27

Other information

C MICH IMPORT				
Funding	22	Give the source of funding and the role of the funders for the present study	Page 14	
		and, if applicable, for the original study on which the present article is based	line 8	

*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at http://www.plosmedicine.org/, Annals of Internal Medicine at http://www.annals.org/, and Epidemiology at http://www.epidem.com/). Information on the STROBE Initiative is available at www.strobe-statement.org.