

Imaging in pulmonary hydatid cyst

Mandeep K Garg, Madhurima Sharma, Ajay Gulati, Ujjwal Gors, Ashutosh N Aggarwal, Ritesh Agarwal, Niranjana Khandelwal

Reviewer Number	Comments	Response
Reviewer's code: 00738753	A clearly written paper focusing on thoracic involvement of hydatid cyst.	
	<ul style="list-style-type: none"> The paper should undergo English linguistic revision before publication. 	<ul style="list-style-type: none"> As suggested, English linguistic revision has been done.
	<ul style="list-style-type: none"> I recommend the authors to mention and cite a manuscript below which demonstrates the CT and MRI findings in intrabiliary rupture of hydatid cyst. Cases J. 2009 Mar 10;2:6455. doi: 10.1186/1757-1626-2-6455. Intrabiliary rupture of liver hydatid cyst: a case report and review of the literature. Avcu S1, Ünal ?, Arslan H. 	<ul style="list-style-type: none"> Another reviewer has suggested that since this is a manuscript focusing primarily on pulmonary hydatid, so intrabiliary rupture should not be discussed in this manuscript. Going by his suggestions/comments, we have removed intrabiliary rupture of hydatid from our manuscript.
Reviewer's code: 02350773	This is a nice review summarizing the imaging features of the pulmonary hydatid disease. It is well written up.	
	<ul style="list-style-type: none"> The CT signs are quite numerous and difficult to keep in mind by reading the text. If possible, I'd add some drawings illustrating them. This might improve the quality of this review. 	<ul style="list-style-type: none"> We agree with the reviewer that drawing illustrations would have certainly made understanding of CT signs interesting, but we have shown most of the CT signs in the images itself.
	Minor comments- <ul style="list-style-type: none"> Clinical features and complications: I'd delete "into biliary tree" as the review is now focused on the lung involvement. 	<ul style="list-style-type: none"> Going by reviewers' suggestions/comments, we have removed the sentence from our manuscript regarding intrabiliary rupture of hydatid.

	<ul style="list-style-type: none"> Imaging features: the first sentence sounds a bit contradictory as the lung is the second most common involved organ 	<ul style="list-style-type: none"> First sentence has been rephrased as <i>‘Lung is the second most common site for hydatid cyst in adults’</i>.
	<ul style="list-style-type: none"> 2.2 and 2.3 paragraphs have similar titles. Can you slightly modify the 2.3 one to make this distinction clearer? 	<ul style="list-style-type: none"> The titles of paragraphs 2.2 and 2.3 has been modified to make the distinction clearer as <i>“CT features due to contained rupture of endocyst”</i> and <i>“CT features due to complete rupture of endocyst”</i>
	<ul style="list-style-type: none"> Fig.1b: do the left cysts show other specific features? E.g. the largest one seems including a smaller cyst. 	<ul style="list-style-type: none"> This patient had also undergone CECT chest which showed uncomplicated cysts in the left lung. The appearance of cyst within cyst on chest X-ray was artifactual caused by superimposition of two cysts of different sizes lying at the same level.
Reviewer’s code: 00604620	This is a comprehensive review of hydatid lung disease.	
	<ul style="list-style-type: none"> One missing paragraph is the differential diagnosis of this disease. This review is all written from a perspective that you KNOW the etiology of the findings, but cystic changes in the lungs can have other causes that one would need to consider (e.g. lung abscess due to other causes, necrotic malignancy, etc.). 	<ul style="list-style-type: none"> We have added a paragraph describing differential diagnosis of the disease.