

Name of Journal: *World Journal of Clinical Oncology*

ESPS Manuscript NO: 30834

Manuscript Type: Original Article

Retrospective Study

Trans-arterial chemoperfusion for the treatment of liver metastases of breast cancer and colorectal cancer: Clinical results in palliative care patients

Tatjana Gruber-Rouh, Marcel Langenbach, Nagy NN Naguib, Nour-Eldin M Nour-Eldin, Thomas J Vogl, Stephan Zangos, Martin Beeres

Abstract

AIM

To evaluate the clinical value and efficiency of trans-arterial chemoperfusion

Match Overview

- | | | |
|---|---|-----|
| 1 | Crossref 130 words
Thomas J. Vogl. "Palliative hepatic intraarterial chemotherapy (HIC) using a novel combination of aemcit. | 3% |
| 2 | Crossref 17 words
Hoffmann, R.T. "Radiofrequency ablation after selective internal radiation therapy with Yttrium90 microsp | <1% |
| 3 | Crossref 14 words
Vogl, Thomas J., Tatjana Gruber-Rouh, Katrin Eichler, Nour-Eldin A. Nour-Eldin, Jörg Trojan, Stephan Zang | <1% |
| 4 | Crossref 12 words
Groote, Kerlijne De. "Intrahepatic therapy for liver-dominant metastatic colorectal cancer", World Journal o | <1% |
| 5 | Crossref 12 words
Çurley, S.A. "Advances in the treatment of liver tumors", Current Problems in Surgery, 200205 | <1% |
| 6 | Internet 12 words
crawled on 09-Mar-2016
www.wjgnet.com | <1% |



All News Images Videos Shopping More ▾ Search tools

About 117 results (0.83 seconds)

Transarterielle Chemoperfusion und -embolisation thorakaler ...

https://www.researchgate.net/.../226586035_Transarterielle_Chemoperfusi... ResearchGate ▾

Official Full-Text Publication: Transarterielle Chemoperfusion und ... C-arm CT for on-line fluoroscopy in regional transarterial chemoperfusion (TACP) and ... treatment of liver metastases from breast cancer [7–12]. patients with breast cancer were primarily palliative or ... The neoadjuvant TACE was defined as a clinical.

[PDF] Colorectal liver metastases: regional chemotherapy via transarterial ...

radiologie-uni-frankfurt.de/sites/radiologieinstitut/content/e6796/.../fulltext_ger.pdf ▾

2006 - Cited by 104 - Related articles

colorectal cancer patients; in 25–50% it is encountered at Table 2 Treatment regimens and results of HAI in colorectal liver metastases during the last 5 years ...

Missing: tæp

PubPDF - Find Full Text Journal Articles Authored By Stefan Zangos

www.pubpdf.com/search/author/Stefan+Zangos

Dec 1, 2015 - The purpose of this review is to demonstrate the clinical indications, technical ... Standard treatment options in patients with lung cancer and ... artifacts on thoracic computed tomography (CT) with dual-source high-pitch and ... in the palliative treatment of liver metastases in patients with colorectal cancer.

PubPDF - Find Full Text Journal Articles about Liver Metastases

www.pubpdf.com/search/Liver+Metastases/20 ▾

All patients had obtained locoregional control of their primary breast tumors. ... Y-90 Radiomicrosphere Therapy for Colorectal Cancer Liver Metastases. ... a viable treatment modality owing to its unacceptably high hepatic toxicity, and still ... classified into vascular transarterial techniques such as chemoperfusion (TACP), ...

How Effective Are Percutaneous Liver-Directed Therapies in Patients ...

<https://www.karger.com/Article/Pdf/440677>

Scholar

About 98 results (0.15 sec)

Articles

Case law

My library

Any time

Since 2017

Since 2016

Since 2013

Custom range...

Sort by

relevance

Sort by date

 include
patents include
citations Create alert

... infusion of irinotecan-loaded drug-eluting beads (DEBIRI) versus intravenous therapy (FOLFIRI) for **hepatic metastases** from colorectal cancer: final results of a phase ...

G Fiorentini, C Aliberti, M Tilli, L Mulazzani... - *Anticancer ...*, 2012 - ar.iiarjournals.org
... adopting drug-eluting beads preloaded with irinotecan (DEBIRI) may offer a chance of **cure**. ... this

study, the survival advantage conferred by DEBIRI over systemic **chemotherapy** suggests that ...

pre-loaded with irinotecan over systemic therapy, even if the **treatment** was irinotecan ...

Cited by 156 Related articles All 4 versions Cite Save

[HTML] Bevacizumab plus irinotecan, fluorouracil, and leucovorin for **metastatic colorectal cancer**

H Hurwitz, L Fehrenbacher, W Novotny... - *New England journal ...*, 2004 - Mass Medical Soc

... (2016) Use of Bevacizumab in the **Management** of Potentially ... (2016) Single-agent capecitabine

as maintenance therapy after induction of XELOX (or FOLFOX) in first-line **treatment** of **metastatic**

colorectal ... (2016) Bevacizumab in Addition to **Palliative Chemotherapy** for Patients ...

Cited by 9780 Related articles All 23 versions Cite Save

Trans-arterial chemoembolization as a therapy for **liver** tumours: New **clinical** developments and suggestions for combination with angiogenesis inhibitors

CD Gadaleta, G Ranieri - *Critical reviews in oncology/hematology*, 2011 - Elsevier
... 5-fluorouracil and irinotecan, is higher when administered during **trans-arterial** chemoembolization

(TACE ... and confirm the theoretical benefits of a reduced systemic exposure to **chemotherapy**. ... with

oxaliplatin-loaded microspheres is a safe and feasible **treatment** without major ...

Cited by 59 Related articles All 7 versions Cite Save

Clinical applications of newer radionuclide therapies

B Brans, O Linden, F Giammarile, J Tennvall... - *Journal of Cancer*, 2006 - Elsevier

... Europe and the United States as a single **palliative** agent for **chemo-refractory** cases ... with

high-risk neuroblastoma who failed to achieve adequate partial remission after

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 2,320 条结果 (用时 0.91 秒)

您是不是要找: **Trans-arterial *chemo perfusion* for the treatment of liver metastases of breast cancer and colorectal cancer: Clinical results in palliative care patients**

^[PDF] **Colorectal liver metastases: regional chemotherapy via transarterial ...**
radiologie-uni-frankfurt.de/sites/radiologieinstitut/.../fulltext_ger.pdf ▾ [翻译此页](#)

2006 - 被引用次数: 111 - [相关文章](#)

colorectal cancer patients; in 25–50% it is encountered at Table 2 **Treatment** regimens and **results** of HAI in colorectal **liver metastases** during the last 5 years ...

Arterial Therapies of Non-Colorectal Liver Metastases - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4748753/> - [翻译此页](#)

作者: G Puipe - 2015 - [相关文章](#)

2015年12月1日 - Mainly **clinical** controlled **trials** were reviewed. ... Keywords: Liver, Intra-arterial therapy, Embolization, **Breast cancer**, ... This overview describes the various intra-arterial **treatment** options of non-**colorectal liver metastases**, focusing on the ... and **transarterial chemoperfusion** (TACP) in different tumor entities.

Treatment for liver metastases from breast cancer: Results and ... - NCBI

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: XP Li - 2005 - 被引用次数: 60 - [相关文章](#)

2005年6月28日 - AIM: **Liver metastases** from **breast cancer** (BCLM) are associated with poor prognosis. ... TACE has been developed as a **palliative treatment** for ... In 2003, all the **clinical** records of these **patients** were retrospectively examined. which is based on **colorectal cancer liver metastases**, so the **results** still need ...

Treatment response to transcatheter arterial embolization and ... - NCBI