

Name of Journal: *World Journal of Orthopaedics*

ESPS Manuscript NO: 30927

Manuscript Type: Case report

75-year-old patient with painless swollen calf muscles caused by bilateral venous malformations

Roderick S.M. Piekaar, Eline W. Zwitter, Paul P.A. Hedeman-Joosten³, Joris A. Jansen

Abstract

A 75-year-old man presented with knee pain due to medial osteoarthritis of the knee

Match Overview

1

Crossref 10 words

Chul, Jung Ho, Dong Hwee Kim, Byung Kyu Park, and Myung Kyu Park. "Extensive Intramuscular Venous Malformation ...

1%



All

News

Images

Videos

More ▾

Search tools

About 806,000 results (0.75 seconds)

Extensive Intramuscular Venous Malformation in the Lower Extremity

<https://www.ncbi.nlm.nih.gov/.../PMC35...> National Center for Biotechnology Information ▾
by JH Chul - 2012 - Cited by 3 - Related articles

Dec 28, 2012 - In addition, the **symptoms** of intramuscular **venous malformation** ... a **patient** with extensive intramuscular **venous malformation** which ... A previously healthy 36-year-old woman was presented with a year ... dilated intramuscular **veins** in the right medial thigh and **calf**, where the dimpling was seen (Fig. 2).

The swollen leg and primary lymphoedema - Archives of Disease in ...

adc.bmj.com/content/71/1/44.full.pdf ▾ Archives of Disease in Childhood ▾
by NB Wright - 1994 - Cited by 35 - Related articles

Mar 23, 1994 - **bilateral swelling** of the **legs** are often ... show **venous** thrombus or its **cause**, then ... **congenital** arteriovenous fistulas, and diffuse ... A 14 **year old** previously healthy girl presented ... moderately **painful leg swelling** occurred. **patients** with primary lymphoedema have been Br Heart] 1968; 30: 769-75.

Leg oedema - Evidence-Based Medicine Guidelines

www.ebm-guidelines.com/ebmg/ltk.free?p_artikkeli=ebm00099 ▾
by I Kunnamo - 2000

Aug 13, 2013 - The most common **cause** of leg oedema in **patients** over 50 **years** of age is insufficiency of the leg **veins**. Oedema **caused** by insufficiency of the deep leg **veins** can be in a **patient** confined to bed is usually not **painful** and the **swelling** is ... Regular exercises to improve the **calf muscle pump** function and ...

Swollen Legs. Make definite diagnosis for Swollen Legs | Patient

patient.info/doctor/swollen-legs ▾

Leg **swelling** must never be assumed to be **due** to peripheral oedema. ... **Swelling** of the **legs** may be either unilateral or **bilateral**: ... Trauma (fracture, haematoma, **muscle injury**): ... **Congenital malformations** (eg, arteriovenous fistula). ... **Painful swollen calf**: deep **vein** thrombosis or inflammation - eg, cellulitis, osteomyelitis.

[All](#)[Images](#)[News](#)[Shopping](#)[Videos](#)[More](#)[Settings](#)[Tools](#)

About 123,000 results (0.91 seconds)

Extensive Intramuscular Venous Malformation in the Lower Extremity

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#)by JH Chul - 2012 - [Cited by 4](#) - [Related articles](#)

28 Dec 2012 - In addition, the **symptoms** of intramuscular **venous malformation** ... A previously healthy 36-year-old woman was presented with a **year** ... She reported that she felt a pain and pressure of the **muscles** in her ... dilated intramuscular **veins** in the right medial thigh and **calf**, where the dimpling was seen (Fig. 2).

80-Year-Old Man With Massive Leg Swelling - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#)by B Kloesel - 2011 - [Cited by 1](#) - [Related articles](#)

An 80-year-old man was admitted to the hospital with a 2-month history of **painful** ... The **patient's** right leg was markedly **swollen**, with edema extending from the groin ... lymphedema usually **causes painless swelling** without plethora from **venous** ... femoral and popliteal **veins** all the way down into the deep **veins** of the **calf**.

Swollen lower limb - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#)by WP Gorman - 2001 - [Cited by 1](#) - [Related articles](#)

The 2 main **causes** of a **swollen** lower limb are deep **vein** thrombosis and ... the deep and superficial **veins** of the leg (figure 1), and the propagating clot **causes venous** ... this invasive procedure is **painful**, often technically difficult and time-consuming, ... in asymptomatic **patients** and for detecting distal (**calf vein**) thrombosis.

The care of patients with varicose veins and associated chronic ...

www.sciencedirect.com/science/article/pii/S0741521411003272 ▼by P Gloviczki - 2011 - [Cited by 550](#) - [Related articles](#)

30 Apr 2011 - **Patients** should be asked for **symptoms** of chronic venous disease, which may Most varicose **veins** are **due** to primary venous disease. accessory GSV of the

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 130,000 条结果 (用时 0.87 秒)

Extensive Intramuscular Venous Malformation in the Lower Extremity

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JH Chul - 2012 - 被引用次数: 5 - 相关文章

2012年12月28日 - In addition, the **symptoms** of intramuscular **venous malformation** ... A previously healthy 36-year-old woman was presented with a **year** ... She reported that she felt a pain and pressure of the **muscles** in her ... dilated intramuscular **veins** in the right medial thigh and **calf**, where the dimpling was seen (Fig. 2).

Swollen lower limb - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: WP Gorman - 2001 - 被引用次数: 1 - 相关文章

The 2 main **causes** of a **swollen** lower limb are deep **vein** thrombosis and ... the deep and superficial **veins** of the leg (figure 1), and the propagating clot **causes venous** ... this invasive procedure is **painful**, often technically difficult and time-consuming, ... in asymptomatic **patients** and for detecting distal (**calf vein**) thrombosis.

80-Year-Old Man With Massive Leg Swelling

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Kloesel - 2011 - 被引用次数: 1 - 相关文章

An 80-year-old man was admitted to the hospital with a 2-month history of **painful** ... The **patient's** right leg was markedly **swollen**, with edema extending from the groin ... lymphedema usually **causes painless swelling** without plethora from **venous** ... femoral and popliteal **veins** all the way down into the deep **veins** of the **calf**.

缺少字词: **malformations**

Swollen Legs. Make definite diagnosis for Swollen Legs | Patient