

Name of Journal: *World Journal of Cardiology*

Manuscript NO: 30930

Manuscript Type: Case Report

Percutaneous closure of congenital Gerbode defect using Nit-Occlud® Lê VSD coil

Quang T Phan, SangWook Kim, Hieu L Nguyen

Abstract

We present a case report about percutaneous closure of a congenital Gerbode defect using Nit-Occlud® Lê VSD coil. The patient was referred to our hospital with a diagnosis of ventricular septal defect (VSD) and severe pulmonary arterial hypertension. But transthoracic echocardiography revealed a communication between the left ventricle (LV) and the right atrial (RA), called Gerbode Defect. Catheterization confirmed the shunt from the LV to the RA. We successfully closed the defect with a VSD coil. After uneventful 6 mo follow-up, the patient was out of dyspnea, the

Match Overview

1	Internet 70 words crawled on 06-Oct-2016 www.termedia.pl	3%
2	Internet 32 words crawled on 31-Aug-2016 ejechocard.prod-oup.highwire.org	1%
3	Crossref 26 words Lee, Sang Yun, Jin Young Song, and Jae Suk Baek. "Percutaneous Closure of the Acquired Gerbode Sh"	1%
4	Internet 22 words crawled on 20-Feb-2017 www.sac.org.ar	1%
5	Crossref 18 words Odemis, Ender, Murat Saygi, Alper Guzelbas, I. Cansan ran Tanidir, Yakup Erkul, Isa Ozyilmaz, and Ihsan Bak	1%

[All](#)[Images](#)[Videos](#)[News](#)[More ▾](#)[Search tools](#)

About 263 results (0.38 seconds)

[\[PDF\] Percutaneous Transcatheter Closure of Perimembranous Ventricular... medcraveonline.com/JPNC/JPNC-05-00168.pdf ▾](#)

Jul 15, 2016 - Occlude Coil Devices, VSDM: Muscular Ventricular Septal Defect; CAVB: Complete ... congenital heart defect, being the perimembranous VSD (VSDpm) the highest within Gerbode defects a communication of the left ventricular (LV) ... Figure 3b: Closed with a NIT- Occlud VSD Le, "ASA" loop approach.

[Infective endocarditis following coil occlusion of perimembranous ...](#)

www.ncbi.nlm.nih.gov/.../PMC4782471/ National Center for Biotechnology Information ▾
by AM El-Sisi - 2016 - [Related articles](#)

... of perimembranous ventricular septal defect with the Nit-Occlud® Le device ... defect (VSD) is among the most common forms of congenital heart defects. No instances of endocarditis following PFM coil closure have been reported.[7,8].

Missing: percutaneous gerbode

[Nit-Occlud® Lê VSD | Cardio Vascular Products | pfm medical ag](#)

<https://www.pfmmedical.com> ▸ Cardio Vascular Products ▸ Occluder ▾

Unique flexible coil occluder for the closure of Ventricular Septal Defects (VSD).... Patented coil design with polyester fibres The coil design with securely ... Broad range of different sizes Nit-Occlud® Lê VSD is available in diameters 8, 10, 12, ...

Missing: percutaneous congenital gerbode

[ABSTRACTS - Wiley Online Library](#)

onlinelibrary.wiley.com/doi/10.1002/ccd.25476/pdf ▾ John Wiley & Sons ▾

May 19, 2014 - ... Using the Amplatzer. Asymmetric Perimembranous Ventricular Septal Defect Occluder in most important ones. In October 2011, Le VSD Nit OccludVR coil arrives ... (needed another cath and closure with PDA Nit Occlud coil). 1 emboli- Percutaneous closure of congenital coronary artery fistulae: 12.

[\[PDF\] Shunt lesions - Canadian Adult Congenital Heart Network](#)

www.cachnet.org/downloads/ccs/guidelines_Shunt.pdf ▾

All Images Videos News Shopping More Settings Tools

About 892 results (0.79 seconds)

Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud ...
www.revespcardiol.org/en/resultado-del-cierre...defecto/.../S1885585716304376/ •
Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud Lê VSD Coil: Severe ... (left), the residual defect after the first procedure **with 2 Nit-Occlud Lê VSD coils ...** The Gerbode shunt was first described as a **congenital** defect,¹ but this type of defect frequently occurs as a complication of surgical or **percutaneous ...**

Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud ...
https://www.researchgate.net/.../312574449_Effect_of_Incomplete_Closure_of_a_Gerb...
24 Jan 2017 - **Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud Lê VSD Coil: Severe Hemolysis Requiring a Second Procedure on ...**

[FLASH] Sangwook Kim, Hieu Nguyen Lan, Quang Phan Tan We have ...
www.eurochorus.fr/presentations/2017/presentations/thursday/01-quang/01-quang.swf
Congenital Gerbode defect is very rare, only accounts for about 0.08% among ... Gerbode shunt after **VSD** patch closure, was treated **using an Amplatzer duct ... for percutaneous closure of Gerbode defect, Nit-Occlud® Lê VSD coil** may be a ...

PubMed Result - NCBI
https://www.ncbi.nlm.nih.gov/pubmed?linkname=pubmed_pubmed&from_uid...
Amplatzer duct occluder II for closure of congenital Gerbode defects. ...
Le TP, Waldecker B, Akintuerk H, Valeske K, Schranz D. **Percutaneous closure of congenital and ... closure of VSD using Amplatzer® device and Nit Occlud® Lê coil.**

[PDF] Percutaneous Transcatheter Closure of Perimembranous Ventricu...
medcraveonline.com/JPNCLJPNC-05-00168.pdf •
15 Jul 2016 - **Occlude Coil Devices, VSDM: Muscular Ventricular Septal Defect; CAVB: Complete ... congenital heart defect, being the perimembranous VSD (VSDpm) the highest within ... Gerbode defects a communication of the left ventricular (LV) ... Figure 3b: Closed with a NIT-Occlud VSD Le, "ASA" loop approach.**



全部

图片

视频

新闻

购物

更多

设置

工具

找到约 904 条结果 (用时 0.69 秒)

[FLASH] Sangwook Kim, Hieu Nguyen Lan, Quang Phan Tan We have no ...www.eurochorus.fr/presentations/2017/presentations/thursday/01-quang/01-quang.swf

Congenital Gerbode defect is very rare, only accounts for about 0.08% among ... Gerbode shunt after VSD patch closure, was treated using an Amplatzer duct ... for percutaneous closure of Gerbode defect, Nit-Occlud® Lê VSD coil may be a ...

Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud ...https://www.researchgate.net/.../312574449_Effect_of_Incomplete_Closure_... - 翻译此页

2017年1月24日 - Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud Lê VSD Coil: Severe Hemolysis Requiring a Second Procedure on ...

Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud ...<https://www.ncbi.nlm.nih.gov/pubmed/28111108> - 翻译此页

作者: PA Pérez - 2017 - 相关文章

Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud Lê VSD Coil: Severe Hemolysis Requiring a Second Procedure. [Article in English ...

缺少字词: percutaneous congenital

Effect of Incomplete Closure of a Gerbode Defect With the Nit-Occlud ...www.pubfacts.com/.../Effect-of-Incomplete-Closure-of-a-Gerbode-Defect-... ▾ 翻译此页

Interventional VSD-Closure with the Nit-Occlud(®) Lê VSD-Coil in 110 ... Hemolysis after percutaneous device closure of ventricular septal defect ... subarterial (DCSA) VSD were the major isolated congenital heart defects in Thai children.

[PDF] Percutaneous Transcatheter Closure of Perimembranous Ventricular ...medcraveonline.com/JPNC/JPNC-05-00168.pdf ▾ 翻译此页