

Correlation of endoscopic disease severity with PUCAI score in children and you

全部 图片 视频 新闻 购物 地图 图书

找到约 1,600 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Feasibility and Validity of the Pediatric Ulcerative Colitis Activity ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4308561/

The PUCAI change scores correlated well with PGA change scores ($p < 0.001$). ... Keywords: inflammatory bowel disease, ulcerative colitis, pediatric, PUCAI ... PGA is classified as either remission (inactive), mild, moderate or severe. in children and young adults undergoing tacrolimus therapy for steroid-refractory colitis.

[Fecal Calprotectin and Clinical Disease Activity in Pediatric ... - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3600299/

26 Feb 2013 ... To explore fecal calprotectin levels in pediatric ulcerative colitis (UC) in relation ... well clinical outcomes in both adult [11] and pediatric severe UC [12]. ... index showing good correlation with endoscopic disease activity [15-17]. ... Cut-off scores for remission (PUCAI < 10 points), mild (10-34), moderate ...

[Assessment of disease activity in pediatric ulcerative colitis: Expert ...](#)

www.tandfonline.com/doi/full/10.1080/17474124.2016.1185364?src...

A new scoring index, the Ulcerative Colitis Endoscopic Index of Severity (UCEIS), The PUCAI is a well-validated clinical activity index tool showing a good ... a poor correlation with endoscopic findings in both pediatric and adult UC patients. ... in 10% of patients, while the agreement was only fair for young patients (<40 ...

[PDF] [Management of Pediatric Ulcerative Colitis - ESPGHAN](#)

www.espghan.org/.../Management_of_Pediatric_Ulcerative_Colitis__Joint.24.pdf ▾

how to monitor disease activity, the role of endoscopic evaluation, medical and surgical ... based on the Pediatric Ulcerative Colitis Activity Index (PUCAI), is presented. to the management of children hospitalized with acute severe colitis Young children at disease The ECCO adult guidelines recommend endoscopic.

[PDF] [Qualification opinion Paediatric Ulcerative Colitis Activity Index ...](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31025

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Correlation of endoscopic disease severity with pediatric ulcerative colitis activity index score in children and young adults with ulcerative colitis

Basavaraj Kerur, Heather J Litman, Julia Bender Stern, Sarah Weber, Jenifer Lightdale, Paul A Rufo, Athos Bousvaros

Abstract

AIM

To investigate of pediatric ulcerative colitis activity index (PUCAI) in ulcerative

Match Overview

1

Internet 19 words
crawled on 08-Apr-2010
totalmeded.com

1%

Correlation of endoscopic disease severity with pediatric ulcerative colitis activity

全部

图片

视频

新闻

地图

图书

找到约 467,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[\[PDF\] Qualification opinion Paediatric Ulcerative Colitis Activity Index ...](#)

www.ema.europa.eu/docs/en_GB/.../WC500200026.pdf

20 Jan 2016 ... acute severe ulcerative colitis and ambulatory pediatric UC. ... endoscopic evaluation or independently as a stand alone scoring system ... Using the PUCAI to classify children into disease activity states ... Validity (construct, discriminative and predictive): The PUCAI is tightly correlated with endoscopic.

[Assessment of disease activity in pediatric ulcerative colitis: Expert ...](#)

www.tandfonline.com/doi/full/10.1080/17474124.2016.1185364?...

KEYWORDS: Fecal markers, calprotectin, children, inflammatory markers, PUCAI A new scoring index, the Ulcerative Colitis Endoscopic Index of Severity (UCEIS), ... in the assessment of disease activity in adult patients with ulcerative colitis. correlation with endoscopic findings in both pediatric and adult UC patients.

[Fecal Calprotectin and Clinical Disease Activity in Pediatric ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3600299/>

26 Feb 2013 ... The probability of 1-year remission in UC children with normal calprotectin may be as high as 75% [9]. ... clinical outcomes in both adult [11] and pediatric severe UC [12]. ... The PUCAI is the validated pediatric ulcerative colitis activity index showing good correlation with endoscopic disease activity [15–17].

[\[PDF\] Management of Pediatric Ulcerative Colitis - ESPGHAN](#)

www.espghan.org/.../Management_of_Pediatric_Ulcerative_Colitis__Joint.24.pdf

The Pediatric Ulcerative Colitis Activity Index (PUCAI; Appendix 3) is a validated score of clinical disease activity that does not include endoscopy or laboratory ...

[\[PDF\] correlations of fecal calprotectin with clinical and endoscopic scores ...](#)

www.jurnalulpediatriului.ro/pages/arhiva/55-56/55-56-II-3.pdf

children with inflammatory bowel disease (IBD). The aim of ... Pediatric UC. Activity Index

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 469,000 条结果 (用时 1.10 秒)

[PDF] [Qualification opinion Paediatric Ulcerative Colitis Activity Index \(PUCAI\)](#)

www.ema.europa.eu/docs/en_GB/document.../WC500200026.pdf ▼ [翻译此页](#)

2016年1月20日 - acute **severe ulcerative colitis** and ambulatory **pediatric UC**. ... **endoscopic** evaluation or independently as a stand alone **scoring** system when ... to induce mucosal healing in **adults** and if they do not represent a new drug category) or, as a ... Using the PUCAI to classify **children** into **disease activity** states ...

[Feasibility and Validity of the Pediatric Ulcerative Colitis Activity Index ...](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：JL Dotson - 2015 - 被引用次数：8 - 相关文章

2016年2月1日 - The **Pediatric Ulcerative Colitis Activity Index (PUCAI)** is a ... **disease**; discrimination between moderate and **severe disease** was less robust. ... The PUCAI change **scores correlated** well with PGA change **scores** ($p < 0.001$). ... in 2007 to improve the health and healthcare of **children** and adolescents with IBD.

[Fecal Calprotectin and Clinical Disease Activity in Pediatric Ulcerative ...](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：KL Kolho - 2013 - 被引用次数：20 - 相关文章

2013年2月26日 - The probability of 1-year remission in UC **children** with normal calprotectin may be as high as 75% [9]. ... clinical outcomes in both **adult** [11] and pediatric **severe UC** [12]. ... The PUCAI is the validated **pediatric ulcerative colitis activity index** showing good **correlation** with **endoscopic disease activity** [15–17].

[PDF] [Management of Pediatric Ulcerative Colitis - ESPGHAN](#)

www.espghan.org/.../Management_of_Pediatric_Ulcerative_Colitis__Joint... ▼ [翻译此页](#)

The **Pediatric Ulcerative Colitis Activity Index (PUCAI)**; Appendix 3) is a validated **score** of clinical **disease activity** that does not include **endoscopy** or laboratory ...