

Match Overview

1

Crossref 15 words

"Selected Abstracts from the August Issue of the Journal of ...
ascular Surgery", European Journal of Vascular and Endova

1%

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 31283

Manuscript Type: Case Report

Endovascular treatment of paravisceral mycotic aneurysm: Chimney-endovascular aneurysm sealing the end of de road

Rabellino Martin, Moltini Pedro, Di Caro Vanesa, Chas Jose, Marenchino Ricardo, García-Mónaco Ricardo

Abstract

Open surgery is the elective treatment for mycotic aneurysms of the aorta. This surgery consists of resection of the aneurysm, debridement and revascularization with an in situ or extra-anatomic bypass. Even when surgery has been successful, the morbi-mortality is raised and the endovascular treatment has become an alternative for specific patients. When mycotic aneurysms involved the visceral arteries, more complex techniques are necessary such as Fenestrated endovascular aortic repair (f-EVAR) or chimney endovascular aortic repair (Ch-EVAR) and the most frequent complications of this are endoleaks and occlusion the visceral arteries³⁴. We present a case of a patient with a paravisceral abdominal mycotic aneurysms that was result with 2 chimney technique (in the right renal and

[All](#)[Images](#)[Videos](#)[News](#)[Shopping](#)[More ▾](#)[Search tools](#)

About 26 results (0.76 seconds)

Infected Aneurysm - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#)

by K Laohapensang - 2010 - Cited by 4 - Related articles

Jul 21, 2010 - **Mycotic aneurysm** is used for all extracardiac or intracardiac aneurysms ... The source of infection in infected aneurysms is either intravascular or extravascular. for infected aneurysms to involve the **paravisceral** segment of the aorta. **Endovascular treatment** with stent-grafts has been introduced as an ...

Endovascular treatment of mycotic aortic aneurysms: a European ...

<https://www.ncbi.nlm.nih.gov/pubmed/25378548>

by K Sörelius - 2014 - Cited by 28 - Related articles

1. Circulation. 2014 Dec 9;130(24):2136-42. doi: 10.1161/CIRCULATIONAHA.114.009481. Epub 2014 Nov 5.

Missing: eh evas end de read

Overview of infected (mycotic) arterial aneurysm - UpToDate

www.uptodate.com/contents/overview-of-infected-mycotic-arterial-aneurysm ▾

Oct 12, 2015 - **Mycotic aneurysm** after percutaneous transluminal femoral artery Chen SH, Lin WC, Lee CH, Chou WY. **Endovascular management** of mycotic aortic aneurysms and ... Mettananda KC, De Silva ST, Premawardhena AP. Mycotic Repair of mycotic **paravisceral** aneurysm with a fenestrated stent-graft.

Missing: end read

[PDF] Review article - Belsurg

www.belsurg.org/uploaded_pdfs/105/105_580_587.pdf ▾

by YC Chan - 2005 - Cited by 38 - Related articles

Hospital, Lambeth Palace Road, London SE1 7EH, UK. Key words. **Mycotic aneurysm** ; abdominal aorta ; thoracic aorta ; **endovascular treatment**. Abstract. Background with reduction in **end-organ** ischaemia, avoidance of general REDDY D. J., SHEPARD A. D., **EVANS** J. R., WRIGHT D. J., SMITH R. F., ERNST C. B.



Endovascular treatment of paravisceral mycotic aneurysm: Chimmeny-en



全部

图片

视频

新闻

购物

更多

设置

工具

找到约 243 条结果 (用时 0.76 秒)

显示的是以下查询字词的结果: **Endovascular treatment of paravisceral mycotic aneurysm: *Chimney*-endovascular aneurysm sealing the end of de road**

仍然搜索: **Endovascular treatment of paravisceral mycotic aneurysm: Chimmeny-endovascular aneurysm sealing the end of de road**

Treatment of Acute Visceral Aortic Pathology with Fenestrated ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: ST Scali - 2013 - 被引用次数: 21 - [相关文章](#)

2013年5月21日 - The safety and feasibility of fenestrated/branched **endovascular** repair of ... and those **treated** with "**chimney**" stents or debranching procedures were excluded. ... Newark, DE) along with a radiographic marker created from the **end** of a aortic pathologies as follows: **mycotic paravisceral aneurysm** (4), ...

[PDF] VASCULAR SURGERY2012

cacvs.org/archivesite/www/2012/pdf/CACVS_2012_FINAL.pdf

22 Loco-regional Anaesthesia for **Endovascular Aneurysm** Repair. 61 Totally occluded aorto-iliac artery; **endovascular therapy** 2A shows the small true lumen and the distal **end** of the stent-graft positioned in the acute in a patient with a **mycotic aortic aneurysm** and two in patients with aortic dissection. The latter

[全部](#)[图片](#)[视频](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 242 条结果 (用时 0.73 秒)

显示的是以下查询字词的结果: **Endovascular treatment of paravisceral mycotic aneurysm: *Chimney* endovascular sealing the end of de road**
仍然搜索: **Endovascular treatment of paravisceral mycotic aneurysm: Chimney endovascular sealing the end of de road**

Treatment of Acute Visceral Aortic Pathology with Fenestrated ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: ST Scali - 2013 - 被引用次数: 24 - 相关文章

2013年5月21日 - The safety and feasibility of fenestrated/branched **endovascular** repair of ... and those **treated** with "**chimney**" stents or debranching procedures were excluded. ... Newark, DE) along with a radiographic marker created from the **end** of a aortic pathologies as follows: **mycotic paravisceral aneurysm** (4), ...

View Day Schedule - Veith Symposium

www.veithsymposium.org/viewprogram2015.php?site=veith&year...TB...

8:02 AM - 8:07 AM, Update On **Endovascular** Repair Of Arch **Aneurysms** ... **Chimney** Techniques For **Treating** Complex Arch Lesions: Which Is Best: ... **Treatment** And TEVAR For TBAD: False Lumen Thrombosis Is Not The **End** Of Presenter(s):Rick **De** Graaf, MD, PhD **TREATMENT OF MYCOTIC** AAAS WITH EVAR.

^[PDF] Poster Presentations - European Society for Vascular Surgery

www.esvs.org/.../FINAL_Book-of-Abstracts-European-Society-of-Vascular-Surgery-30t...

2016年9月28日 - was tested by angiography at the **end** of the procedure and **Mycotic** (primary infected) aortic **aneurysms** are rare, life threatening and complex. ... in the **paravisceral** aorta in 17 patients (13%), infrarenal 104 (79%), iliac 3 (2%) and the snorkel/**chimney endovascular** technique in the **treatment** of ...