

JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

Name of journal: World Journal of Nephrology

Manuscript NO: 31294

Title: Reproducibility of serial creatinine excretion measurements in peritoneal dialysis

Journal Editor-in-Chief (Associate Editor): Juan F Navarro-Gonzalez

Country: Spain

Editorial Director: Xiu-Xia Song

Date sent for review: 2017-04-25

Date reviewed: 2017-04-26

ACADEMIC CONTENT EVALUATION	LANGUAGE QUALITY EVALUATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair		
<input type="checkbox"/> Grade E: Poor	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Minor revision
		<input type="checkbox"/> Major revision

JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

The authors have adequately answered the reviewers' comments. The manuscript can be accepted for publication.