

Name of Journal: *World Journal of Nephrology*

Manuscript NO: 31294

Manuscript Type: Original Article

Retrospective Study

Reproducibility of serial creatinine excretion measurements in peritoneal dialysis

Xu Zhi, Glen H Murata, Yijuan Sun, Robert H Glew, Clifford Qualls, Darlene Vigil,
Karen S Servilla, Thomas A Golper, Antonios H Tzamaloukas

Abstract

Match Overview



There was no matching sources for this report.

[All](#)[Images](#)[News](#)[Videos](#)[Shopping](#)[More ▾](#)[Search tools](#)

About 56,900 results (0.68 seconds)

Scholarly articles for Reproducibility of Serial Creatinine Excretion Measurements in Peritoneal Dialysis

... **creatinine clearance** as a **measure** of renal function in ... - [Dunn](#) - Cited by 147

... the **peritoneal dialysis** capacities of individual patients - [Haraldsson](#) - Cited by 146

... as a Predictor of Morbidity in Maintenance **Dialysis** ... - [Kopple](#) - Cited by 137

Estimation of total creatinine clearance is unreliable in children on ...

www.ncbi.nlm.nih.gov/pubmed/8616178

by C Aufricht - 1996 - Cited by 5 - [Related articles](#)

... To test the reliability of **creatinine clearance** in children on **peritoneal dialysis** (PD). First, we compared each **serial measurement** with the mean value for each ... **Peritoneal Dialysis**, Continuous Ambulatory; **Reproducibility** of Results ...

How reproducible is daily creatinine recovery in chronic peritoneal ...

https://www.researchgate.net/.../15251485_How_reproducible_is_daily_creatinine_reco...

Jul 17, 2016 - **measured** in patients on **peritoneal dialysis** from dialysate and urine. ... constancy of daily **creatinine excretion** in our **peritoneal dialysis** patients ...

the assessment of peritoneal function using a single hypertonic ...

www.pdiconnect.com/content/5/3/186.full.pdf

by N Nikolakakis - 1985 - Cited by 16 - [Related articles](#)

creatinine clearance and glucose absorption were **measured** in 56 CAPD patients using a single hypertonic ... hypertonic exchange is a **reproducible** test ... Each patient performed a **dialysis** **Serial** data on these patients may identify those.

either to define a level of efficacy or a level of toxicity (1,2). - Peritoneal ...

www.pdiconnect.com/content/16/1/73.full.pdf

by C Aufricht - 1996 - Cited by 5 - [Related articles](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,060,000 条结果 (用时 0.69 秒)

Google 学术: Reproducibility of serial creatinine excretion measurements in peritoneal dialysis

... the peritoneal dialysis capacities of individual patients - Haraldsson - 被引用次数: 148

... as a Predictor of Morbidity in Maintenance Dialysis ... - Kopple - 被引用次数: 146

Clinical value of standardized equilibration tests in ... - Twardowski - 被引用次数: 308

Estimation of total creatinine clearance is unreliable in children on ...

www.ncbi.nlm.nih.gov/pubmed/8616178 - 翻译此页

... To test the reliability of creatinine clearance in children on peritoneal dialysis (PD). ... First, we compared each serial measurement with the mean value for each ... Peritoneal Dialysis, Continuous Ambulatory; Reproducibility of Results ...

A simple assessment of peritoneal transport in stable ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/9653835> - 翻译此页

作者: KN Lai - 1998 - 被引用次数: 1 - 相关文章

We studied the peritoneal transport properties in 175 stable continuous ambulatory peritoneal dialysis (CAPD) patients seeking a simple and handy ... Measurement of creatinine in biological fluid was known to suffer from ... Such a simple measure of peritoneal permeability is, however, most convenient for serial monitoring ...

[PDF] Reproducibility of studies of peritoneal dialysis adequacy

[www.kidney-international.com/article/S0085-2538\(15\)59605-1/pdf](http://www.kidney-international.com/article/S0085-2538(15)59605-1/pdf) - 翻译此页

作者: RA Rodby - 1996 - 被引用次数: 30 - 相关文章

variability and reproducibility of dialysis adequacy clearance measurements (weekly Kt/V and weekly creatinine clearance/1.73 m² BSA) in a given patient, 42 ...

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,070,000 条结果 (用时 0.58 秒)

Google 学术: Reproducibility of serial creatinine excretion measurements in peritoneal dialysis

... the peritoneal dialysis capacities of individual patients - Haraldsson - 被引用次数: 148

... as a Predictor of Morbidity in Maintenance Dialysis ... - Kopple - 被引用次数: 146

Clinical value of standardized equilibration tests in ... - Twardowski - 被引用次数: 308

Estimation of total creatinine clearance is unreliable in children on ...

www.ncbi.nlm.nih.gov/pubmed/8616178 - 翻译此页

... To test the reliability of creatinine clearance in children on peritoneal dialysis (PD). ... First, we compared each serial measurement with the mean value for each ... Peritoneal Dialysis, Continuous Ambulatory, Reproducibility of Results ...

A simple assessment of peritoneal transport in stable ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/9653835> - 翻译此页

作者: KN Lai - 1998 - 被引用次数: 1 - 相关文章

We studied the peritoneal transport properties in 175 stable continuous ambulatory peritoneal dialysis (CAPD) patients seeking a simple and handy ... Measurement of creatinine in biological fluid was known to suffer from ... Such a simple measure of peritoneal permeability is, however, most convenient for serial monitoring ...

[PDF] Reproducibility of studies of peritoneal dialysis adequacy

[www.kidney-international.com/article/S0085-2538\(15\)59605-1/pdf](http://www.kidney-international.com/article/S0085-2538(15)59605-1/pdf) - 翻译此页

作者: RA Rodby - 1996 - 被引用次数: 30 - 相关文章

variability and reproducibility of dialysis adequacy clearance measurements (weekly Kt/V and weekly creatinine clearance/1.73 m² BSA) in a given patient, 42 ...