



Fibrinogen deficiency suppresses the development of early and delayed rad



学术搜索

找到约 652 条结果 (用时0.03秒)

我的著作引用情况

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[引用] Significance of endothelial dysfunction in the pathogenesis of **early** and **delayed radiation enteropathy**

J Wang, M Boerma, Q Fu, [M Hauer-Jensen](#) - World Journal of Gastroenterology, 2007

被引用次数: 136 相关文章 所有 10 个版本 引用 保存

[\[PDF\] wjgnet.com](#)

Deficiency of microvascular thrombomodulin and up-regulation of protease-activated receptor-1 in irradiated rat intestine: possible link between endothelial

...

J Wang, H Zheng, X Ou, LM Fink... - The American journal of ..., 2002 - Elsevier

... Thrombin, when bound to TM, no longer converts **fibrinogen** to fibrin or activates protease ... We surmised that a local **deficiency** of endothelial TM after **radiation** causes insufficient ... One animal from the 4.2 Gy × 16 group **developed radiation**-induced small bowel obstruction and ...

被引用次数: 147 相关文章 所有 13 个版本 引用 保存

[\[HTML\] elsevierhealth.com](#)

Radiation injury and the protein C pathway

[M Hauer-Jensen](#), LM Fink, J Wang - Critical care medicine, 2004 - journals.lww.com

... Skip Navigation Links Home > May 2004 - Volume 32 - Issue

5 > **Radiation** injury and the protein C pathway. ...

被引用次数: 75 相关文章 所有 7 个版本 引用 保存

[\[PDF\] researchgate.net](#)

Inhibition of protease-activated receptor 1 ameliorates intestinal **radiation** mucositis in a preclinical rat model

J Wang, A Kulkarni, M Chintala, LM Fink... - ... Journal of Radiation ..., 2013 - Elsevier

... that plays a critical role in blood clotting by converting **fibrinogen** to fibrin and by ... Moreover, (unpublished) experiments in PAR1-**deficient** animals showed a substantial reduction in ... **Deficiency** of microvascular thrombomodulin and upregulation of protease-activated receptor 1 in ...

被引用次数: 6 相关文章 所有 10 个版本 引用 保存

[\[HTML\] nih.gov](#)

The radiotherapeutic injury—a complex 'wound'

JW Denham, [M Hauer-Jensen](#) - Radiotherapy and Oncology, 2002 - Elsevier

... the effect of **radiation** therapy on these responses, as well as some of the mechanisms underlying the **development** of recognisable injury. Important clinical implications relevant to these processes

are also discussed. [Wound repair; Early and late ...](#)

被引用次数: 413 相关文章 所有 11 个版本 引用 保存

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 31446

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Fibrinogen deficiency suppresses the development of early and delayed radiation enteropathy

Jun-Ru Wang, Rupak Pathak, Sarita Garg, Martin Hauer-Jensen

Abstract

AIM

To determine the mechanistic role of fibrinogen, a key regulator of inflammation and fibrosis, in early and delayed radiation enteropathy.

METHODS

Fibrinogen wild-type (Fib^{+/+}), fibrinogen heterozygous (Fib^{+/-}), and fibrinogen

Match Overview

1	Crossref 56 words Wang, J.. "Simvastatin Ameliorates Radiation Enteropathy Development After Localized, Fractionated Irradiation ..."	2%
2	Internet 43 words crawled on 08-Jul-2009 intl-clincancerres.aacrjournals.org	1%
3	Internet 34 words crawled on 24-Sep-2015 www.researchgate.net	1%
4	Crossref 27 words Junru Wang. "Radiation toxicity and proteinase-activated receptors", Drug Development Research, 09/2003	1%
5	Crossref 18 words Zheng*, H.. "Recombinant Soluble Transforming Growth Factor @b Type II Receptor Ameliorates Radiation Enteropathy"	1%
6	Crossref 18 words Wang, J.. "Regulation of early and delayed radiation responses in rat small intestine by capsaicin-sensitive nerve fibers"	1%
7	Internet 17 words crawled on 23-Nov-2013 www.labome.org	1%
8	Internet 17 words crawled on 19-Nov-2011 www.wikigenes.org	1%
9	Internet 16 words crawled on 09-Jan-2009	1%



Fibrinogen deficiency suppresses the development of early and delayed rad ▾



学术搜索

找到约 652 条结果 (用时0.09秒)

我的著作引用情况 ▾

文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

[引用] Significance of endothelial dysfunction in the pathogenesis of **early** and **delayed radiation enteropathy**

J Wang, M Boerma, Q Fu, [M Hauer-Jensen](#) - World Journal of Gastroenterology, 2007

被引用次数：136 相关文章 所有 10 个版本 引用 保存

[\[PDF\] wjgnet.com](#)

时间不限

2017以来

2016以来

2013以来

自定义范围...

Deficiency of microvascular thrombomodulin and up-regulation of protease-activated receptor-1 in irradiated rat intestine: possible link between endothelial

...

J Wang, H Zheng, X Ou, LM Fink... - The American journal of ..., 2002 - Elsevier

... Thrombin, when bound to TM, no longer converts **fibrinogen** to fibrin or activates protease ... We surmised that a local **deficiency** of endothelial TM after **radiation** causes insufficient ... One animal from the 4.2 Gy × 16 group **developed radiation**-induced small bowel obstruction and ...

被引用次数：147 相关文章 所有 13 个版本 引用 保存

[\[HTML\] elsevierhealth.com](#)

按相关性排序

按日期排序

Radiation injury and the protein C pathway

[M Hauer-Jensen](#), LM Fink, J Wang - Critical care medicine, 2004 - journals.lww.com

... Skip Navigation Links Home > May 2004 - Volume 32 - Issue

5 > **Radiation** injury and the protein C pathway. ...

被引用次数：75 相关文章 所有 7 个版本 引用 保存

[\[PDF\] researchgate.net](#)

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Inhibition of protease-activated receptor 1 ameliorates intestinal **radiation** mucositis in a preclinical rat model

J Wang, A Kulkarni, M Chintala, LM Fink... - ... Journal of Radiation ..., 2013 - Elsevier

... that plays a critical role in blood clotting by converting **fibrinogen** to fibrin and by ... Moreover, (unpublished) experiments in PAR1-**deficient** animals showed a substantial reduction in ... **Deficiency** of microvascular thrombomodulin and upregulation of protease-activated receptor 1 in ...

被引用次数：6 相关文章 所有 10 个版本 引用 保存

[\[HTML\] nih.gov](#)☒ 创建快讯

The radiotherapeutic injury—a complex 'wound'

JW Denham, [M Hauer-Jensen](#) - Radiotherapy and Oncology, 2002 - Elsevier

... the effect of **radiation** therapy on these responses, as well as some of the mechanisms underlying the **development** of recognisable injury. Important clinical implications relevant to these processes are also discussed. Keywords: **Radiation** injury; Wound repair; **Early** and late ...

被引用次数：412 相关文章 所有 11 个版本 引用 保存

[All](#)[News](#)[Images](#)[Shopping](#)[Videos](#)[More](#)[Settings](#)[Tools](#)

About 274,000 results (0.84 seconds)

Scholarly articles for **Fibrinogen** deficiency suppresses the development of early and delayed radiation enteropathy

... of **early** and **delayed radiation enteropathy** - Wang - Cited by 136**Deficiency** of microvascular thrombomodulin and up- ... - Wang - Cited by 147**Radiation** injury and the protein C pathway - Hauer-Jensen - Cited by 75

Significance of endothelial dysfunction in the pathogenesis of early ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by J Wang - 2007 - Cited by 134 - Related articles

Jump to ENDOTHELIAL DYSFUNCTION IN **EARLY AND DELAYED** ... - Effects of ionizing **radiation** on the vascular ... a central role in **early and delayed radiation** ... that mice **deficient** in the enzyme acid ... and **development** of platelet-fibrin ... no longer cleaves **fibrinogen** to form ... **suppresses** inflammatory cytokine ...

Understanding the Pathophysiology and Challenges of Development ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by MM Satyamitra - 2016 - Cited by 1 - Related articles

7 Jul 2016 - **Delayed** effects of acute radiation exposure (DEARE) are collectively ... In survivors who **developed** late injury, the vascular tissue was involved in tissue **Fibrinogen**-coated albumin nanospheres (FCN) have been shown to prevent in the pathogenesis of **early and delayed radiation enteropathy**.

Deficiency of Microvascular Thrombomodulin and Up-Regulation of ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by J Wang - 2002 - Cited by 144 - Related articles

5 Mar 2002 - In contrast, **delayed radiation enteropathy**, which may present ... Thrombin, when bound to TM, no longer converts **fibrinogen** to fibrin or ... is a sensitive parameter of both **early and delayed radiation enteropathy**. TM was **deficient** before the **development** of discernible evidence of **radiation enteropathy**.

Inactivation of Thrombomodulin by Ionizing Radiation in a Cell-Free ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)