

Clinicopathological features and surgical treatment of rectal gastrointestinal stromal tumor

全部 图片 视频 新闻 购物 地图 图书

找到约 110,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Clinicopathological features and surgical treatment of rectal gastrointestinal stromal tumor: A 11-year retrospective study](#)

[Gastrointestinal tumors in children and adolescents](#) - Ladd - 被引用次数: 76

[... gastroenterology: European Society of Gastrointestinal ...](#) - Dumonceau - 被引用次数: 201

[Clinicopathological characteristics and survival ...](#) - Zhang - 被引用次数: 15

[Clinicopathological features and prognosis of small gastrointestinal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4665325/>

25 Aug 2015 ... Lesions located in the rectum demonstrated an increased degree of ...

Keywords: small gastrointestinal stromal tumors, surgery, prognosis, non-gastric ...

administration of adjuvant imatinib mesylate for at least 3 years is now ... are easy to be detected with more associated studies (11), while small GISTs in ...

[Clinicopathological features and prognosis of coexistence of gastric ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5106071/>

11 Nov 2016 ... The coexistence of gastric gastrointestinal stromal tumor (GIST) and gastric ...

GIST patients were retrospectively enrolled in the present study. ... The 5-year disease-free survival and disease-specific survival rates of ... most frequent site of GIST, followed by small intestine, colon and rectum, and esophagus.

[PDF] [Clinicopathological feature and prognosis of primary hepatic ...](#)

onlinelibrary.wiley.com/doi/10.1002/cam4.808/pdf

25 May 2016 ... 1Department of Digestive Surgery, Xijing Hospital, The Fourth ... Compared to gastric gastrointestinal stromal tumor (GIST), hepatic GIST is ... in this study were classified as high- risk category by the National Institute of ... time was 24.0 months and 5- year disease- specific survival (DSS) rate was 33.3%,.

[PDF] [Clinicopathological and Prognostic Analysis of Primary ...](#)

link.springer.com/content/pdf/10.1007%2F978-94-007-017-2_285_2.pdf

Match Overview

1	Internet 49 words crawled on 29-May-2016 savoirs.usherbrooke.ca	4%
2	Crossref 21 words Antal, A., N. Kriener, N. Lang, K. Boros, and W. Paulus. "Cat hodal transcranial direct current stimulation of the visual	2%
3	Crossref 19 words Choi, Yoon-Hee, Sung-Jin Jung, Chang Han Lee, and Shi- Uk Lee. "Additional Effects of Transcranial Direct-Current St	2%
4	Internet 18 words crawled on 21-Feb-2017 www.jove.com	2%
5	Crossref 13 words Portilla, Andrea Santos, Gabriela L. Bravo, Fiorella K. Mirav al, Mauricio F. Villamar, Jeffrey C. Schneider, Colleen M. Ry	1%

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31463

Manuscript Type: LETTER TO THE EDITOR

Non-invasive stimulation techniques to relieve abdominal/pelvic pain: Is more
always better?

Marie-Philippe Harvey, Alain Watier, Émilie Dufort Rouleau, Guillaume Léonard

Abstract

Chronic abdominal and pelvic pain is a common condition that have significant impact on quality of life and causes billions of dollars in direct and indirect costs. Emerging data suggest that transcranial direct current stimulation (tDCS), alone or in combination with transcutaneous electrical nerve stimulation (TENS), could be a promising

Clinicopathological features and surgical treatment of rectal gastrointestinal stromal tumor

全部 图片 视频 新闻 购物 地图 图书

找到约 110,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Clinicopathological features and surgical treatment of rectal gastrointestinal stromal tumor: A 11-year retrospective study](#)

[Gastrointestinal tumors in children and adolescents](#) - Ladd - 被引用次数: 76

[... gastroenterology: European Society of Gastrointestinal ...](#) - Dumonceau - 被引用次数: 201

[Clinicopathological characteristics and survival ...](#) - Zhang - 被引用次数: 15

[Clinicopathological features and prognosis of small gastrointestinal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4665325/>

25 Aug 2015 ... Lesions located in the rectum demonstrated an increased degree of ...

Keywords: small gastrointestinal stromal tumors, surgery, prognosis, non-gastric ...
administration of adjuvant imatinib mesylate for at least 3 years is now ... are easy to be
detected with more associated studies (11), while small GISTs in ...

[Clinicopathological features and prognosis of coexistence of gastric ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5106071/>

11 Nov 2016 ... The coexistence of gastric gastrointestinal stromal tumor (GIST) and gastric ...
GIST patients were retrospectively enrolled in the present study. ... The 5-year disease-free
survival and disease-specific survival rates of ... most frequent site of GIST, followed by small
intestine, colon and rectum, and esophagus.

[PDF] [Clinicopathological feature and prognosis of primary hepatic ...](#)

<onlinelibrary.wiley.com/doi/10.1002/cam4.808/pdf>

25 May 2016 ... 1Department of Digestive Surgery, Xijing Hospital, The Fourth ... Compared to
gastric gastrointestinal stromal tumor (GIST), hepatic GIST is ... in this study were classified
as high- risk category by the National Institute of ... time was 24.0 months and 5- year
disease- specific survival (DSS) rate was 33.3%,.

[PDF] [Clinicopathological and Prognostic Analysis of Primary ...](#)

<link.springer.com/content/pdf/10.1007%2F11605-017-2285-2.pdf>

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 8,820,000 条结果 (用时 1.03 秒)

New directions in the treatment of pelvic pain - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: MA Udoji - 2013 - 被引用次数: 5 - [相关文章](#)

Chronic **pelvic pain** (CPP) is **most** commonly defined as continuous or intermittent **pain** that occurs in the lower **abdomen** or **pelvic** area that Adjuvant **techniques**, including biofeedback, acupuncture and massage, are used ... **Noninvasive** approaches to vagal nerve **stimulation** (transcutaneous vagus nerve **Best Pract.**

Pelvic Pain - Chicago Urogynecology - Fibroid Treatment Collaborative

www.fibroid.com > [Center Services](#) ▾ [翻译此页](#)

Some causes of **pelvic pain** (learn **more** about endometriosis); How it is ... Despite trying **noninvasive** treatments such as **pelvic** floor physical therapy, diet in the lower **abdomen** before menstrual periods and **more** bleeding during periods. Acupuncture: one of several **ways** to **stimulate** nerves to **reduce pain**; Some ...

Chronic Pelvic Pain: Which Approach? Surgical Versus Medical ...

www.obgyn.net/pelvic-pain/chronic-pelvic-pain-which-approach-surgical-v... ▾ [翻译此页](#)

作者: JR Feste - [相关文章](#)

2011年10月24日 - Chronic **pelvic pain** (CPP) is one of the **most** common problems in gynecology, ... in patients with recent worsening symptoms of **abdominal** or **pelvic pain**. ... Should this regime **not** work, the next **best treatment** is the use of oral contraceptives. ... The minimally **invasive techniques** are **not** only less **painful**, but ...

Surgical pain - Bladder Cancer WebCafé

blcwebcafe.org > [Treatment Options](#) > [Cystectomy](#) ▾ [翻译此页](#)

Surgery causes trauma that may likely be the **most painful** part of any cancer **treatment**. ... that **surgical pain** can often last for up to 6 weeks, and is almost **always** ... **pain** as caused by peritoneal