

Name of journal: World Journal of Gastroenterology

ESPS manuscript NO: 32179

Manuscript type: ORIGINAL ARTICLE

*Retrospective Study*

**Elaboration and validation of Crohn's disease anoperineal lesions consensual definitions**

Clémence Horaist, Vincent de Parades, Laurent Abramowitz, Paul Benfredj, Guillaume Bonnaud, Dominique Bouchard, Nadia Fathallah, Agnès Sénéjoux, Laurent Siproudhis, Ghislain Staumont, Manuelle Viguiet, Philippe Marteau

**Abstract**

**AIM**

To establish consensual definitions of anoperineal lesions of Crohn's (APLOC) disease and assess interobserver agreement on their diagnosis between experts.

**METHODS**

A database of digitally recorded pictures of APLOC was examined by a coordinating group who selected two series of 20 pictures illustrating the various aspects of APLOC. A reading group comprised: eight experts from the Société Nationale Française de Colo Proctologie (SNFCP) group of study and research in proctology (GREP) and one academic dermatologist. All members of the coordinating and reading groups participated in dedicated meetings. The coordinating group initially conducted a literature review to analyse verbatim descriptions used to evaluate APLOC. The study included two phases: establishment of consensual

definitions using a formal consensus method, and later assessment of interobserver agreement on the diagnosis of APLOC using

## Match Overview

1	<b>Crossref</b> 79 words Terracciano, Fulvia, Giuseppe Scalisi, Fabrizio Bossa, Daniela Scimeca, Giuseppe Biscaglia, Michele Mangiacotti, Mar	3%
2	<b>Internet</b> 59 words crawled on 15-Sep-2010 <a href="http://www.geteccu.org">www.geteccu.org</a>	2%
3	<b>Crossref</b> 25 words D. A. Schwartz. "The medical treatment of Crohn's perianal fistulas", <i>Alimentary Pharmacology and Therapeutics</i> , 5/20	1%
4	<b>Internet</b> 17 words crawled on 13-Jun-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%

全部 图片 视频 新闻 地图 图书

找到约 23 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Laparoscopic Ileocolic Resection for Crohn's Disease Associated ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4236081/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4236081/>

Keywords: Midgut malrotation, Crohn's disease, Laparoscopic surgery. Go to: ... dilatation of terminal ileum and consensual elevation of the left diaphragm.

[Sweet Syndrome and Pulmonary Tuberculosis in a Crohns Disease ...](https://www.omicsonline.org/.../sweet-syndrome-and-pulmonary-tuberculosis-in-a-crohns-disease-patient-treated-with-antitnf945-2161-069X-1000262.p...)

<https://www.omicsonline.org/.../sweet-syndrome-and-pulmonary-tuberculosis-in-a-crohns-disease-patient-treated-with-antitnf945-2161-069X-1000262.p...>

A 36-year-old man with Crohn's Disease (CD), under infliximab therapy, was admitted with fever and skin lesions on the face, trunk and upper limbs. ... and its positive and negative values are yet to be defined, it cannot be used as a single test. ... Isoniazid for 9 months is the most consensual therapeutic option [24].

[Consensus guidelines for the management of inflammatory bowel ...](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0004...)

[www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0004...](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0004...)

This is the first Brazilian Consensus on inflammatory bowel disease, carried out by ... Crohn's disease (CD) and ulcerative colitis (UC) are the main inflammatory ..... It is not possible to establish a definite and consensual conduct concerning the ... Patients with colon lesions respond better to therapy with anti-TNF (Grade C).

[Journal of Coloproctology, Vol 32 N 2 - Documents](http://documents.tips/.../journal-of-coloproctology-vol-32-n-2.html)

[documents.tips/.../journal-of-coloproctology-vol-32-n-2.html](http://documents.tips/.../journal-of-coloproctology-vol-32-n-2.html)

6 Mar 2016 ... VOLUME 32 APRIL/JUNE NUMBER 2 Official Journal of the Brazilian Society of Coloproctology FOUNDER Klaus Rebel - RJ Brazil EDITOR IN ...

[UEG Week 2013 Poster Presentations, United European ...](https://www.deepdyve.com/.../ueg-week-2013-poster-presentations-mQ49a0Ypuc)

<https://www.deepdyve.com/.../ueg-week-2013-poster-presentations-mQ49a0Ypuc>

Read "UEG Week 2013 Poster Presentations, United European Gastroenterology Journal" on DeepDyve, the largest online rental service for scholarly research ...

Elaboration and validation of Crohn's disease anoperineal lesions consensual de

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 23 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Laparoscopic Ileocolic Resection for Crohn's Disease Associated ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4236081/>

Keywords: Midgut malrotation, **Crohn's disease**, Laparoscopic surgery. Go to: ... dilatation of terminal ileum and **consensual** elevation of the left diaphragm.

[Journal of Coloproctology, Vol 32 N 2 - Documents](#)[documents.tips/.../journal-of-coloproctology-vol-32-n-2.html](#)

6 Mar 2016 ... VOLUME 32 APRIL/JUNE NUMBER 2 Official Journal of the Brazilian Society of Coloproctology FOUNDER Klaus Rebel - RJ Brazil EDITOR IN ...

[Consensus guidelines for the management of inflammatory bowel ...](#)[www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0004...](#)

This is the first Brazilian Consensus on inflammatory bowel disease, carried out by ... **Crohn's disease** (CD) and ulcerative colitis (UC) are the main inflammatory ..... It is not possible to establish a definite and **consensual** conduct concerning the ... Patients with colon **lesions** respond better to therapy with anti-TNF (Grade C).

[Sweet Syndrome and Pulmonary Tuberculosis in a Crohns Disease ...](#)<https://www.omicsonline.org/.../sweet-syndrome-and-pulmonary-tuberculosis-in-a-crohns-disease-patient-treated-with-antitnf945-2161-069X-1000262.p...>

A 36-year-old man with **Crohn's Disease** (CD), under infliximab therapy, was admitted with fever and skin **lesions** on the face, trunk and upper limbs. ... and its positive and negative values are yet to be **defined**, it cannot be used as a single test. ... Isoniazid for 9 months is the most **consensual** therapeutic option [24].

[UEG Week 2013 Poster Presentations, United European ...](#)<https://www.deepdyve.com/.../ueg-week-2013-poster-presentations-mQ49a0Ypuc>

Read "UEG Week 2013 Poster Presentations, United European Gastroenterology Journal" on DeepDyve, the largest online rental service for scholarly research ...