

8
Name of Journal: *World Journal of Clinical Urology*

ESPS Manuscript NO: 32265

Manuscript Type: Original Article

Randomized Clinical Trial

Combined urethral and suprapubic catheter drainage improves post operative management after open simple prostatectomy without bladder irrigation

Anselm Okwudili Obi

Abstract

AIM

To compare outcomes after open simple prostatectomy without bladder irrigation, in subjects drained by combined 2-way urethral catheter and suprapubic catheter (SPC) vs those drained by 2-way urethral catheter only.

Match Overview

1	Crossref 75 words "Scientific Program for 30th World Congress of Endourology & SWL", Journal of Endourology, 2012.	2%
2	Internet 67 words crawled on 07-Mar-2016 www.wjgnet.com	2%
3	Crossref 41 words "WORLD TRANSPLANT CONGRESS 2006 POSTER ABSTRACTS", American Journal of Transplantation, 8/200	1%
4	Crossref 26 words Gratzke, C.. "Complications and Early Postoperative Outcome After Open Prostatectomy in Patients With Benig...	1%
5	Crossref 26 words "Monday, 31 August 2009", European Heart Journal, 09/02/2009	1%
6	Internet 20 words crawled on 23-Sep-2010 circep.ahajournals.org	<1%

[All](#)[Videos](#)[Images](#)[Shopping](#)[News](#)[More](#)[Settings](#)[Tools](#)

About 38,200 results (0.30 seconds)

John J. Bauer, MD, FACS - Open Prostatectomy

www.flinturology.com/prostatectomy.shtml ▼

Post-operative instructions ... An **open prostatectomy** in which the surgeon accesses the prostate from the abdomen ... It is for this reason patients are often instructed to have nothing by mouth **after** midnight the night prior to your operation unless ... **urinary** tract infection, prolonged Foley **catheter drainage** or **suprapubic** tube ...

Missing: improves management

Open Prostatectomy - procedure, test, blood, removal, pain ...

[www.surgeryencyclopedia.com › La-Pa](http://www.surgeryencyclopedia.com/La-Pa) ▼

Open prostatectomy is a procedure for removal of an enlarged prostate ... **Open prostatectomy** can be performed by either the retropubic or **suprapubic** ... On the second **postoperative** day, the **urethral catheter** is removed if the ... The patient should begin a regular diet and moderate **increases** in activity soon **after** surgery.

Transvesical open prostatectomy for benign prostatic hyperplasia in ...

www.sciencedirect.com/science/article/pii/S2090598X13000776 ▼by AM Elshal - 2013 - Cited by 15 - [Related articles](#)

Jul 31, 2013 - Operative details, the **postoperative** course, and 30-day relevant data were ... Recently, two factors have affected the trends in the surgical **management** of BPH. ... [5] in **improving** the quality of the reporting of negative outcomes from ... and the **suprapubic catheter** clamped and removed **after** the **urethral** ...

Open prostatectomy with a rectal balloon: A new technique to control ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)by K Mohyelden - 2015 - Cited by 1 - [Related articles](#)

Feb 7, 2015 - Keywords: BPH, Surgical **management**, **Open prostatectomy**, Transvesical, Rectal balloon ... [12] used a rectal Foley **catheter** to decrease rectal bleeding **after** ... and evaluated its efficacy in controlling **postoperative** blood loss, and the ... **Suprapubic** and **urethral catheters** for irrigation were inserted, then the ...

[全部](#)[购物](#)[图片](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 4,530 条结果（用时 1.30 秒）

[PDF] catheter care guidelines 2013 - Canterbury District Health Board

<https://www.cdhb.health.nz/Hospitals.../Catheter-Care-Guidelines.pdf> ▾ [翻译此页](#)

The **catheter** is inserted and removed immediately **after** emptying the **bladder**. The process ... **Foley** indwelling **catheter** (IDC) – **urethral or suprapubic** (SPC) **drainage** (short term **or** long term use). A **2 way** channel -most commonly used The **catheter** valve can be connected to right **drainage** bag and **opened** to allow free.

Catheterising Bladders. Urinary catheterisation information. Patient ...

patient.info/doctor/catheterising-bladders ▾ [翻译此页](#)

Urinary catheterisation should **not** be undertaken lightly and should be ... Patient preference **after** failure of other specific continence interventions. ... IC and indwelling **catheters** are **not** mutually exclusive and many **combine** both ... use of silicone latex **catheters** to 1-2 weeks when they should either be removed **or** replaced.

How To Care For Your Suprapubic Catheter - What You Need to Know

<https://www.drugs.com/CareNotes> ▾ [翻译此页](#)

A **suprapubic catheter** is a sterile (germ-free) tube that **drains urine** out of your **bladder**. It is inserted through a stoma (created **opening**) in your abdomen and into your **bladder**. ... Good hand washing is the best **way** to prevent infection. ... Always **wash** your hands before and **after** you touch the **catheter** **or** the insertion site.

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 103,000 条结果 (用时 0.73 秒)

World Journal of Clinical Urology - Baishideng Publishing

www.wjgnet.com/2219-2816/full/v4/i3/108.htm ▼ 翻译此页

作者: CO Okorie - 2015 - 被引用次数: 1 - 相关文章

2015年11月24日 - Is continuous **bladder irrigation after** prostate surgery still needed? ... and **open prostatectomy**) has significantly **improved** over these years, ... **Postoperative drainage** of the bladder has been effected through the ... **urethral catheters**, especially the necessity of frequent bladder A **simple irrigating catheter**.

Transvesical open prostatectomy for benign prostatic hyperplasia in ...

www.sciencedirect.com/science/article/pii/S2090598X13000776 ▼ 翻译此页

作者: AM Elshal - 2013 - 被引用次数: 15 - 相关文章

2013年7月31日 - Operative details, the **postoperative** course, and 30-day relevant data were assessed. ... The surgical **treatment** of BPH began in the late 19th century. ... and the **suprapubic catheter** clamped and removed **after the urethral catheter** ... **Postoperative** continuous **bladder irrigation** for more than one night was ...

Suprapubic or Simple Prostatectomy - Delta Medix Scranton Doctors

<https://www.deltamedix.com/urology/simple-prostatectomy.php> ▼ 翻译此页

Retropubic = lower than the pubic bone and **not** through an **opening** in the ... **Suprapubic or Simple Retropubic Prostatectomy** (SPP and SRP) are ... are performed on benign (**not** cancerous), very large prostates to **improve** ... the **catheters** is to create a well-**drained bladder** (continuous **irrigation** system) to ... **Post Procedure**.

Open Prostatectomy | Urology Surgery

<https://urologysurgery.wordpress.com/2009/01/23/open-prostatectomy/> ▼ 翻译此页

2009年1月23日 - **Open prostatectomy** is the enucleation of the hyperplastic ... Preoperative **Management** ... A **catheter** is introduced into the **urinary bladder**; the **bladder** is **irrigated** ... The **drain** is