

(-)-Epigallocatechin-3-Gallate enhances poly I: C-induced interferon-λ1 productic

全部 图片 视频 新闻 购物 地图 图书

找到约 1,850 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[\(-\)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus Double ...](https://www.nature.com/articles/srep21595)

<https://www.nature.com/articles/srep21595>

16 Feb 2016 ... (-)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus Double-Stranded RNA ... treatment and the exposure of HCV dsRNAs to hepatocytes inhibits HCV replication. ... was much lower than with the same dose (1 µg/mL) stimulation of poly I:C. ... Figure 2: EGCG enhances HCV dsRNAs-induced IFN-λ1.

[gallate inhibits atp-induced: Topics by Science.gov](https://www.science.gov/topicpages/g/gallate+inhibits+atp-induced)

<https://www.science.gov/topicpages/g/gallate+inhibits+atp-induced>

In the present work we studied the effects of exogenous Mg-ATP in rat liver .... Epigallocatechin-3-gallate is able to enhance the cell viability and osteoblast .... Mechanism-based inhibition of cancer metastasis with (-)-epigallocatechin gallate ..... enhanced HCV dsRNAs-induced the expression of IFN-λ1, TLR3, RIG-I and ...

[epigallocatechin-3-gallate inhibits advanced: Topics by Science.gov](https://www.science.gov/.../e/epigallocatechin-3-gallate+inhibits+advanced)

<https://www.science.gov/.../e/epigallocatechin-3-gallate+inhibits+advanced>

However, although EGCG efficiently inhibited HBV replication, it enhanced, but ..... and 3 cleavage and increased poly(adenosine diphosphate ribose) polymerase ..... (-)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus Double-Stranded ... and NS5A) induced interferon-λ1 (IFN-λ1) expression in human hepatocytes.

[polyphenol epigallocatechin-3-gallate inhibits: Topics by Science.gov](https://www.science.gov/.../polyphenol+epigallocatechin-3-gallate+inhibits.html)

<https://www.science.gov/.../polyphenol+epigallocatechin-3-gallate+inhibits.html>

However, treatment of cells with EGCG results in production of hydrogen ..... However, although EGCG efficiently inhibited HBV replication, it enhanced, but not ..... (-)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus Double-Stranded ... and NS5A) induced interferon-λ1 (IFN-λ1) expression in human hepatocytes.

[epigallocatechin 3-gallate egcg: Topics by Science.gov](https://www.science.gov/.../epigallocatechin-3-gallate+egcg)

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 32366

Manuscript Type: ORIGINAL ARTICLE

### *Basic Study*

**(-)-Epigallocatechin-3-Gallate enhances poly I: C-induced interferon- $\lambda$ 1 production and inhibits HCV replication in hepatocytes**

Yi-Zhong Wang, Jie-Liang Li, Xu Wang, Ting Zhang, Wen-Zhe Ho

### **Abstract**

#### *AIM*

To investigate the effect of (-)-epigallocatechin-3-gallate (EGCG) on poly I:C-triggered intracellular innate immunity against hepatitis C virus (HCV) in hepatocytes.

### Match Overview

- | Match Number | Source  | Words    | Similarity |
|--------------|---|----------|------------|
| 1            | Crossref  | 45 words | 2%         |
|              | Yizhong Wang, Jieliang Li, Xu Wang, Juliet C. Peña, Kui Li, Ting Zhang, Wenzhe Ho. "(-)-Epigallocatechin-3-Gallate E      |          |            |
| 2            | Internet  | 19 words | 1%         |
|              | crawled on 13-Jul-2017<br>hepatitisnewdrugs.blogspot.com  |          |            |
| 3            | Crossref  | 13 words | <1%        |
|              | Wang, Y., J. Li, X. Wang, L. Ye, Y. Zhou, R. M. Thomas, and W. Ho. "Hepatitis C virus impairs TLR3 signaling and inhi ... |          |            |



全部

图片

新闻

购物

地图

更多

设置

工具

找到约 1,540 条结果 (用时 0.94 秒)

### **(-)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus Double ...**

<https://www.nature.com/scientific-reports/articles/> - 翻译此页

2016年2月16日 - (-)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus ... Furthermore, treatment of HCV-infected hepatocytes with EGCG and HCV dsRNAs inhibited viral replication. ... much lower than with the same dose (1 µg/mL) stimulation of poly I:C. ... Figure 2: EGCG enhances HCV dsRNAs-induced IFN-λ1.

### **Hepatitis C virus impairs TLR3 signaling and inhibits IFN-λ 1 ...**

[journals.sagepub.com/doi/abs/10.1177/1753425913478991](https://journals.sagepub.com/doi/abs/10.1177/1753425913478991) - 翻译此页

作者: Y Wang - 2014 - 被引用次数: 17 - 相关文章

Toll-like receptor 3 (TLR3) activation plays an important role in the innate immune ... The induced IFN-λ1 contributed to poly I:C-mediated inhibition of hepatitis C virus ... to induce antiviral gene expression and inhibit hepatitis C virus replication. ... signaling pathways leading to interferon-beta production in hepatocytes.

缺少字词: - epigallocatechin gallate enhances

### **ifn antiviral pathway: Topics by Science.gov**

<https://www.science.gov/topicpages/i/ifn+antiviral+pathway>

Consequently, knockout of sIL-6R inhibited virus-triggered IFN-λ1 expression. .... Combined treatments with type I and III IFNs produced enhanced antiviral effects, and .... We found that the poly(I:C)-induced initial phosphorylation of STAT1 is .... the effects of HCV replication on IFN signaling in primary human hepatocytes ...

### **gallate inhibits atp-induced: Topics by Science.gov**

<https://www.science.gov/topicpages/g/gallate+inhibits+atp-induced>

In the present work we studied the effects of exogenous Mg-ATP in rat liver .... Epigallocatechin-3-gallate is able to enhance the cell viability and osteoblast .... Mechanism-based inhibition of cancer



[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 1,510 条结果 (用时 0.64 秒)

### [\(-\)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus Double ...](#)

<https://www.nature.com> > [Scientific Reports](#) > [Articles](#) - [翻译此页](#)

2016年2月16日 - (-)-Epigallocatechin-3-Gallate Enhances Hepatitis C Virus ... Furthermore, treatment of HCV-infected **hepatocytes** with EGCG and HCV dsRNAs **inhibited** viral **replication**. ... much lower than with the same dose (1  $\mu$ g/mL) stimulation of **poly I:C**. ... Figure 2: EGCG **enhances** HCV dsRNAs-induced IFN- $\lambda$ 1.

### [Hepatitis C virus impairs TLR3 signaling and inhibits IFN- \$\lambda\$ 1 ...](#)

[journals.sagepub.com/doi/abs/10.1177/1753425913478991](https://journals.sagepub.com/doi/abs/10.1177/1753425913478991) - [翻译此页](#)作者: Y Wang - 2014 - 被引用次数: 17 - [相关文章](#)

Toll-like receptor 3 (TLR3) activation plays an important role in the innate immune ... The **induced** IFN- $\lambda$ 1 contributed to **poly I:C**-mediated **inhibition** of **hepatitis C** virus ... to **induce** antiviral gene expression and **inhibit hepatitis C** virus **replication**. ... signaling pathways leading to interferon-beta **production** in **hepatocytes**.

缺少字词: = epigallocatechin gallate enhances

### [ifn antiviral pathway: Topics by Science.gov](#)

<https://www.science.gov/topicpages/i/ifn+antiviral+pathway>

Consequently, knockout of sIL-6R **inhibited** virus-triggered IFN- $\lambda$ 1 expression. .... Combined treatments with type I and III IFNs **produced enhanced** antiviral effects, and .... We found that the **poly (I:C)**-induced initial phosphorylation of STAT1 is .... the effects of HCV **replication** on IFN signaling in primary human **hepatocytes** ...

### [gallate inhibits atp-induced: Topics by Science.gov](#)

<https://www.science.gov/topicpages/g/gallate+inhibits+atp-induced>In the present work we studied the effects of exogenous Mg-ATP in rat **liver** ....

Epigallocatechin-3-gallate is able to **enhance** the cell viability and osteoblast .... Mechanism-based **inhibition** of cancer metastasis with (-)-epigallocatechin gallate ..... **enhanced** HCV dsRNAs-induced the expression of IFN- $\lambda$ 1, TLR3, RIG-I and ...

### [ifn stimulated genes: Topics by WorldWideScience.org](#)