

PEER-REVIEW REPORT

Name of journal: World Journal of Radiology

Manuscript NO: 32370

Title: Comparison of seldinger and trocar techniques in the percutaneous treatment of hydatid cysts

Reviewer's code: 02439579

Reviewer's country: China

Science editor: Fang-Fang Ji

Date sent for review: 2017-01-07

Date reviewed: 2017-01-14

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> [Y] Accept
<input checked="" type="checkbox"/> [Y] Grade B: Very good	<input checked="" type="checkbox"/> [Y] Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> [] High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> [] Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> [Y] No	<input type="checkbox"/> [] Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> [] Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> [Y] No	

COMMENTS TO AUTHORS

This study compared two percutaneous technique on treatment of hydatid cysts. There are no statistically significant association in the efficacy of the treatment and the rates of local recurrence and secondary dissemination between the two techniques. However, the percutaneous technique is the current trend. We should choose the appropriate treatment according to the actual situation.