

Name of journal: *World Journal of Orthopedics*

Manuscript NO: 32558

Manuscript Type: Original Article

*Retrospective Study*

**Non-ossifying fibromas: Case series, including in uncommon upper extremity sites**

**Akio Sakamoto, Ryuzo Arai, Takeshi Okamoto, Shuichi Matsuda**

#### Abstract

**AIM:** Non-ossifying fibromas (NOFs) are common fibrous bone lesions in children that occur in bones of the lower extremities.

**METHODS:** We analyzed 44 cases of NOF including 47 lesions, which were referred with a working diagnosis of neoplastic lesions. Lesions were located in the upper extremities (1 proximal humerus, 1 distal radius) and the lower extremities (25 distal femurs, 12 proximal and 4 distal tibias, and 4 proximal fibulas).

**RESULTS:** Three cases had NOFs in multiple anatomical locations (femur and fibula in

### Match Overview

Match Number	Source	Words	Similarity
1	Crossref	41 words Sakamoto, Akio, Takeaki Ishii, Yoshinao Oda, and Yukihide Iwamoto. "Nonossifying fibroma presenting as an aneurysmal ..."	2%
2	Internet	22 words crawled on 17-Mar-2016 <a href="http://www.omicsonline.org">www.omicsonline.org</a>	1%
3	Crossref	14 words Sakamoto, Akio, Kazuhiro Tanaka, Tatsuya Yoshida, and Yukihide Iwamoto. "Nonossifying Fibroma Accompanied by Path ..."	1%
4	Internet	13 words crawled on 02-Mar-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
5	Internet	10 words crawled on 08-Feb-2010 <a href="http://homepage.vghtpe.gov.tw">homepage.vghtpe.gov.tw</a>	1%

[全部](#)[图片](#)[视频](#)[购物](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 24,300 条结果 (用时 0.58 秒)

### [A 16-year-old Girl With Pain and Swelling in the Medial Clavicle - NCBI](#)

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: NF Gilbert - 2008 - 被引用次数: 8 - [相关文章](#)

2008年4月11日 - **Nonossifying fibromas** are common benign bone lesions and are ... **Upper extremity** location of these tumors is **uncommon**. ... Barlow and Newman [2] also had eight clavicle tumors in their **series** of 145 shoulder girdle tumors. ... as isolated **case** reports **include** enchondroma and osteochondroma [3, 12].

### [\[PDF\] Case Report - Non Ossifying Fibroma of Tibia - StatPerson](#)

[https://www.statperson.com/Journal/ScienceAndTechnology/.../11\\_1\\_29.pdf](https://www.statperson.com/Journal/ScienceAndTechnology/.../11_1_29.pdf) ▾ [翻译此页](#)

**Case** Report. Abstract: ... **case** of **nonossifying fibroma** is presented here successfully treated ... be made. **Case** Report. 19 tears ... 10% of cases, as noted in one **series** at the Armed Forces. Institute ... **uncommon** in the **upper extremity**; however, of those reported ... **sites include** the innominate bone, clavicle, skull, scapula,.

### [Nonossifying Fibroma-OrthoInfo - AAOS](#)

[orthoinfo.aaos.org/topic.cfm?topic=A00603](http://orthoinfo.aaos.org/topic.cfm?topic=A00603) ▾ [翻译此页](#)

**Nonossifying fibromas** (NOFs) are the most common benign bone tumor in children. ... in the smaller bone in the lower **leg** (fibula), and in the **upper** arm bone (humerus). ... It is **uncommon**, however, to have more than two or three tumors except in ... Other imaging tests your doctor may order **include** computed tomography ...

缺少字词: [ease series](#)

### [Non-ossifying fibroma | Radiology Reference Article | Radiopaedia.org](#)

<https://radiopaedia.org/articles/non-ossifying-fibroma-1> ▾ [翻译此页](#)

**Non-ossifying fibromas** (NOF) are the most common of non-neoplastic fibrous bone lesions and are ... General imaging differential considerations **include**:

找到约 27,100 条结果 (用时 0.79 秒)

### [\[PDF\] Case Report - Non Ossifying Fibroma of Tibia - StatPerson](#)

[https://www.statperson.com/Journal/ScienceAndTechnology/.../11\\_1\\_29.pdf](https://www.statperson.com/Journal/ScienceAndTechnology/.../11_1_29.pdf)  [翻译此页](#)

Case Report. Abstract: ... case of nonossifying fibroma is presented here successfully treated ... be made. Case Report. 19 tears ... 10% of cases, as noted in one series at the Armed Forces. Institute ... uncommon in the upper extremity; however, of those reported ... sites include the innominate bone, clavicle, skull, scapula,.

### [A 16-year-old Girl With Pain and Swelling in the Medial Clavicle - NCBI](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)  [翻译此页](#)

作者: NF Gilbert - 2008 - 被引用次数: 8 - [相关文章](#)

2008年4月11日 - Nonossifying fibromas are common benign bone lesions and are ... Upper extremity location of these tumors is uncommon. ... Barlow and Newman [2] also had eight clavicle tumors in their series of 145 shoulder girdle tumors. ... as isolated case reports include enchondroma and osteochondroma [3, 12].

### [Non-ossifying fibroma | Radiology Reference Article | Radiopaedia.org](#)

<https://radiopaedia.org/articles/non-ossifying-fibroma-1>  [翻译此页](#)

Non-ossifying fibromas (NOF) are the most common of non-neoplastic fibrous bone lesions and are ...

General imaging differential considerations include:.

缺少字词: series uncommon upper

### [Nonossifying Fibroma-OrthoInfo - AAOS](#)

[orthoinfo.aaos.org/topic.cfm?topic=A00603](http://orthoinfo.aaos.org/topic.cfm?topic=A00603)  [翻译此页](#)

Nonossifying fibromas (NOFs) are the most common benign bone tumor in children. ... the smaller bone in the lower leg (fibula), and in the upper arm bone (humerus). ... It is uncommon, however, to have more than two or three tumors except in ... These include instances of large NOF, particularly in a young child who has a ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 25,800 条结果 (用时 0.90 秒)

### [\[PDF\] Case Report - Non Ossifying Fibroma of Tibia - Statperson](#)

[https://www.statperson.com/Journal/ScienceAndTechnology/.../11\\_1\\_29.pdf](https://www.statperson.com/Journal/ScienceAndTechnology/.../11_1_29.pdf) ▾ [翻译此页](#)

Case Report. Abstract: ... case of nonossifying fibroma is presented here successfully treated ... be made. Case Report. 19 tears ... 10% of cases, as noted in one series at the Armed Forces Institute ... uncommon in the upper extremity; however, of those reported ... sites include the innominate bone, clavicle, skull, scapula,.

### [A 16-year-old Girl With Pain and Swelling in the Medial Clavicle - NCBI](#)

<https://www.ncbi.nlm.nih.gov> ▸ [NCBI](#) ▸ [Literature](#) ▸ [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: NF Gilbert - 2008 - 被引用次数: 8 - [相关文章](#)

2008年4月11日 - Nonossifying fibromas are common benign bone lesions and are ... Upper extremity location of these tumors is uncommon. ... Barlow and Newman [2] also had eight clavicle tumors in their series of 145 shoulder girdle tumors. ... as isolated case reports include enchondroma and osteochondroma [3, 12].

### [Nonossifying Fibroma-OrthoInfo - AAOS](#)

[orthoinfo.aaos.org/topic.cfm?topic=A00603](http://orthoinfo.aaos.org/topic.cfm?topic=A00603) ▾ [翻译此页](#)

Nonossifying fibromas (NOFs) are the most common benign bone tumor in children. ... the smaller bone in the lower leg (fibula), and in the upper arm bone (humerus). ... It is uncommon, however, to have more than two or three tumors except in ... These include instances of large NOF, particularly in a young child who has a ...

缺少字词: [ease series](#)

### [Imaging in Fibrous Cortical Defect and Nonossifying Fibroma ...](#)

[emedicine.medscape.com/article/389590-overview](http://emedicine.medscape.com/article/389590-overview) ▾ [翻译此页](#)

2016年1月22日 - The terms fibroxanthoma, nonossifying fibroma (NOF), fibrous cortical defect ... In the