

Name of Journal: *World Journal of Clinical Pediatrics*

Manuscript NO: 32676

Manuscript Type: Original Article

*Prospective Study*

<sup>2</sup>  
Screening for asymptomatic chlamydia and gonorrhea in adolescent males in  
an urban pediatric emergency department

Megan E Maraynes, Jennifer H Chao, Konstantinos Agoritsas, Richard Sinert,  
Shahriar Zehtabchi

Abstract

### Match Overview

1	<b>Internet</b> 134 words crawled on 11-Mar-2016 <a href="http://www.aps-spr.org">www.aps-spr.org</a>	5%
2	<b>Crossref</b> 76 words "SAEM Annual Meeting Abstracts", Academic Emergency Medicine, 2015.	3%
3	<b>Internet</b> 14 words crawled on 24-Apr-2014 <a href="http://www.recentmedicalfindings.com">www.recentmedicalfindings.com</a>	1%

找到约 70,700 条结果 (用时 0.59 秒)

### Screening for Asymptomatic Gonorrhea and Chlamydia in the ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26967296> - 翻译此页

作者 : K Schneider - 2016 - 被引用次数 : 3 - 相关文章

Screening for Asymptomatic Gonorrhea and Chlamydia in the Pediatric ... adolescents rely heavily on emergency services for health care, a pediatric ... to an urban PED with nongenitourinary complaints was offered screening for GC and CT.

### Screening for Asymptomatic Gonorrhea and Chlamydia in the ...

[https://www.researchgate.net/.../295249150\\_Screening\\_for\\_Asymptomatic\\_...](https://www.researchgate.net/.../295249150_Screening_for_Asymptomatic_...) - 翻译此页

Screening for Asymptomatic Gonorrhea and Chlamydia in the Pediatric ... Background: Because adolescents rely heavily on emergency services for health ... to an urban PED with nongenitourinary complaints was offered screening for .... Isolation of Neisseria gonorrhea from the Urethra of Asymptomatic Adolescent Males.

### [PDF] Universal STI Screening in the Pediatric Emergency Department

[https://www.nycptc.org/x/Ohio\\_Conf\\_Kari\\_Schneider.pdf](https://www.nycptc.org/x/Ohio_Conf_Kari_Schneider.pdf) ▼ 翻译此页

作者 : K Schneider - 2012 - 相关文章

2012年10月19日 - Pediatric Emergency Medicine Fellow ... Why screen for gonorrhea and chlamydia in ... Male adolescents have a predominance of visits to EDs.10. • PEDs see a population with moderately high. STI prevalence. • screening asymptomatic adolescents may be an ... (ages 14-21 years) in our urban pediatric.

### Screening for Asymptomatic Chlamydia Infections Among Sexually ...

[jamanetwork.com/journals/jamapeditrics/fullarticle/381542](http://jamanetwork.com/journals/jamapeditrics/fullarticle/381542) - 翻译此页

作者 : KP Tebb - 2009 - 被引用次数 : 18 - 相关文章

2009年6月1日 - Screening for Asymptomatic Chlamydia Infections Among Sexually Active ... Participants Pediatric clinics providing urgent care services for adolescent girls aged 14 ... with the highest rates among adolescents and young adult women. ... Additionally, adolescents seen in emergency/urgent care settings for



找到约 57,600 条结果 (用时 0.83 秒)

### [Screening for Asymptomatic Gonorrhea and Chlamydia in the ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/26967296> - 翻译此页

作者 : K Schneider - 2016 - 被引用次数 : 3 - 相关文章

Screening for Asymptomatic Gonorrhea and Chlamydia in the Pediatric ... adolescents rely heavily on emergency services for health care, a pediatric ... to an urban PED with nongenitourinary complaints was offered screening for GC and CT.

### [Screening for Asymptomatic Gonorrhea and Chlamydia in the ...](#)

[https://www.researchgate.net/.../295249150\\_Screening\\_for\\_Asymptomatic\\_...](https://www.researchgate.net/.../295249150_Screening_for_Asymptomatic_...) - 翻译此页

Screening for Asymptomatic Gonorrhea and Chlamydia in the Pediatric ... Background: Because adolescents rely heavily on emergency services for health ... to an urban PED with nongenitourinary complaints was offered screening for .... Isolation of Neisseria gonorrhea from the Urethra of Asymptomatic Adolescent Males.

### [\[PDF\] Universal STI Screening in the Pediatric Emergency Department](#)

[https://www.nycptc.org/x/Ohio\\_Conf\\_Kari\\_Schneider.pdf](https://www.nycptc.org/x/Ohio_Conf_Kari_Schneider.pdf) ▼ 翻译此页

作者 : K Schneider - 2012 - 相关文章

2012年10月19日 - Pediatric Emergency Medicine Fellow ... Why screen for gonorrhea and chlamydia in ... Male adolescents have a predominance of visits to EDs.10. • PEDs see a population with moderately high. STI prevalence. • screening asymptomatic adolescents may be an ... (ages 14-21 years) in our urban pediatric.

### [Screening for Asymptomatic Chlamydia Infections Among Sexually ...](#)

[jamanetwork.com/journals/jamapediatrics/fullarticle/381542](http://jamanetwork.com/journals/jamapediatrics/fullarticle/381542) - 翻译此页

作者 : KP Tebb - 2009 - 被引用次数 : 18 - 相关文章

2009年6月1日 - Screening for Asymptomatic Chlamydia Infections Among Sexually ... Author Affiliations: Division of Adolescent Medicine, Department of Pediatrics, School of Medicine ... Additionally, adolescents seen in emergency/urgent care settings ..... gonorrhea and chlamydia in patients of an urban adult emergency

Screening for asymptomatic chlamydia and gonorrhea in adolescent males in an

全部

图片

视频

新闻

地图

图书

找到约 74,300 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Screening for Asymptomatic Gonorrhea and Chlamydia in ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/26967296>

Screening for Asymptomatic Gonorrhea and Chlamydia in the Pediatric ... BACKGROUND: Because adolescents rely heavily on emergency services ... to an urban PED with nongenitourinary complaints was offered screening for GC and CT.

[Screening for Asymptomatic Gonorrhea and Chlamydia in the ...](#)

[https://www.researchgate.net/.../295249150\\_Screening\\_for\\_Asymptomatic\\_Gonorrhea\\_and\\_Chlamydia\\_in\\_the\\_Pediatric\\_Emergency\\_Department](https://www.researchgate.net/.../295249150_Screening_for_Asymptomatic_Gonorrhea_and_Chlamydia_in_the_Pediatric_Emergency_Department)

Screening for Asymptomatic Gonorrhea and Chlamydia in the Pediatric ... Background: Because adolescents rely heavily on emergency services for health ... to an urban PED with nongenitourinary complaints was offered screening for .... Isolation of Neisseria gonorrhea from the Urethra of Asymptomatic Adolescent Males.

[\[PDF\] Universal STI Screening in the Pediatric Emergency Department](#)

[https://www.nycptc.org/x/Ohio\\_Conf\\_Kari\\_Schneider.pdf](https://www.nycptc.org/x/Ohio_Conf_Kari_Schneider.pdf)

19 Oct 2012 ... Pediatric Emergency Medicine Fellow ... Why screen for gonorrhea and chlamydia in ... Male adolescents have a predominance of visits to EDs.10. • PEDs see a population with moderately high. STI prevalence. • screening asymptomatic adolescents may be an ... (ages 14-21 years) in our urban pediatric.

[Screening for Asymptomatic Chlamydia Infections Among Sexually ...](#)

[jamanetwork.com/journals/jamapediatrics/fullarticle/381542](http://jamanetwork.com/journals/jamapediatrics/fullarticle/381542)

1 Jun 2009 ... Screening for Asymptomatic Chlamydia Infections Among Sexually Active ... Participants Pediatric clinics providing urgent care services for adolescent girls aged 14 ... with the highest rates among adolescents and young adult women. ... All adolescents are seen for primary care in the pediatric setting (up to ...

[Infectious Diseases of the United States - Google 图书结果](#)