

Name of Journal: *World Journal of Diabetes*

Manuscript No: 32775

Manuscript Type: Original Article

Retrospective Study

¹
Eye and foot checks in patients with diabetes on haemodialysis: Are they done, and who does them?

Nadira Bibi Mothojakan, Shazia Hussain, Kieran McCafferty, M Magdi Yaqoob,
Tahseen A Chowdhury

Match Overview

1	Crossref 166 words "Clinical care and other categories posters: nephropathy", Diabetic Medicine, 2016.	9%
2	Internet 27 words crawled on 16-Feb-2017 www.diabetologists-abcd.org.uk	1%
3	Internet 25 words crawled on 30-Aug-2016 static.www.bmj.com	1%
4	Internet 12 words crawled on 06-Sep-2016 docslide.us	1%

找到约 3,900,000 条结果 (用时 0.81 秒)

Eye and foot checks in patients with diabetes on haemodialysis: are ...

<https://insights.ovid.com/diabetic.../eye-foot-checks-patients-diabetes-haemo...> - 翻译此页

作者: NB Mothojakan - 2016

Read 'Eye and foot checks in patients with diabetes on haemodialysis: are they done, and who does them?' on Ovid Insights.

[PDF] Management of adults with diabetes on the haemodialysis unit

www.diabetologists-abcd.org.uk/JBDS/JBDS_RenalGuide_2016.pdf ▾ 翻译此页

We hope that **they will** be a resource which **will** improve the care, and ultimately the review of their **diabetes** which includes **foot** and **eye screening** through the GP **diabetes** register ... 4.2 Repaglinide **can** be considered in the **haemodialysis patient**. targets for glycaemic control and treatment algorithms to achieve **them**.

[PDF] Management of adults with diabetes on the haemodialysis unit ...

www.bjd-abcd.com/index.php/bjd/article/download/134/280 ▾ 翻译此页

作者: A Frankel - 相关文章

urgent care for **eye**, **foot** or acute metabolic complications. **They can** support, educate and empower ... Documented annual review for all (**foot**, **eye screening**) with **Patients** should bring their own insulin/tablets with **them** to the **dialysis** unit.

Dialysis Reduces Insulin Needs for Patients With Type 2 Diabetes ...

www.diabetes.org > Research & Practice > Patient Access to Research ▾ 翻译此页

2013年10月7日 - ... Skin Complications · **Eye** Complications · Neuropathy · **Foot** ... If **they** continue to take the same doses of insulin after **dialysis**, **they** could ... However, there **has** been little research about this, and there are no ... How was the study **done**? ... a technique that allowed **them** to hold the **patients'** glucose levels ...

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,930,000 条结果 (用时 0.90 秒)

Eye and foot checks in patients with diabetes on haemodialysis: are ...

<https://insights.ovid.com/diabetic.../eye-foot-checks-patients-diabetes-haemo...> - 翻译此页

作者: NB Mothojakan - 2016

Read 'Eye and foot checks in patients with diabetes on haemodialysis: are they done, and who does them?' on Ovid Insights.

[PDF] Management of adults with diabetes on the haemodialysis unit

www.diabetologists-abcd.org.uk/JBDS/JBDS_RenalGuide_2016.pdf ▾ 翻译此页

We hope that **they will** be a resource which **will** improve the care, and ultimately the review of their **diabetes** which includes **foot** and **eye screening** through the GP **diabetes** register ... 4.2 Repaglinide **can** be considered in the **haemodialysis patient**. targets for glycaemic control and treatment algorithms to achieve **them**.

[PDF] Management of adults with diabetes on the haemodialysis unit ...

www.bjd-abcd.com/index.php/bjd/article/download/134/280 ▾ 翻译此页

作者: A Frankel - 2016 - 相关文章

urgent care for **eye**, **foot** or acute metabolic complications. **They can** support, educate and empower ... Documented annual review for all (**foot**, **eye screening**) with **Patients** should bring their own insulin/tablets with **them** to the **dialysis** unit.

Dialysis Reduces Insulin Needs for Patients With Type 2 Diabetes ...

www.diabetes.org > Research & Practice > Patient Access to Research ▾ 翻译此页

2013年10月7日 - ... Skin Complications · **Eye** Complications · Neuropathy · **Foot** ... If **they** continue to take the same doses of insulin after **dialysis**, **they** could ... However, there **has** been little research about this, and there are no ... How was the study **done**? ... a technique that allowed **them** to hold the **patients'**

Eye and foot checks in patients with diabetes on haemodialysis: Are they done, a

全部 图片 视频 新闻 地图 图书

找到约 4,650,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Eye and foot checks in patients with diabetes on haemodialysis: are ...](https://insights.ovid.com/diabetic.../eye-foot-checks-patients-diabetes-haemodialysis/.../00003135)

<https://insights.ovid.com/diabetic.../eye-foot-checks-patients-diabetes-haemodialysis/.../00003135>

Read 'Eye and foot checks in patients with diabetes on haemodialysis: are they done, and who does them?' on Ovid Insights.

[PDF] [Management of adults with diabetes on the haemodialysis unit](http://www.diabetologists-abcd.org.uk/.../JBDS_RenalGuide_2016.pdf)

www.diabetologists-abcd.org.uk/.../JBDS_RenalGuide_2016.pdf

We hope that they will be a resource which will improve the care, and ultimately the ... review of their diabetes which includes foot and eye screening through the GP diabetes register ... 4.2 Repaglinide can be considered in the haemodialysis patient. ... targets for glycaemic control and treatment algorithms to achieve them.

[PDF] [Management of adults with diabetes on the haemodialysis unit](http://www.diabetologists-abcd.org.uk/.../JBDS_RenalGuideAbbreviated_2016.pdf)

www.diabetologists-abcd.org.uk/.../JBDS_RenalGuideAbbreviated_2016.pdf

annual review of their diabetes which includes foot and eye screening through the GP diabetes register. ... They can support, educate and empower such patients Patients should bring their own insulin/tablets with them to the Dialysis Unit.

[PDF] [High-risk foot and the effect of deteriorating renal function and ...](https://www.qni.org.uk/wp-content/uploads/2017/.../sue_foster.pdf)

https://www.qni.org.uk/wp-content/uploads/2017/.../sue_foster.pdf

high-risk group of people with diabetes and comorbid renal disease. Diabetic ... a patient receiving haemodialysis. The risk factors ... did not check feet, although they were happy for the podiatrist to visit the ... disease affecting the kidneys, eyes and feet. (Holman et al ... screening and follow-up to prevent them being lost.

[Diabetic Retinopathy - Causes, Symptoms, Risks & Prevention](http://www.diabetes.co.uk/diabetes.../diabetic-retinopathy.html)

www.diabetes.co.uk/diabetes.../diabetic-retinopathy.html

Diabetic retinopathy is the most common form of diabetic eye disease. ... eye examination at