Name of Journal: World Journal of Orthopedics

Manuscript NO: 33016

√ iThenticate

•

Manuscript type: Case Report

Using humeral nail for surgical reconstruction of femur in adolescents with osteogenesis imperfecta

Paphon Sa-ngasoongsong, Tanyawat Saisongcroh, Chanika Angsanuntsukh, Patarawan Woratanarat, Pornchai Mulpruek

Abstract

Osteogenesis imperfecta (OI) is a rare inherited connective tissue disorder caused by mutation of collagen which results in a wide spectrum of clinical manifestations including long bone fragility fractures and deformities. While the treatment for these fractures was recommended as using intramedullary fixation for minimizing stress concentration, the selection of the best implant in the adolescent OI patients for the





Using Humeral nail for surgical reconstruction of femur in adolescents wit

News

More

Shopping



Tools

Settings

About 19,400 results (0.66 seconds)

Videos

Images

ΑII

Ostastamy and fracture fiv

Osteotomy and fracture fixation in children and teenagers www.sciencedirect.com/science/article/pii/S1877056813002661 ▼

by B de Billy - 2014 - Cited by 4 - Related articles

3 Jan 2014 - Fracture fixation;; Osteotomy fixation;; Children;; Teenagers; ... The basis of fracture healing in children using flexible intramedullary nailing (FIN) was described in ... marrow-derived

mesenchymal cells in **osteogenesis imperfecta** [9], with **humerus** or tibia fractures, but also in the **femur** if the **nails** are ...

Intramedullary rod fixation of fibrous dysplasia without use of ... - NCBI https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC)

by G Gaski - 2013 - Cited by 3 - Related articles

3 Sep 2013 - The **surgical** procedure in a subtrochanteric **femoral** fracture (Patient 3, Table 1; Fig. ... of an interlocking **reconstruction** nail with proximal and distal locking screws. ... followed by antegrade placement of an intramedullary **humeral nail** in osteoporosis and children with **osteogenesis imperfecta**, has been ...

Pathological fractures in children - NCBI - NIH

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC)

by CBR De Mattos - 2012 - Cited by 11 - Related articles

Oct 2012 - This avoided **surgery** that would most likely have been unnecessary in 30 ... a pathological fracture of the left **humerus** through a unicameral bone cyst, ... Although cysts located

Intramedullary rod fixation of fibrous dysplasia without use of ...

online.boneandjoint.org.uk/doi/full/10.1007/s11832-013-0522-7

which resulted in healing of the ...

by G Gaski - 2013 - Cited by 4 - Related articles

12 Aug 2013 - Internal fixation with intramedullary nails of pathologic fractures has revealed ... 13 mm IM reconstruction nail w/locking screws, 4, Complete healing ... The surgical procedure in a subtrochanteric femoral fracture (Patient 3, Table 1; Fig. in osteoporosis and children with osteogenesis imperfecta, has been ...

in the proximal femur are more likely to heal with a use of high-speed burr and bone grafting,



Using humeral nail for surgical reconstruction of femur in adolescents wit

More



Settings

Tools

About 11,300 results (0.53 seconds)

Images

All

Osteotomy and fracture fixation in children and teenagers ... www.sciencedirect.com/science/article/pii/S1877056813002661 * by B de Billy - 2014 - Cited by 4 - Related articles Pediatric and Orthopedic Surgery Department, Université Franche-Comté, EA I4S, ... The basis of fracture healing in children using flexible intramedullary nailing (FIN) ... bone marrow-derived

News

mesenchymal cells in osteogenesis imperfecta [9], ... fixation of the humerus and femur, and metacarpal or phalangeal fractures!

Videos

Surgical treatment in Osteogenesis Imperfecta – 10 years experience https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) by I Georgescu - 2013 - Cited by 7 - Related articles

25 Jun 2013 - The coxa vara / valga correction using the Sheffield rod was applied in 6 ... An

severe forms of OI must be adapted to each case. ... The number of fractures significantly decreases beyond the age of adolescence.

in Osteogenesis Imperfecta.

Missing: humeral nail

Adolescent with 15-cm Humeral Shortening from ... - Springer Link link.springer.com/content/pdf/10.1007%2F978-3-319-02767-8 263-1.pdf by Humeral Lengthening via Circular External Fixation ... midshaft osteotomy and acute deformity correction using circular external ... Limb Lengthening and Reconstruction Surgery Case Atlas femoral fixation is employed for proximal humeral fixation. ... > Management of Humeral Deformity

original bone reconstruction procedure is currently being studied ... The surgical treatment in

Adolescent with 15-cm Humeral Shortening from Osteomyelitis ... https://www.researchgate.net/.../287216286 Adolescent with 15-cm Humeral Shorteni...

12 Jun 2017 - In book: Limb Lengthening and Reconstruction Surgery Case Atlas, Edition: 1, Publisher: ... midshaft osteotomy and acute deformity correction using circular external fixation. femoral fixation is employed for proximal humeral fixation, ... > Management of Humeral Deformity









全部

图片

视频

新闻

|物 更

设置

工具

找到约 22,400 条结果 (用时 0.54 秒)

Osteotomy and fracture fixation in children and teenagers ...

www.sciencedirect.com/science/article/pii/S1877056813002661 ▼ 翻译此页

作者: B de Billy - 2014 - 被引用次数: 4 - 相关文章

Pediatric and Orthopedic Surgery Department, Université Franche-Comté, EA I4S, ... The basis of fracture healing in children using flexible intramedullary nailing (FIN) ... bone marrow-derived mesenchymal cells in osteogenesis imperfecta [9], ... fixation of the humerus and femur, and metacarpal or phalangeal fractures!

Pathological fractures in children - NCBI - NIH

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: CBR De Mattos - 2012 - 被引用次数: 15 - 相关文章

2012年10月1日 - This avoided surgery that would most likely have been unnecessary in 30 patients ... due to UBC are the proximal humerus followed by the proximal femur. ... and the use of calcium sulfate substitute for osteoconduction yield better there is a tendency of stabilisation of the deformities after adolescence.

Surgical treatment in Osteogenesis Imperfecta - 10 years experience

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: I Georgescu - 2013 - 被引用次数: 7 - 相关文章

2013年6月25日 - The coxa vara / valga correction using the Sheffield rod was applied in 6 ... An original bone reconstruction procedure is currently being studied ... The surgical treatment in severe forms of OI must be adapted to each case. ... The number of fractures significantly decreases beyond the age of adolescence.

缺少字词: humeral nail

Osteogenesis Imperfecta Treatment & Management: Approach ... emedicine.medscape.com/article/1256726-treatment ▼ 翻译此页

d)