

1

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 33261

Manuscript Type: Minireviews

Effects of glucose-lowering agents on ischemic stroke

Konstantinos Avgerinos, Konstantinos Tziomalos

Abstract

Diabetes mellitus (DM) is a major risk factor for cardiovascular events including ischemic stroke. Moreover, ischemic stroke appears to be more severe in these patients and to be associated with less favorable outcomes. However, strict glycemic control does not appear to reduce the risk of

Match Overview

1	Internet 80 words crawled on 01-Apr-2017 cardiab.biomedcentral.com	2%
2	Crossref 57 words Ahmed H. Abdelhafiz. "Coronary Heart Disease", <i>Diabetes in Old Age</i> , 04/17/2009	2%
3	Internet 34 words crawled on 17-Jan-2015 216.226.177.68	1%
4	Publications 30 words Kim, Na-Hyung Yu, Taeyang Lee, Dae Ho. "The nonglycemic actions of dipeptidyl peptidase-4 inhibitors (Report)", <i>Bio</i>	1%
5	Crossref 30 words Ballantyne, C.M.. "Treatment of Dyslipidemia to Reduce Cardiovascular Risk in Patients with Multiple Risk Factors", <i>Clin</i>	1%
6	Crossref 29 words Scheen, André J.. "Diabetes: Time for reconciliation between cardiologists and diabetologists", <i>Nature Reviews Cardiol</i>	1%
7	Crossref 28 words Galwitz, Rantist, Julio, Rosenstock, Thomas, Dauch, Sudint	1%

找到约 6,140,000 条结果 (用时 0.91 秒)

Google 学术: [Effects of glucose-lowering agents on ischemic stroke](#)

[Effects of intensive glucose lowering in type 2 diabetes - Action to Control ...](#) - 被引用次数: 5981

[... agonist exenatide twice daily or other glucose-lowering ... - Best](#) - 被引用次数: 223

[Effects of pioglitazone in patients with type 2 diabetes ... - Wilcox](#) - 被引用次数: 379

Management of blood glucose in patients with stroke. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/21211743> - 翻译此页

作者: RP Radermecker - 2010 - 被引用次数: 21 - 相关文章

Management of blood glucose in patients with stroke. ... (1)Division of Diabetes, Nutrition and Metabolic Disorders, Department of [Medicine](#), CHU Sart Tilman, ... acute [ischaemic stroke](#), especially hyperglycaemia, adversely [affect outcomes](#). ... 2) to summarise the evidence from current [glucose-lowering](#) treatment trials; and ...

Glucose-lowering therapy in type 2 diabetes - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: G Schernthaner - 2016 - 被引用次数: 2 - 相关文章

2016年4月12日 - [Effect of glucose-lowering drugs](#) on the combined endpoint of CV mortality, were added to nondiabetic patients after [ischaemic stroke](#) or TIA.

Hyperglycemia and Hypoglycemia in Stroke: Practice Essentials ...

[emedicine.medscape.com/article/1162340-overview](#) - 翻译此页

找到约 6,130,000 条结果 (用时 0.71 秒)

Google 学术 : Effects of glucose-lowering agents on ischemic stroke

Effects of intensive glucose lowering in type 2 diabetes - Action to Control ... - 被引用次数 : 6144

... agonist exenatide twice daily or other glucose-lowering ... - Best - 被引用次数 : 230

Effects of pioglitazone in patients with type 2 diabetes ... - Wilcox - 被引用次数 : 382

Management of blood glucose in patients with stroke. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/21211743> - 翻译此页

作者 : RP Radermecker - 2010 - 被引用次数 : 22 - 相关文章

Management of blood glucose in patients with stroke. ... (1)Division of Diabetes, Nutrition and Metabolic Disorders, Department of Medicine, CHU Sart Tilman, ... acute ischaemic stroke, especially hyperglycaemia, adversely affect outcomes. ... 2) to summarise the evidence from current glucose-lowering treatment trials; and ...

Hyperglycemia and Hypoglycemia in Stroke: Practice Essentials ...

emedicine.medscape.com/article/1162340-overview - 翻译此页

2015年10月12日 - Nondiabetic ischemic stroke patients with hyperglycemia have a 3-fold ... in the doses of hypoglycemic agents and insulin may have been instituted. ... because of the complicating effects of feeding on the blood glucose level.

[PDF] Management of blood glucose in patients with stroke.pdf - ORBi

<https://orbi.ulg.ac.be/.../Management%20of%20blood%20glucose%20in%20...> - 翻译此页

作者 : RP RADERMECKER - 被引用次数 : 22 - 相关文章

ischaemic stroke, especially hyperglycaemia, adversely affect outcomes. Hypoglycaemia is a common complication of the use of glucose-lowering agents in.

Effects of glucose-lowering drugs on cardiovascular outcomes in ...

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 6,430,000 条结果 (用时 0.67 秒)

Google 学术: Effects of glucose-lowering agents on ischemic stroke

Effects of intensive glucose lowering in type 2 diabetes - Action to Control ... - 被引用次数: 6178

... agonist exenatide twice daily or other glucose-lowering ... - Best - 被引用次数: 233

Effects of pioglitazone in patients with type 2 diabetes ... - Wilcox - 被引用次数: 385

Management of blood glucose in patients with stroke. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/21211743> - 翻译此页

作者: RP Radermecker - 2010 - 被引用次数: 22 - 相关文章

Management of blood glucose in patients with stroke. ... (1)Division of Diabetes, Nutrition and Metabolic Disorders, Department of Medicine, CHU Sart Tilman, ... acute ischaemic stroke, especially hyperglycaemia, adversely affect outcomes. ... 2) to summarise the evidence from current glucose-lowering treatment trials; and ...

Glucose-lowering therapy in type 2 diabetes

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: G Schernthaner - 2016 - 被引用次数: 2 - 相关文章

2016年4月12日 - Effect of glucose-lowering drugs on the combined endpoint of CV mortality, were added to nondiabetic patients after ischaemic stroke or TIA.

Effects of glucose-lowering drugs on cardiovascular outcomes in ...

www.tandfonline.com/doi/full/10.1080/17425255.2016.1234608?src... - 翻译此页

2016年9月19日 - ... first-line oral hypoglycemic agent, based on the beneficial effects on ... of recent ischemic stroke or transient ischemic attack also showed a ...

[PDF] Management of blood glucose in patients with stroke.pdf - ORBi