



33634-Review.doc

Quotes Excluded
Bibliography Excluded4%
SIMILARName of Journal: *World Journal of Orthopedics*

Manuscript NO: 33634

Manuscript Type: Original Article

Retrospective Cohort Study

Radiographic and clinical incidence of soft tissue swelling after anterior cervical discectomy and fusion using pure demineralized bone matrix anterior to the cage in an ambulatory versus hospital setting

Kingsley R Chin, Fabio JR Pencle, Jason A Seale, Juan M Valdivia

Abstract**Aim**

DBM has been demonstrated to be safe in the hospital setting; however concerns may be heightened with use anterior to the cage in the outpatient setting.

Authors aim to assess use of demineralized bone matrix (DBM) use in anterior cervical discectomy and fusion (ACDF) in an ambulatory surgery

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|----------|--|------------|
| 1 | Crossref | 35 words
Kingsley R. Chin, Fabio J.R. Pencle, Jason A. Seale, Franz K. Pencle. "Clinical Outcomes of Outpatient Cervical Total Disc ... | 1% |
| 2 | Crossref | 24 words
Chin, Kingsley R., André V. Coombs, and Jason A. Seale. "Feasibility and Patient-reported Outcomes After Outpatient Sing | 1% |
| 3 | Crossref | 19 words
Chin, Kingsley R., Gary Ghiselli, Vanessa Cumming, Christopher G. Furey, Jung U. Yoo, and Sanford E. Emery. "Postoper | 1% |
| 4 | Internet | 16 words
crawled on 15-Aug-2015
4ever.tw | 1% |
| 5 | Internet | 12 words
crawled on 23-Jun-2017
arthritis-research.biomedcentral.com | <1% |
| 6 | Crossref | 10 words
"2 Anterior Cervical Decompression and Fusion Techniques: Anterior Cervical Decompression and Fusion, Corpectomy, ... | <1% |

找到约 71,600 条结果 (用时 0.65 秒)

[PDF] Bone or Soft Tissue Healing and Fusion ... - Oxford Health Plans

https://www.oxhp.com/.../bone_or_soft_tissue_healing_and_fusion_enhance... ▼ 翻译此页

2017年4月1日 - Outpatient, Inpatient ... Demineralized bone matrix (DBM) is a type of allograft and is proven and using PRP to augment bone or soft tissue healing. rhBMP-2 bone graft substitute is recommended in the setting of an anterior lumbar incidence of clinically relevant post-operative prevertebral swelling ...

Autologous bone graft versus demineralized bone matrix in internal ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者 : O Pieske - 2009 - 被引用次数 : 45 - 相关文章

2009年12月15日 - However, there is morbidity associated with the bone-graft donor site and ... trauma, type of fracture, soft tissue involvement, type of applied treatment, ... the utility of demineralized bone matrix (DBM) in human clinical settings. ... trauma outpatient department until the end of the non-union-related treatment.

Complications of Anterior Cervical Fusion using a Low-dose ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者 : S Kukreja - 2015 - 被引用次数 : 5 - 相关文章

2015年6月30日 - In 102 patients demineralized bone matrix (DBM) was filled around the BMP ... of inducing new bone formation even at the non-osseous tissues. ... incidence of neck swelling and dysphagia associated with the use of However, several other patients were given oral methylprednisolone as an outpatient; ...

[PDF] demineralized bone matrix versus recombinant bone morphogenetic ...

<https://dipot.ulb.ac.be/dspace/bitstream/2013/.../1/Onlinedbmvsrhbmp.pdf> ▼ 翻译此页

作者 : M Hingorjans - 被引用次数 : 11 - 相关文章

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 10,500 条结果 (用时 1.17 秒)

Anterior cervical discectomy and fusion (ACDF) autograft versus graft ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: MM Maharaj - 2016 - 被引用次数: 3 - 相关文章

2016年5月1日 - Over a 9-year period, the author performed 574 ACDF procedures ... with pain, recovery, and preference of autograft versus a bone graft substitute. ... Three patients had adjacent segment disc replacement performed after autograft/ACDF. ... anterior approach are plentiful including: minimal soft tissue injury, ...

Complications of anterior cervical discectomy and fusion using ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2200768/> - 翻译此页

作者: R Vaidya - 2007 - 被引用次数: 209 - 相关文章

2007年3月27日 - Keywords: Bone morphogenetic protein-2, Cage, Anterior cervical fusion, ... Fusion after discectomy is performed in order to limit motion, ... The last 12 patients had cervical fusions with the allograft spacers, demineralized bone matrix and ... Soft tissue swelling was measured at C3 and at C6 as a digital line ...

Surgical Outcomes of Anterior Cervical Fusion Using Demineralized ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: HJ Chung - 2016 - 相关文章

2016年9月30日 - Six months after surgery, solid fusion was achieved in all patients. ... ACDF using CGDBM100 demonstrated good clinical and radiologic ... and fusion, Polyetheretherketone cage, Demineralized bone matrix, ... No additional bone graft was inserted anterior or lateral to the cage. Connect Tissue Res.

[PDF] Bone graft substitutes in anterior cervical discectomy and fusion

www.neurospineclinic.com.au/pdfs/journal-articles/graft-substitutes.pdf - 翻译此页

作者: AMT Chau - 2009 - 被引用次数: 101 - 相关文章

available grafting options as assessed in human clinical ... Table 1 Summary of bone graft options in anterior cervical discectomy and fusion. Graft option ... Demineralized bone matrix is both

全部

图片

地图

购物

更多

设置

工具

不限语言 ▾

时间不限 ▾

精确匹配 ▾

清除

[PDF] Bone or Soft Tissue Healing and Fusion Enhancement Products

https://www.oxhp.com/.../bone_or_soft_tissue_healing_and_fusion_enhance... ▾ 翻译此页

2017年4月1日 - Outpatient, Inpatient ... Demineralized bone matrix (DBM) is a type of allograft and is ... effectiveness of Infuse Bone Graft in the cervical spine have not been demonstrated. ... using PRP to augment bone or soft tissue healing. showed greater incidence of fusion compared to the iliac crest bone graft ...

Retrograde ejaculation after anterior lumbar ... - The Spine Journal

[www.thespinejournalonline.com/article/S1529-9430\(11\)00139-2/pdf](http://www.thespinejournalonline.com/article/S1529-9430(11)00139-2/pdf) - 翻译此页

作者: EJ Carragee - 2011 - 被引用次数: 141 - 相关文章

Retrograde ejaculation after anterior lumbar interbody fusion using ... including inflammatory reactions in soft tissue, heterotopic bone formation, ... PURPOSE: To compare the incidence of RE after ALIF in patients with and without demineralized bone matrix grafting material. Adverse swelling associated with use of rh-

Bone and Tendon Graft Substitutes and Adjuncts - Aetna

www.aetna.com/cpb/medical/data/400_499/0411.html ▾ 翻译此页

Aetna considers cadaveric allograft and demineralized bone matrix (e.g., Accell, and effective alternative to autograft in the setting of un-instrumented postero-lateral spinal ... The incidence of clinically relevant pre-vertebral swelling was calculated. ... In a study on occipito-cervical fusion using recombinant human BMP-2, ...

Clinical Outcomes of Outpatient Cervical Total Disc Replacem ...

mobile.journals.lww.com/.../Clinical_Outcomes_of_Outpatient_Cervical_Tot... - 翻译此页

Transitioning spine surgery to the outpatient setting including cervical TDR is ... In this study, no patients reported serious complications, no incidence of ... the appropriately sized PEEK cage with demineralized bone matrix (DBM) was inserted. be secondary to postoperative hematoma formation