


Match Overview



1

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 33929

Manuscript Type: Retrospective Cohort Study

Improved hepascore in hepatitis C predicts reversal in risk of adverse outcome

Angus W Jeffrey, Yi Huang, W Bastiaan de Boer, Leon A Adams, Gerry MacQuillan, David Speers, John Joseph, Gary P Jeffrey

There are no matching sources for this report

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,450 条结果（用时 0.79 秒）

Liver Cirrhosis - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: D Schuppan - 2008 - 被引用次数: 1117 - 相关文章

Alcoholic liver disease and hepatitis C are the most common causes in the Western ... of cirrhosis, since it can predict complications and direct treatment decisions. lowered risk of hepatic decompensation and hepatocellular carcinoma can be ... In cirrhosis due to HBV, the major cause for HCC-related deaths in the world, ...

Hepatocellular carcinoma: management of an increasingly common ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: GL Davis - 2008 - 被引用次数: 83 - 相关文章

Hepatocellular carcinoma (HCC) is a primary cancer of hepatocytes (liver ... Liver cancer accounts for 662,000 deaths and is the third leading cause of ... The overwhelming majority of HCC cases occur in patients with chronic liver disease (10). ... The average annual risk of HCC in patients with cirrhosis from HCV is 3.2% ...

[PDF] the liver meeting 2016 november 11-15 boston - AbbVie

www.abbvie.se/content/dam/.../se/docs/.../AASLD-Program-Boston-2016.pdf ... 翻译此页

2016年11月11日 - term risk of hepatocellular carcinoma: The BC Hepatitis Testers Cohort Improved Hepascore values in HCV accurately predicts reversal of risk of hepatocellular carcinoma, liver decompensation and liver related death.

Blood Tests for Assessment of Liver-prognosis in Hepatitis C - Medscape

www.medscape.com/viewarticle/827625 ... 翻译此页

Are blood fibrosis tests more accurate than liver biopsy for determining liver ... new FM/CM classification improved the liver-prognosis assessment compared to ... hepatocellular carcinoma is still required as

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,400 条结果 (用时 0.62 秒)

Non-invasive assessment of liver fibrosis

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: V Papastergiou - 2012 - 被引用次数: 52 - [相关文章](#)

In a subsequent analysis including a large cohort of HCV-monoinfected patients, FIB-4 ... The **Hepascore**[®], a score of 6 individual markers ranging from 0.00 to 1.00 [68], in ELF was associated with a doubling of **risk** of liver-related **outcomes**. in the **reversal** of fibrosis/cirrhosis and continued histological **improvement** in ...

Reversal, maintenance or progression: What happens to the liver after ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: YA Lee - 2014 - 被引用次数: 45 - [相关文章](#)

2014年4月12日 - In addition to conferring a **risk** of fibrosis progression, advanced ... Keywords: **hepatitis** C, liver fibrosis, sustained virological response, stellate cells, fibrosis regression in leading to **improved** mortality and reducing **adverse outcomes**, Hepatic venous pressure gradient **predicts** clinical decompensation ...

Noninvasive Tests for Hepatic Fibrosis - Aetna

www.aetna.com/cpb/medical/data/600_699/0690.html ▾ [翻译此页](#)

HepaScore measures four markers for liver fibrosis -- bilirubin, gamma ... There are no prospective clinical **outcome** studies of the HCV-FibroSure in the ... marker for severe hepatic fibrosis may **improve** cost-benefit in the prevention of variceal ... and APRI tests **predict** insignificant fibrosis; however, further work is needed to ...

Core Concepts - Evaluation and Staging of Liver ... - Hepatitis C Online

www.hepatitisc.uw.edu/go/evaluation-staging-monitoring/evaluation.../all ▾ [翻译此页](#)

作者: PP Cox-North - [相关文章](#)

2015年10月21日 - The APRI score provides a quick estimate for **predicting** severe ... for **predicting**

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,370 条结果 (用时 0.66 秒)

Non-invasive assessment of liver fibrosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: V Papastergiou - 2012 - 被引用次数: 52 - 相关文章

In a subsequent analysis including a large cohort of HCV-monoinfected patients, NAFLD patients showed better accuracy of complex models (Hepascore, Fibrotest, ... in ELF was associated with a doubling of risk of liver-related outcomes. in the reversal of fibrosis/cirrhosis and continued histological improvement in ...

Reversal, maintenance or progression: What happens to the liver after ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: YA Lee - 2014 - 被引用次数: 45 - 相关文章

2014年4月12日 - In addition to conferring a risk of fibrosis progression, advanced ... Keywords: hepatitis C, liver fibrosis, sustained virological response, stellate cells, fibrosis regression in leading to improved mortality and reducing adverse outcomes, Hepatic venous pressure gradient predicts clinical decompensation ...

SASLT Practice Guidelines: Management of Hepatitis C Virus Infection

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: AS Alghamdi - 2012 - 被引用次数: 5 - 相关文章

The purpose of these guidelines is to improve HCV patient care in the Kingdom, and to Patients on hemodialysis are particularly at risk of contracting HCV. that transaminase levels can be helpful in predicting the severity of liver disease, with higher Reverse transcription of the viral RNA, followed by amplification of ...

Noninvasive Tests for Hepatic Fibrosis - Aetna

www.aetna.com/cpb/medical/data/600_699/0690.html - 翻译此页

Hona Score measures four markers for liver fibrosis: bilirubin, gamma-GT, albumin, and platelets. There are no prospective