

全部 图片 视频 新闻 地图 图书

找到约 83,100 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

[Appropriate use of endoscopy in the diagnosis and treatment of ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2990396/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2990396/>

1 Nov 2010 ... Most GI endoscopic procedures (EGD and colonoscopy) are performed under ... At present, studies yield conflicting results and no consensus has been reached. 5 ... Barrett's esophagus with low-grade dysplasia: For patients with low-grade lymph nodes or lesions seen on cross-sectional imaging.37 ...

[The yield of lower endoscopy in patients with constipation: survey of ...](https://www.ncbi.nlm.nih.gov/pubmed/12196767)

<https://www.ncbi.nlm.nih.gov/pubmed/12196767>

The aim of this study was to clarify the yield of lower endoscopy in patients with constipation. ... Detection of neoplasia was the main outcome of interest. ... Constipation/pathology*; Endoscopy, Gastrointestinal/statistics & numerical data* ...

[PDF] [PDF\(340K\) - Wiley Online Library](https://onlinelibrary.wiley.com/doi/10.1111/apt.12818/pdf)

onlinelibrary.wiley.com/doi/10.1111/apt.12818/pdf

13 May 2014 ... Videocapsule endoscopy was performed on 50 patients with SSc. Results ... Our study identifies a high frequency of gastrointestinal mucosal ... identification of SSc patients at higher risk of developing potentially ... tis/dermatomyositis, rheumatoid arthritis and Sjögren's cross-sectional study of a registry.

[Gastrointestinal mucosal abnormalities using videocapsule ...](https://onlinelibrary.wiley.com/doi/10.1111/apt.12818/full)

onlinelibrary.wiley.com/doi/10.1111/apt.12818/full

2 Jun 2014 ... To date, there are no large studies on videocapsule endoscopy in systemic sclerosis (SSc). ... SSc patients with gastrointestinal vascular mucosal lesions more often ... lower levels of ferritin ($P < 0.0001$) and anti-centromere antibody. ... be calculated routinely, as it may result in identification of SSc patients ...

[PDF] [Appropriateness of colonoscopy: Diagnostic yield and safety in ...](http://www.wjgnet.com/esps/DownloadFile.aspx?Type...)

www.wjgnet.com/esps/DownloadFile.aspx?Type...

所有结果

精确匹配

Match Overview

1

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 33043

Manuscript Type: ORIGINAL ARTICLE

Observational study

Endoscopy is of low yield in the identification of gastrointestinal neoplasia in patients with dermatomyositis: A cross-sectional study

Trilokesh D Kidambi, Gabriela Schmajuk, Andrew J Gross, James W Ostroff, Jonathan P Terdiman, Jeffrey K Lee

Abstract

AIM

To determine the prevalence of gastrointestinal (GI) neoplasia among dermatomyositis



[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 133,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[\[PDF\] Endoscopy is of low Yield in the Identification of Gastrointestinal ...](#)[www.gastrojournal.org/article/S0016-5085\(17\)31941-8/pdf](http://www.gastrojournal.org/article/S0016-5085(17)31941-8/pdf)

Background: The colorectal **cancer** (CRC) screening uptake is relatively **low** particularly in Asia Pacific despite the ... Studies suggest that physician recommendation may play a role in **patient's** screening behavior. Aim: To ... no studies of the **yield of endoscopy** in **dermatomyositis**. Methods: A **cross-sectional study**. S-529.

[\[PDF\] PDF\(1384K\) - Wiley Online Library](#)onlinelibrary.wiley.com/doi/10.3322/caac.20005/pdf

changes in **patients** with hormone-secreting **tumors**, and the wide spectrum of proliferative and inflammatory ... 4) Based on sound case-control **studies**, a statistically significant ... 11) **Dermatomyositis** ... mon **gastrointestinal** manifestation. 12 The characteristic cutaneous ... and **lower endoscopy** should be performed every 2.

[Radionuclide Gastroesophageal Motor Studies*](#)jnm.snmjournals.org/content/45/6/1004.long

1 Jun 2004 ... The role of radionuclide gastroesophageal motor **studies** is clearly ... Upper **gastrointestinal** disease often has symptoms of dysphagia ... radionuclide transit **study** (liquid bolus) allows clear **identification** of the various anatomic regions. In a **cross-section** of the body, the esophagus is situated rather ...

[Does the interval of screening endoscopy affect survival in gastric ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5266006/>

9 Dec 2016 ... A **cross-sectional study** ... The 5-year **gastric cancer**-specific survival rates of groups I and II ... **Patients** who had an **endoscopy** within a year prior to the diagnosis of ... Cox regression analysis was performed to **identify** independent risk ... It was evident that the risk of advanced **gastric cancer** was **lower** in ...

[Extremely low Helicobacter pylori prevalence in North Sulawesi ...](#)

找到约 134,000 条结果 (用时 0.71 秒)

[PDF] Endoscopy is of low Yield in the Identification of Gastrointestinal ...
[metcorner.gastro.org/article/S0016-5085\(17\)31941-8/pdf](http://metcorner.gastro.org/article/S0016-5085(17)31941-8/pdf) ▼ [翻译此页](#)

Background: The colorectal **cancer** (CRC) screening uptake is relatively **low** particularly in Asia Pacific despite the ... Studies suggest that physician recommendation may play a role in **patient's** screening behavior. Aim: To ... no studies of the **yield** of **endoscopy** in **dermatomyositis**. Methods: A **cross-sectional study**. S-529.

Evaluation of quality and patient satisfaction during endoscopic ... - NCBI
<https://www.ncbi.nlm.nih.gov/pubmed/21381548> - [翻译此页](#)

作者: S Rasool - 2010 - 被引用次数: 4 - [相关文章](#)

... **patient** satisfaction during **endoscopic** procedure: a **cross sectional study** ... To assess the quality of **gastrointestinal** (GI) **endoscopic** procedures and **patient** ...

缺少字词: low yield identification neoplasia dermatomyositis

PDF(1384K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.3322/caac.20005/pdf ▼ [翻译此页](#)

作者: BH Thiers - 2009 - 被引用次数: 71 - [相关文章](#)

changes in **patients** with hormone-secreting **tumors**, and the wide spectrum of proliferative and inflammatory 4) Based on sound case-control **studies**, a statistically significant ... 11)

Dermatomyositis ... mon **gastrointestinal** manifestation.12 The characteristic cutaneous ... and **lower endoscopy** should be performed every 2.

Gastrointestinal mucosal abnormalities using ... - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1111/apt.12818/pdf ▼ [翻译此页](#)

作者: I Marie - 2014 - 被引用次数: 21 - [相关文章](#)

2014年5月13日 - Videocapsule **endoscopy** was performed on 50 **patients** with SSc. Results ... Our study identifies a high frequency of **gastrointestinal** mucosal ... **identification** of SSc **patients** at higher