

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 159,000 条结果 (用时 1.04 秒)

### Shear Wave Velocity: A New Quantitative Index to Estimate the Status ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: LY Du - 2015 - [相关文章](#)

2015年6月3日 - The relationship between SWV and thyroid **serological indexes** was also analyzed. ... However, conventional **ultrasound** makes the **diagnosis** of DTD mainly ... named **acoustic radiation force impulse (ARFI) imaging**, might be helpful to ... to **differentiate between benign and malignant focal lesions in liver**, ...

### [PDF] Clinical utility of acoustic radiation force impulse imaging for ...

[www.wzhospital.cn/wyyyweb/kjk/keyanguanli/keyanketi/.../22772145.pdf](http://www.wzhospital.cn/wyyyweb/kjk/keyanguanli/keyanketi/.../22772145.pdf) - [翻译此页](#)

作者: YPH Tang - 2012 - 被引用次数: 30 - [相关文章](#)

2012年7月8日 - for identification of **malignant liver lesions**: a meta-analysis. Li Ying & Xiao Lin ... **value for malignant liver lesions** ("positive" result), the ... **Acoustic radiation force impulse (ARFI) imaging** is a novel ... **Contrast-enhanced ultrasound** has proven to be a ... **ARFI imaging** for the **differentiation of benign and malig-**

### Evaluation of Acoustic Radiation Force Impulse (ARFI) imaging and ...

[https://www.researchgate.net/.../26773502\\_Evaluation\\_of\\_Acoustic\\_Radiatio...](https://www.researchgate.net/.../26773502_Evaluation_of_Acoustic_Radiatio...) - [翻译此页](#)

**Contrast-enhanced ultrasound** (bolus injection 1.6-2.4 ml SonoVue was ... the potential to **differentiate between benign and malignant focal lesions in liver**, ... The purpose of the study was to assess the application **value** of VTQ in DTD. ... The relationship between SWV and thyroid **serological indexes** was also analyzed.

### Papers with the keyword Elastography ARFI (Page 5) | Read by QxMD

<https://www.readbyqxmd.com/keyword/46918/5> - [翻译此页](#)

Contribution of **acoustic radiation force impulse (ARFI) elastography** to the ... was to investigate the **combination** of certain **serological markers** (Forns' **index**; FI), ... The **difference between SWV values**

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 34096

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**Combination diagnosis of acoustic radiation force impulse, serological indexes and contrast-enhanced ultrasound for liver lesions**

Xiao-Lan Sun, Hui Yao, Qiong Men, Ke-Zhu Hou, Zhen Chen, Chang-Qing

Xu, Li-Wei Liang

**Abstract**

**AIM**

## Match Overview

1	<b>Crossref</b> 13 words Xu, Shuang, Mingmei Huangfu, Xueli Jia, Xiaowei Song, Baosheng Sun, Kuang-Hui Lee, Linlin Liu, and Shilong Sun.	<1%
2	<b>Internet</b> 13 words crawled on 14-Oct-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<1%
3	<b>Internet</b> 13 words crawled on 09-Oct-2016 <a href="http://www.spandidos-publications.com">www.spandidos-publications.com</a>	<1%

Combination diagnosis of acoustic radiation force impulse, serological indexes a

全部 图片 视频 新闻 地图 图书

找到约 138,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Combination diagnosis of acoustic radiation force impulse, serological indexes and contrast-enhanced ultrasound for liver lesions](#)

[Acoustic radiation force impulse and supersonic shear ... - Sporea](#) - 被引用次数: 51

[... for non alcoholic fatty liver disease and liver fibrosis - Fierbinteanu-Braticevici](#) - 被引用次数: 78

[... on the clinical use of ultrasound elastography. Part 2: ... - Cosgrove](#) - 被引用次数: 438

[Combined acoustic radiation force impulse, aminotransferase to ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4867419/>

18 May 2016 ... Combination of ARFI, APRI and Forns index did not obviously ... Acoustic radiation force impulse (ARFI) is a new quantitative ... It has been used to diagnose hepatic fibrosis of patients with CHB[7] ..... Indeed, ARFI is potentially limited by patients with a BMI > 40 or after contrast-enhanced ultrasonography.

[Acoustic radiation force impulse of the liver - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3740413/>

14 Aug 2013 ... Acoustic radiation force impulse (ARFI) imaging is a new and ... to predict and evaluate liver fibrosis are AST-platelet ratio index (AST ... Fahey et al[44] also stated that combined US/ARFI could find application in tumor screening, lesion ... alternative to contrast-enhanced ultrasound for liver applications, ...

[Non-invasive diagnosis of liver fibrosis and cirrhosis - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4631961/>

7 Nov 2015 ... The evaluation and follow up of liver fibrosis and cirrhosis have been traditionally ... Combinations of biomarkers or marker panels have been ... to fibrosis and cirrhosis can be assessed with dynamic contrast enhanced MRI. ... method, while Acoustic Radiation Force Impulse (ARFI) (Siemens, Erlangen, ...

Shear Wave Velocity: A New Quantitative Index to Estimate the

找到约 11,300 条结果 (用时 0.93 秒)

## Google 学术 : Combination diagnosis of acoustic radiation force impulse, serological indexes and contrast-enhanced ultrasound for liver lesions

Acoustic radiation force impulse and supersonic shear ... - Sporea - 被引用次数 : 51

... for non alcoholic fatty liver disease and liver fibrosis - Fierbinteanu-Braticevici - 被引用次数 : 78

... on the clinical use of ultrasound elastography. Part 2: ... - Cosgrove - 被引用次数 : 438

## Combined acoustic radiation force impulse, aminotransferase to ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : CF Dong - 2016 - 被引用次数 : 4 - 相关文章

2016年5月18日 - Combination of ARFI, APRI and Forns index did not obviously ... Acoustic radiation force impulse (ARFI) is a new quantitative ... It has been used to diagnose hepatic fibrosis of patients with CHB[7] ..... Indeed, ARFI is potentially limited by patients with a BMI > 40 or after contrast-enhanced ultrasonography.

## Acoustic radiation force impulse of the liver - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : M D'Onofrio - 2013 - 被引用次数 : 36 - 相关文章

2013年8月14日 - Acoustic radiation force impulse (ARFI) imaging is a new and ... to predict and evaluate liver fibrosis are AST-platelet ratio index (AST .... Fahey et al[44] also stated that combined US/ARFI could find application in tumor screening, lesion ... alternative to contrast-enhanced ultrasound for liver applications, ...

缺少字词 : serological

## Non-invasive diagnosis of liver fibrosis and cirrhosis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4631961/> - 翻译此页

作者 : Y Lurie - 2015 - 被引用次数 : 11 - 相关文章

2015年11月7日 - The evaluation and follow up of liver fibrosis and cirrhosis have been traditionally ....

Combinations of biomarkers or marker panels have been ..... to fibrosis and cirrhosis can be assessed with dynamic contrast enhanced MRI. .... method, while Acoustic Radiation Force Impulse (ARFI) (Ciomara, Edinger