

Name of Journal: *World Journal of Radiology*

Manuscript NO: 34107

Manuscript Type: Systematic Reviews

Preoperative <sup>18</sup>FDG-PET/CT in early stage breast cancer: Rates of distant metastases

Vincent Vinh-Hung, Hendrik Everaert, Karim Farid, Navid Djassemi, Jacqueline Baudin-Veronique, Stefanos Bougas, Yuriy Michailovich, Clarisse Joachim-Contaret, Elsa Cécilia-Joseph, Claire Verschraegen, Nam P Nguyen

### Abstract

#### AIM

To investigate rates of distant metastases (DM) detected with [18]fluorodeoxyglucose-positron emission tomography/computed tomography (<sup>18</sup>FDG-PET/CT) in early stage invasive breast cancer.

### Match Overview

1	Internet 16 words crawled on 29-Dec-2016 <a href="http://researchdirect.westernsydney.edu.au">researchdirect.westernsydney.edu.au</a>	1%
2	Internet 13 words <a href="http://susanlove.com">susanlove.com</a>	<1%
3	Internet 13 words crawled on 04-Feb-2014 <a href="http://www.karger.com">www.karger.com</a>	<1%
4	Internet 10 words crawled on 27-May-2016 <a href="http://abstract.asco.org">abstract.asco.org</a>	<1%
5	Crossref 10 words A. GADDUCCI. "Surveillance procedures for patients treated for epithelial ovarian cancer: a review of the literature",	<1%
6	Crossref 10 words Kirby Bland. "Neoadjuvant systemic treatment of breast cancer", <i>Journal of Surgical Oncology</i> , 03/15/2011	<1%



Preoperative 18FDG-PET/CT in early stage breast cancer



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 143,000 条结果 (用时 0.74 秒)

## Google 学术: Preoperative 18FDG-PET/CT in early stage breast cancer

Breast cancer molecular subtypes respond differently ... - Rouzier - 被引用次数: 1609

Preoperative staging of lung cancer with combined ... - Fischer - 被引用次数: 416

... : primary tumor chemosensitivity of breast cancer ... - Carey - 被引用次数: 1561

## Role of preoperative 18-FDG- PET/CT in early-stage breast cancer ...

[ijcto.org/index.php/IJCTO/article/view/ijcto.44.13](http://ijcto.org/index.php/IJCTO/article/view/ijcto.44.13) ▾ 翻译此页

作者: A Tewari - 2016 - 相关文章

Purpose: The aim of this study was to assess the diagnostic and therapeutic impact of preoperative positron emission tomography and computed tomography ...

## [PDF] Print this article - International Journal of Cancer Therapy and Oncology

[ijcto.org/index.php/IJCTO/article/download/ijcto.44.13/ijcto.44.13pdf](http://ijcto.org/index.php/IJCTO/article/download/ijcto.44.13/ijcto.44.13pdf) ▾ 翻译此页

2016年12月28日 - Cite this article as: Tewari A, Sundaram SP, Subramanyam P. Role of preoperative 18-FDG- PET/CT in early-stage breast cancer upstaging ...

## Reply to 'preoperative PET/CT in early-stage breast cancer: is the TNM ...

[annonc.oxfordjournals.org/content/24/3/852.full](http://annonc.oxfordjournals.org/content/24/3/852.full) - 翻译此页

作者: M Bernsdorf - 2013 - 被引用次数: 7 - 相关文章

Reply to 'preoperative PET/CT in early-stage breast cancer: is the TNM ... Prognostic Impact of 18FDG

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 116,000 条结果 (用时 0.94 秒)

您是不是要找：[Preoperative 18 FDG-PET/CT in early stage breast cancer: Rates of distant metastases](#)

Google 学术：[Preoperative 18FDG-PET/CT in early stage breast cancer: Rates of distant metastases](#)

... : primary tumor chemosensitivity of breast cancer ... - Carey - 被引用次数：1610

Preoperative staging of lung cancer with combined ... - Fischer - 被引用次数：424

Triple-negative breast cancer: clinical features and ... - Dent - 被引用次数：2316

[PET/CT in early-stage breast cancer upstaging and modification of](#)

[ijcto.org/index.php/IJCTO/article/view/ijcto.44.13](http://ijcto.org/index.php/IJCTO/article/view/ijcto.44.13) - [翻译此页](#)

作者：A Tewari - 2016 - [相关文章](#)

Role of preoperative 18-FDG- PET/CT in early-stage breast cancer upstaging ... cancers (endometrium and lung) in another two patients, as well as 11 cases of ... lymph node involvement, distant metastases and other occult primary cancers.

[PDF] [Print this article - International Journal of Cancer Therapy and Oncolo...](#)

[ijcto.org/index.php/IJCTO/article/download/ijcto.44.13/ijcto.44.13pdf](http://ijcto.org/index.php/IJCTO/article/download/ijcto.44.13/ijcto.44.13pdf) ▾ [翻译此页](#)

作者：A Tewari - 2016 - [相关文章](#)

2016年12月28日 - (PET/CT) in the initial staging of patients with early-stage breast cancer. Methods: A total of ... unsuspected distant metastases (bones, lung, brain etc) in 9 patients and new ... Prognosis and survival rates for breast cancer vary.

[The Effects of Preoperative 18F-FDG PET/CT in Breast Cancer ...](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：YJ Choi - 2012 - 被引用次数：46 - [相关文章](#)

2012年12月31日 - <sup>18</sup>F-FDG PET/CT did not detect primary breast lesions in 16 patients with a ...

method of distant metastatic and regional LN in advanced breast cancer. <sup>18</sup>F-FDG PET/CT showed

Preoperative [18]fluorodeoxyglucose-positron emission tomography/computed to



全部 图片 视频 新闻 地图 图书

找到约 2,090,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Preoperative \[18\]fluorodeoxyglucose-positron emission tomography/computed tomography in early stage breast cancer. Rates of distant metastases](#)

[... positron emission tomography/computed tomography ...](#) - Fuster - 被引用次数: 225

[... positron emission tomography/computed tomography ...](#) - Ueda - 被引用次数: 150

[... -cell lung cancer with positron-emission tomography](#) - Pieterman - 被引用次数: 1296

[Preoperative PET/CT in early-stage breast cancer | Annals of ...](#)  
[annonc.oxfordjournals.org/content/23/9/2277.full](#)

21 Feb 2012 ... Preoperative <sup>18</sup>F-fluorodeoxyglucose-PET/CT has a substantial impact on ... ( Medrad Envision CT Injector; Medrad Inc., Pittsburgh, PA) with a flow rate of 2.5 ml/min. ... Distant metastases/new primary cancers were confirmed ...

[Role of preoperative 18-FDG- PET/CT in early-stage breast cancer ...](#)  
[ijcto.org/index.php/IJCTO/article/view/ijcto.44.13](#)

Role of preoperative 18-FDG- PET/CT in early-stage breast cancer upstaging ... cancers (endometrium and lung) in another two patients, as well as 11 cases of ... lymph node involvement, distant metastases and other occult primary cancers.

[The Effects of Preoperative 18F-FDG PET/CT in Breast Cancer ...](#)  
[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3542853/](#)

31 Dec 2012 ... <sup>18</sup>F-FDG PET/CT did not detect primary breast lesions in 16 patients ... The sensitivity and specificity of <sup>18</sup>F-FDG PET/CT in detecting distant metastasis were ... In Korea, the number of early breast cancer detection has increased due to ..... [ 9] reported a 97% detection rate in stage IIB and III breast cancer.

[Positron emission tomography/computerized tomography in lung ...](#)  
[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4032918/](#)