

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 661 条结果 (用时 0.94 秒)

Management of arthropathy in inflammatory bowel diseases - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: R Peluso - 2015 - [被引用次数: 13](#) - [相关文章](#)

Keywords: **enteropathic** arthritis, inflammatory bowel **disease**, TNF- α inhibitors ... The most common extra-intestinal manifestation in IBD patients is **articular** involvement, ... They seem to be **related** to **disease** duration, axial joint involvement and to **Studies** evaluating the **efficacy** of infliximab, **adalimumab** and certolizumab ...

Enteropathic Spondyloarthritis: From Diagnosis to Treatment - Hindawi

<https://www.hindawi.com/journals/jir/2013/631408/> - [翻译此页](#)

作者: R Peluso - 2013 - [被引用次数: 28](#) - [相关文章](#)

2013年3月25日 - In the group of **enteropathic spondyloarthritis**, more lately, the rare ... this specific issue, most of **results** are derived from **studies** on IBD or **months** or years, independently from inflammatory bowel **disease**. ... They seem to be **related** to **disease** duration, axial joint involvement, and with HLA-B27 positivity.

Volume 9 Issue suppl_1 | Journal of Crohn's and Colitis | Oxford ...

ecco-jcc.oxfordjournals.org/content/9/suppl_1

Quality of Life and Coping Mechanisms in patients with Crohn's **Disease** treated with **Efficacy**, safety and predictors of response to **Adalimumab** in Crohn's **disease** affects the perception of **health-related quality of life** in IBD patients in remission yields clinical benefit at **12 months**: A retrospective **observational study**.

NASS | Published Clinical Papers 2012 | Research

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 34121

Manuscript Type: ORIGINAL ARTICLE

Observational study

Adalimumab efficacy in enteropathic spondyloarthritis: A 12-month observational multidisciplinary study

Luchetti MM *et al.* Integrated management of enteropathic spondyloarthritis

Michele Maria Luchetti, Devis Benfaremo, Francesco Ciccia, Laura Bolognini, Monia Ciferri, Alessia Farinelli, Matteo Rossini, Piergiorgio Mosca, Giovanni Triolo, Armando Gabrielli

Abstract

AIM

To report adalimumab (Ada) efficacy on articular-gastrointestinal disease and

Match Overview

1	Internet 26 words crawled on 06-Apr-2014 alberghi-portofino.info	1%
2	Crossref 18 words J. M. Guilemany, "United airways: the impact of chronic rh... osinusitis and nasal polyps in bronchiectasic patient's quali	1%
3	Crossref 12 words F. KANWAL, "Prospective validation of the short form liver ... sease quality of life instrument", <i>Alimentary Pharmacology</i>	<1%
4	Internet 11 words crawled on 07-Apr-2017 www.jrheum.org	<1%
5	Internet 11 words crawled on 23-Oct-2015 www.merereasearch.org.uk	<1%
6	Internet 11 words crawled on 17-Sep-2016 patient.info	<1%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,150 条结果 (用时 0.60 秒)

Abstracts 2015 - European Crohn's and Colitis Organisation

<https://www.ecco-ibd.eu> › [Publications](#) › [Congress Abstracts](#) ▼ [翻译此页](#)

P319 **Adalimumab** long-term **effectiveness** in adults with Crohn's Disease: a Japanese single-center **study** · P400 Setting standards for **multi-disciplinary** team ... (IBD) yields clinical benefit at **12 months**: A retrospective **observational study**. P716 **Enterohepatic** helicobacter species as a potentially causative factor of ...

Management of arthropathy in inflammatory bowel diseases - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: R Peluso - 2015 - 被引用次数: 14 - 相关文章

Immunomodulators have been **efficacious** in patients with peripheral arthritis and ... Moll included **enteropathic** arthritis (EA) definitively in the **spondyloarthritis** (SpA) ... symptoms lasting for **months** or years, independently from IBD [Orchard et al. **Studies** evaluating the **efficacy** of infliximab, **adalimumab** and certolizumab ...

缺少字词: **observational multidisciplinary**

Enteropathic Spondyloarthritis: From Diagnosis to Treatment

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: R Peluso - 2013 - 被引用次数: 28 - 相关文章

2013年4月15日 - In the group of **enteropathic spondyloarthritis**, more lately, the rare Whipple's ... The results from epidemiologic **studies** on AE have been influenced by ... of EA has not been plainly clarified, the **observation** that joint inflammation occurs for **months** or years, independently from inflammatory bowel disease.

缺少字词: **multidisciplinary**

Randomized controlled trial of adalimumab in patients with ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25545240> - [翻译此页](#)

作者: P Mease - 2015 - 被引用次数: 14 - 相关文章

OBJECTIVE: To evaluate the **efficacy** and safety of **adalimumab** in patients with active nonpsoriatic peripheral **spondyloarthritis** (SpA). METHODS: ABILITY-2 is an ongoing phase III, multicenter **study** of **adalimumab** treatment. in disease activity according to the Peripheral SpA Response Criteria (PSpARC40) at week **12**.

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 996 条结果 (用时 0.49 秒)

Abstracts 2015 - European Crohn's and Colitis Organisation

<https://www.ecco-ibd.eu> > Publications > Congress Abstracts ▾ [翻译此页](#)

P319 **Adalimumab** long-term **effectiveness** in adults with Crohn's Disease: a Japanese single-center **study** · P400 Setting standards for **multi-disciplinary** team ... (IBD) yields clinical benefit at **12 months**: A retrospective **observational study**. P716 **Enterohaptic** helicobacter species as a potentially causative factor of ...

Management of arthropathy in inflammatory bowel diseases - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: R Peluso - 2015 - 被引用次数: 14 - 相关文章

Immunomodulators have been **efficacious** in patients with peripheral arthritis and ... Moll included **enteropathic** arthritis (EA) definitively in the **spondyloarthritis** (SpA) ... symptoms lasting for **months** or years, independently from IBD [Orchard et al. **Studies** evaluating the **efficacy** of infliximab, **adalimumab** and certolizumab ...

缺少字词: ~~observational multidisciplinary~~

Randomized controlled trial of adalimumab in patients with ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25545240> - [翻译此页](#)

作者: P Mease - 2015 - 被引用次数: 14 - 相关文章

OBJECTIVE: To evaluate the **efficacy** and safety of **adalimumab** in patients with active nonpsoriatic peripheral **spondyloarthritis** (SpA). METHODS: ABILITY-2 is an ongoing phase III, multicenter **study** of **adalimumab** treatment. ... in disease activity according to the Peripheral SpA Response Criteria (PSpARC40) at week **12**.

缺少字词: ~~enteropathic mo observational multidisciplinary~~

Safety and effectiveness of adalimumab in patients with rheumatoid ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: GR Burmester - 2014 - 被引用次数: 17 - 相关文章

2014年1月27日 - Results of this large **observational study** of ADA in routine clinical ... Patients could enroll in ReAlise within **12 months** of completing ReAct.

缺少字词: ~~enteropathic spondyloarthritis multidisciplinary~~