



All

News

Images

Videos

Shopping

More

Settings

Tools

About 154,000 results (1.20 seconds)

Technical Advances in Endoscopic Ultrasound (EUS)-Guided Tissue ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by P Kedia - 2013 - Cited by 17 - Related articles

30 Sep 2013 - **Endoscopic ultrasound-guided** fine needle aspiration (**EUS-FNA**) is one of the ... aspects of **EUS-FNA** and how to optimize **tissue acquisition** in the pancreas. ... In one study, **EUS** was most **accurate** at assessing tumor size and **lymph node** an adequate sample in the **absence** of an **onsite cytopathologist**.

Diagnostic accuracies of endoscopic ultrasound-guided fine-needle ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5431385/>

by R Wang - 2017

28 Mar 2017 - **Endoscopic ultrasound (EUS)-guided** fine-needle aspiration (EUS-FNA) is ... In addition, the **accuracy** of EUS-FNA depends on the presence of an on-**site** ... were referred for EUS-guided FNA **tissue acquisition** for the **evaluation** of and 1 reactive **lymph node**, and 1 patient exhibited Castleman disease.

Rapid on-site evaluation of endoscopic-ultrasound-guided fine-needle ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by J Iglesias-Garcia - 2014 - Cited by 16 - Related articles

28 Jul 2014 - **Endoscopic ultrasound (EUS)** has become an essential tool for the study of ... **evaluating** the **accuracy** of **EUS-guided** FNA in pancreatic masses. At Center II, 87 patients underwent EUS-guided FNA in the **absence** of **cytopathologist**. ... of pancreatic masses and **lymph nodes**), which ROSE was available ...

Feasibility of endoscopic ultrasound (EUS) guided fine needle ...

scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1130-01082015000600006

by J Iglesias-García - 2015 - Cited by 5 - Related articles

Tissue acquisition was done with standard and histology needles. ... **Endoscopic ultrasound (EUS)** is considered as a very **accurate** method for ... In addition, due to the **lack** of deformation of

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 34273

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Accuracy of endoscopic ultrasound-guided tissue acquisition in the evaluation of lymph nodes enlargement in the absence of on-site pathologist

Chin YK *et al.* Accuracy of EUS-FNAB in lymph nodes.

Yung Ka Chin, Julio Iglesias-Garcia, Daniel de la Iglesia, Jose Lariño-Noia, Ihab Abdulkader-Nallib, Hector Lázare, Susana Rebolledo Olmedo, J Enrique Dominguez-Muñoz

Match Overview

1	Internet 86 words crawled on 14-Jun-2017 www.wjgnet.com	2%
2	Internet 67 words crawled on 31-May-2015 www.ncbi.nlm.nih.gov	2%
3	Crossref 38 words Wee, Eric, Sandeep Lakhtakia, Rajesh Gupta, Anuradha Sekaran, Rakesh Kalapala, Amitabh Monga, Saravanan Arjunan,	1%
4	Crossref 31 words LeBlanc, J.K. "Optimal number of EUS-guided fine needle ... sses needed to obtain a correct diagnosis", <i>Gastrointestinal E</i>	1%
5	Crossref 11 words "UEG Week 2014 Poster Presentations", <i>United European Gastroenterology Journal</i> , 2014.	<1%
6	Crossref 10 words ERCP and EUS, 2015.	<1%

找到约 128,000 条结果 (用时 0.60 秒)

Technical Advances in Endoscopic Ultrasound (EUS)-Guided Tissue ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: P Kedia - 2013 - 被引用次数: 16 - 相关文章

2013年9月30日 - Endoscopic ultrasound-guided fine needle aspiration (EUS-FNA) is one of the ... aspects of EUS-FNA and how to optimize tissue acquisition in the pancreas. ... In one study, EUS was most accurate at assessing tumor size and lymph node an adequate sample in the absence of an onsite cytopathologist.

Diagnostic accuracies of endoscopic ultrasound-guided fine-needle ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5431385/> - 翻译此页

作者: R Wang - 2017

2017年3月28日 - Endoscopic ultrasound (EUS)-guided fine-needle aspiration (EUS-FNA) is ... In addition, the accuracy of EUS-FNA depends on the presence of an on-site ... were referred for EUS-guided FNA tissue acquisition for the evaluation of and 1 reactive lymph node, and 1 patient exhibited Castleman disease.

Rapid on-site evaluation of endoscopic-ultrasound-guided fine-needle ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: J Iglesias-Garcia - 2014 - 被引用次数: 17 - 相关文章

2014年7月28日 - Endoscopic ultrasound (EUS) has become an essential tool for the study ... In this review, we focus on the role of rapid on-site evaluation (ROSE). ... and accurate methods for tissue sampling of intramural and extramural of pancreatic masses and lymph nodes), which ROSE was available for 607 lesions.

Feasibility of endoscopic ultrasound (EUS) guided fine needle ...

scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1130... - 翻译此页

作者: J Iglesias-García - 2015 - 被引用次数: 5 - 相关文章

Tissue acquisition was done with standard and histology needles. ... Endoscopic ultrasound (EUS) is considered as a very accurate method for ... In addition, due to the lack of deformation of the tip of the scope, FNA/FNB from the ... for the evaluation of extraintestinal lesions and peri-intestinal lymph nodes was designed.

Endoscopic ultrasound-guided fine needle aspiration: How to obtain a ...

www.eusjournal.com/article.asp?issn=2303-9027;year=2014;... - 翻译此页

作者: L Fuccio - 2014 - 被引用次数: 17 - 相关文章