

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

MASAYA IWAMURO

MAY 1. 2017

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

*Ryuta Takenaka*

*May 2, 2017*

---

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Masahiro Nakagawa

5/07/2017

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

*Yuki Moritou*

*May 2, 2017*

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Shunsuke Saito

2017.5.3

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

*Shinichiro Hori*

*2 May, 2017*

---

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center


<sup>11</sup>Department of Pathology, Okayama University Hospital


<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date





## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

*Yoshinari Kawai*

*May 1, 2017*

---

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Tatsuya Toyokawa

2 / May / 2017

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Takehiro Tanaka.

May. 2, 2017

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center


<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date



May, 2, 2017

## Conflict-of-Interest Statement

### **Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1**

Masaya Iwamuro<sup>1,2</sup>, Ryuta Takenaka<sup>3</sup>, Masahiro Nakagawa<sup>4</sup>, Yuki Moritou<sup>5</sup>, Shunsuke Saito<sup>6</sup>, Shinichiro Hori<sup>7</sup>, Tomoki Inaba<sup>8</sup>, Yoshinari Kawai<sup>9</sup>, Tatsuya Toyokawa<sup>10</sup>, Takehiro Tanaka<sup>11</sup>, Tadashi Yoshino<sup>12</sup>, and Hiroyuki Okada<sup>1</sup>

<sup>1</sup>Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>2</sup>Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

<sup>3</sup>Department of Internal Medicine, Tsuyama Chuo Hospital

<sup>4</sup>Department of Internal Medicine, Hiroshima City Hospital

<sup>5</sup>Department of Gastroenterology, Mitoyo General Hospital,

<sup>6</sup>Department of Internal Medicine, Okayama Saiseikai General Hospital

<sup>7</sup>Department of Gastroenterology, Shikoku Cancer Center

<sup>8</sup>Department of Gastroenterology, Kagawa Prefectural Central Hospital

<sup>9</sup>Department of Gastroenterology, Onomichi Municipal Hospital

<sup>10</sup>Department of Gastroenterology, Fukuyama Medical Center

<sup>11</sup>Department of Pathology, Okayama University Hospital

<sup>12</sup>Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Hiroyuki Okada May 8, 2017