

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 11,600 条结果 (用时 0.94 秒)

Prognostic Factors for Long-Term Survival in Patients with Ampullary ...

<https://www.hindawi.com/journals/hpb/2014/970234/> - 翻译此页

作者: F Klein - 2014 - 被引用次数: 19 - 相关文章

2014年1月14日 - The aim of this **retrospective study** was to identify factors that influence the ... **Patients** with ampullary **carcinoma** have distinctly better **long-term** ... arise from the ampulla or papilla of Vater (the **duodenal papilla**) and ... Secondly, the **5-year** survival rate is reported with **up** to 39%, which is **112-119**, 2006.

Management of ampullary neoplasms: A tailored approach between ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: F Panzeri - 2015 - 被引用次数: 8 - 相关文章

2015年7月14日 - It includes the **duodenal papilla** (a mucosal elevation into duodenal lumen), ... **Up to one-third** of **patients** have chronic, frequently occult, ... Serum CA 19-9 is elevated in 86.4% of ampullary **carcinoma patients**[24]. **Long-term** survival is possible after **pancreaticoduodenectomy**, 1977;**112**:451-456.

Clinical Pancreatic Cancer - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2023887/> - 翻译此页

Study group: 296 **patients** undergoing resection for pancreatic **cancer** ... INTRODUCTION AND AIM: **Pancreaticoduodenectomy** (Whipple's operation) is the **Long-term follow-up** showed no significant differences in survival between both groups. ... **13 patients** (9 female and 4 male, median age 58.8 **years**, range 36-79) ...

Tumors of ampulla of Vater: A case series and review of chemotherapy ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: A Romiti - 2012 - 被引用次数: 24 - 相关文章

2012年3月15日 - **Carcinomas** of the Ampulla of Vater are rare tumors, accounting for ... duodenal lumen through (major) **duodenal papilla** (papilla of Vater) **One study** evaluated the role of an additive chemotherapy following ... **patients** in the cisplatin + gemcitabine group (ampullary: 9 cases

Name of journal: *World Journal of Gastroenterology*

Manuscript NO:34538

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

**Pancreaticoduodenectomy for duodenal papilla carcinoma: A single-centre
9-year retrospective study of 112 patients with long-term follow-up**

Pei-Long Lian, Yuan Chang, Xiu-Chun Xu, Zhen Zhao, Xian-Qiang Wang,
Ke-Sen Xu

Pei-Long Lian, Zhen Zhao, Ke-Sen Xu, Department of Hepatobiliary Surgery,
Qilu Hospital, Shandong University, Jinan 250012, Shandong Province, China

Match Overview

- 1** **Internet** 133 words
crawled on 13-Jun-2017
www.wjgnet.com **3%**
- 2** **Crossref** 24 words
Zhao, R.. "Vascular endothelial growth factor (VEGF) enhan...
es gastric carcinoma invasiveness via integrin alpha(v)beta6". **1%**

About 12,100 results (0.75 seconds)

[Pancreaticoduodenectomy for secondary periampullary cancer ...](#)

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC)

by DH Kim - 2014 - Cited by 4 - Related articles

29 Jul 2014 - We reviewed, **retrospectively**, the medical records of 10 **patients** who ... 2 middle common bile duct cancers, and **one** cystic duct **cancer**. ... Cholangiocarcinoma is a relatively rare tumor with a poor prognosis and few **long-term** survivors [1]. ... **Follow-up studies** after EHBD **cancer** resection included routine ...

[Prognostic Factors for Long-Term Survival in Patients with ... - Hindawi](#)

<https://www.hindawi.com/journals/hpb/2014/970234/>

by F Klein - 2014 - Cited by 19 - Related articles

14 Jan 2014 - The aim of this **retrospective study** was to identify factors that influence the ...

Patients with ampullary **carcinoma** have distinctly better **long-term** ... arise from the ampulla or papilla of Vater (the **duodenal papilla**) and ... Secondly, the 5-year survival rate is reported with up to 39%, which is 112–119, 2006.

[\[PDF\] Prognostic Factors for Long-Term Survival in Patients with Ampullary ...](#)

downloads.hindawi.com/journals/hpb/2014/970234.pdf ▼

by F Klein - 2014 - Cited by 24 - Related articles

14 Jan 2014 - Ampullary **Carcinoma**: The Results of a 15-Year Observation. Period after

Pancreaticoduodenectomy ... **retrospective study** was to identify factors that influence the **long-term** ... **Patients** with ampullary **carcinoma** have distinctly better **long-term** ... Vater (the **duodenal papilla**) and account for 0.2% of tumors.

[ENDO 2017 Poster Presentations - - 2017 - Digestive Endoscopy ...](#)

onlinelibrary.wiley.com/doi/10.1111/den.12775/full

25 Jan 2017 - Digestive Disease **Center**, Department of Internal Medicine, Inha University and

treatment of 179 **patients** with pathology of major **duodenal papilla** and ... **Retrospective study** was done from January 2009 to April 2016 to compare P019: **Long Term** Outcome of Endoscopic Transpapillary Pancreatic ...