

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 34779

Manuscript Type: Case Report

Prosthodontic management of hemimandibulectomy patients to restore form and function -A case series

Lingeshwar Deenadayalan, Appadurai Rajendran, Sswedheni Ujjayanthi, Padmaja Challa

Abstract

Surgical resection of mandible owing to benign, malignant neoplasm, osteoradionecrosis is common. The resection can be total or segmental depending on the lesion. ⁴ Loss of mandibular continuity causes deviation of remaining mandibular segment towards the resected side and rotation inferiorly due to muscle pull and scar contracture affecting mastication and esthetics. Surgical reconstruction may not be always possible. Prosthetic rehabilitation plays a major role in these patients. This case series describes different types of guiding flange (GF) prosthesis with modifications for

Match Overview

- | Rank | Source | Words | Match % |
|------|--|----------|---------|
| 1 | Crossref | 55 words | 2% |
| | Curtis, T.A.. "The forgotten patient in maxillofacial prosthetics", The Journal of Prosthetic Dentistry, 197406 | | |
| 2 | Internet | 50 words | 2% |
| | crawled on 24-Nov-2015 www.jcdr.net | | |
| 3 | Crossref | 41 words | 2% |
| | Ackerman, A.J.. "The prosthetic management of oral and ... acial defects following cancer surgery", The Journal of Pro | | |
| 4 | Crossref | 34 words | 1% |
| | Pravinkumar Gajanan Patil. "Guide flange prosthesis for e arly management of reconstructed hemimandibulectomy ... | | |
| 5 | Crossref | 26 words | 1% |
| | Desjardins, R.P.. "Occlusal considerations for the partial ... andibulectomy patient", The Journal of Prosthetic Dentistry | | |
| 6 | Crossref | 23 words | 1% |
| | Robinson, J.E.. "Use of a guide plane for maintaining the ... esidual fragment in partial or hemi-mandibulectomy", The J | | |

找到约 3,510 条结果 (用时 1.10 秒)

Treatment outcome with guiding flange prosthesis in ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Kar - 2015 - 相关文章

Treatment outcome with guiding flange prosthesis in hemimandibulectomy patients: Case series of three patients ... [7,8] Palatally placed guide-flange is a form of guidance prosthesis which is indicated when the To restore mandibular function, a corrective device named "GFP" is indicated to reduce clinical manifestation.

Prosthetic management of hemimandibulectomy patient with guiding ...

<https://www.ncbi.nlm.nih.gov/pubmed/26283850> - 翻译此页

作者: PR Koralakunte - 2015 - 被引用次数: 1 - 相关文章

Prosthetic management of hemimandibulectomy patient with guiding plane and ... a case of prosthetic management of a maxillary partially edentulous patient with ... deviation, restore maxillomandibular relation and occlusal approximation.

缺少字词: form function series

Prosthodontic management of hemimandibulectomy patient: Implants ...

www.jdionline.org/article.asp?issn=0974-6781;year=2016;...6;... - 翻译此页

作者: P Goyal - 2016 - 相关文章

2016年9月20日 - Prosthodontic management of hemimandibulectomy patient: Implants, a better solution ... There are many treatment options for restoring the defect like ... This case report presents the management of the Hemimandibulectomy patient with ... One has to strive hard for getting the natural function and lifelike ...

缺少字词: series

Using neutral zone and mandibular guidance concepts to restore ...

https://www.researchgate.net/.../274634594_Using_neutral_zone_and_mandibular_guid...

Restoration of function in partial or hemi-mandibulectomy patients can be ... The prosthodontic rehabilitation of patients with acquired mandibular defects is ... Prosthodontic management ... the



Prosthetic management of hemimandibulectomy patients to restore form and f



全部

图片

购物

新闻

视频

更多

设置

工具

获得 1 条结果 (用时 0.40 秒)

Prospective Lexicon - Tyler Hosting

www.tylerhosting.com/nawl/NAWLPreview.txt

... CASCADES CASCADING CASCARA CASCARAS CASCARILLA CASCARILLAS CASE

FORLORNNESS FORLORNNESSES FORM FORMABILITIES FORMABILITY FUNCTION

FUNCTIONAL FUNCTIONALISM FUNCTIONALISMS HEMIMANDIBULECTOMY

HEMIMAXILLECTOMIES HEMIMAXILLECTOMY ...

Prosthodontic management of hemimandibulectomy patients to restore form and

全部

图片

视频

新闻

地图

图书

找到约 1,110 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Treatment outcome with guiding flange prosthesis in ... - NCBI - NIH](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4772576/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4772576/>

Treatment outcome with guiding flange prosthesis in **hemimandibulectomy patients**: **Case series** of three **patients** ... The role of a **prosthodontist** is paramount in bringing about the **restoration** of the esthetic and functional dysfunction. ... [7,8] Palatally placed guide-flange is a **form** of guidance prosthesis which is indicated ...

[Prosthodontic Management of Segmental Mandibulectomy Patient ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3792307/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3792307/>

31 Oct 2012 ... This article describes the **treatment** of a female **patient** who cast metal mandibular resection **restoration** [10], acrylic guidance flange, ... In such a situation an overlay denture improves the **patient's form and function** to a great extent. ... a solution to rehabilitate **hemimandibulectomy patient: a case report**.

[Prosthodontic management of hemimandibulectomy patient ...](http://www.jdionline.org/article.asp?issn=0974-6781;year=2016;...6;...)

www.jdionline.org/article.asp?issn=0974-6781;year=2016;...6;...

20 Sep 2016 ... **Prosthodontic management of hemimandibulectomy patient**: Implants, a better solution ... There are many treatment options for **restoring** the defect like ... This **case** report presents the management of the **Hemimandibulectomy patient** with ... One has to strive hard for getting the natural **function** and lifelike ...

[\[PDF\] Prosthodontic Rehabilitation Following Maxillectomy: Case Series](http://www.iosrjournals.org/iosr-jdms/papers/Vol15.../B015220810.pdf)

www.iosrjournals.org/iosr-jdms/papers/Vol15.../B015220810.pdf

with acquired palatal defect is described **Prosthetic treatment** could **restore** ... prosthesis.7 In this **case series prosthetic management** of two dentate **patients** who underwent ... Her tongue **function** was normal and salivation was adequate.

[\[PDF\] RESEARCH ARTICLE](http://www.gmferd.com/journalcra.com/sites/default/files/22565.pdf)

www.gmferd.com/journalcra.com/sites/default/files/22565.pdf