

Evaluation of the Relationship Between Hepatocellular Carcinoma Location an

全部 图片 视频 新闻 地图 图书

找到约 421,000 条结果

时间不限
过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果
精确匹配

Google 学术: [Evaluation of the Relationship Between Hepatocellular Carcinoma Location and Transarterial Chemoembolization Efficacy](#)

[... chemoembolization for unresectable hepatocellular ...](#) - Lo - 被引用次数: 2082
[Diagnosis and treatment of hepatocellular carcinoma](#) - El-Serag - 被引用次数: 777
[... chemoembolization with iodized oil for hepatocellular ...](#) - Takayasu - 被引用次数: 188

[PDF] [Efficacy of Transarterial Chemoembolization for ...](#) - JVIR

[www.jvir.org/article/S1051-0443\(12\)00373-9/pdf](http://www.jvir.org/article/S1051-0443(12)00373-9/pdf)

Purpose: To evaluate the treatment efficacy of unilateral versus bilateral ... carcinoma (HCC) based on whether the tumor is located across the Cantlie line within the watershed zone of the liver. ... located in the interlobar watershed zone between the right needed to fully explore the relationship between tumor viabil-

[Evaluation of efficacy of transcatheter arterial chemoembolization for ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5360395/>

16 Mar 2017 ... Therefore, this study evaluated the efficacy of TACE for HCC using magnetic ... Hepatocellular carcinoma (HCC) is a common malignancy in the People's Comparisons of ADC values of the lesions of HCC patients between the in evaluating liver fibrosis following transarterial chemoembolization with ...

[Efficacy of Transcatheter Arterial Chemoembolization Followed by ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4621710/>

8 Oct 2015 ... Sorafenib might prevent hepatocellular carcinoma (HCC) ... To evaluate the efficacy and safety of TACE followed by sorafenib for treating ... We retrospectively analyzed 95 advanced HCC patients treated with TACE between July 2008 and December Transarterial Chemoembolization (TACE) Procedure .

[PDF] [PDF Plus - AJR](#)

www.ajronline.org/doi/pdfplus/10.2214/ajr.175.3.1750699?src=recsys

We assessed the role of dynamic CT in the evaluation of the efficacy of transarterial chemoembolization with iodized oil for hepatocellular carcinoma. ... We examined 41 hepatocellular carcinoma lesions, both hepatic arteries depending on the location or size of

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 34902

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Evaluation of the relationship between hepatocellular carcinoma location and transarterial chemoembolization efficacy

1 Izumi Miki, Satoru Murata, Fumio Uchiyama, Daisuke Yasui, Tatsuo Ueda, Fumie Sugihara, Hidemasa Saito, Hidenori Yamaguchi, Ryusuke Murakami, Chiaki Kawamoto, Eiji Uchida, Shin-ichiro Kumita

Abstract

AIM

Match Overview

1	Crossref 129 words "26th World Congress of the International Association of Surgeons, Gastroenterologists and Oncologists (IASGO ...	3%
2	Internet 97 words crawled on 29-Mar-2017 www.wjgnet.com	3%
3	Crossref 88 words Ju Hyun Shim. "Complete Necrosis After Transarterial C hemoembolization Could Predict Prolonged Survival in	2%
4	Crossref 73 words Ryusuke Yonezawa. "Effects of Cardiac Rehabilitation o n Job Stress and QOL in Patients with Acute Myocardia ...	2%
5	Crossref 58 words "Abstracts—APASL 2013", <i>Hepatology International</i> , 201 3.	2%
6	Crossref 53 words Bin Wang. "Increased Expression of Vascular Endothelia l Growth Factor in Hepatocellular Carcinoma after Tran ...	1%
7	Crossref 49 words Sangiovanni, Angelo, and Massimo Colombo. "Treath ... t of hepatocellular carcinoma: beyond international guid	1%
8	Crossref 28 words Niggemann, P. "A comparative study of the microcirculat ory changes in the developing liver cirrhosis between t ...	1%
9	Crossref 27 words Yamakado, Koichiro, Shiro Miyayama, Shozo Hirota, Kim	1%



Evaluation of the relationship between hepatocellular carcinoma location and



学术搜索

找到约 6,680 条结果 (用时0.11秒)

我的著作引用情况



文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Randomized controlled trial of transarterial lipiodol chemoembolization for unresectable hepatocellular carcinoma

CM Lo, H Ngan, WK Tso, CL Liu, CM Lam... - ..., 2002 - Wiley Online Library

... Hence, we conducted a randomized controlled trial to evaluate the regimen of transarterial ... correlation coefficient and linear regression were used to express the relationship between the dosage of ... From March 1996 to October 1997, we evaluated 387 Asian patients with newly ...

被引用次数: 2129 相关文章 所有 13 个版本 引用 保存

[\[PDF\] wiley.com](#)**Diagnosis and treatment of hepatocellular carcinoma**

HB El-Serag, JA Marrero, L Rudolph, KR Reddy - Gastroenterology, 2008 - Elsevier

... Cirrhosis is the strongest and the most common known risk factor for hepatocellular carcinoma (HCC), particularly cirrhosis related to hepatitis C virus (HCV ... The cost-effectiveness of HCC surveillance strategies using both AFP and US have been evaluated in retrospective ...

被引用次数: 793 相关文章 所有 13 个版本 引用 保存

[\[HTML\] gastrojournal.org](#)**Transarterial therapy for hepatocellular carcinoma: which technique is more effective? A systematic review of cohort and randomized studies**

L Marelli, R Stigliano, C Triantos, M Senzolo... - Cardiovascular and ..., 2007 - Springer

... practiced and/or evaluated in further randomized studies; and secondly to evaluate whether there ... If we consider the chemotherapeutic regimen used in the 52 articles evaluating TACE or ... rational and effective strategy, but again this has not been evaluated prospectively (Table 2 ...

被引用次数: 712 相关文章 所有 15 个版本 引用 保存

[\[PDF\] vipvrach.ru](#)**Comparison of CT findings with resected specimens after chemoembolization with iodized oil for hepatocellular carcinoma**

K Takayasu, S Arai, N Matsuo... - American Journal of ..., 2000 - Am Roentgen Ray Soc

... Tumor size has to be evaluated by two time-spaced observations, which means that a long ... An ideal evaluation of the effect of transarterial oily chemoembolization on imaging may be the ... In the near future, three-dimensional imaging may be necessary to evaluate treatment. ...

被引用次数: 196 相关文章 所有 5 个版本 引用 保存

[HTML] Efficacy of selective transarterial chemoembolization in inducing tumor necrosis in small (< 5 cm) hepatocellular carcinomas

R Golfieri, A Cappelli, A Cucchetti, F Piscaglia... - ..., 2011 - Wiley Online Library

... Since 2006, all studies have been evaluated with the support of the institutional picture ... tumors

[\[HTML\] wiley.com](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 96,900 条结果 (用时 0.45 秒)

Google 学术 : Evaluation of the relationship between hepatocellular carcinoma location and transarterial chemoembolization efficacy

... chemoembolization for unresectable hepatocellular ... - Lo - 被引用次数 : 2129

Diagnosis and treatment of hepatocellular carcinoma - El-Serag - 被引用次数 : 793

Transarterial therapy for hepatocellular carcinoma: ... - Marelli - 被引用次数 : 712

Application of gemstone spectral imaging for efficacy evaluation in ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : QY Liu - 2016 - 被引用次数 : 1 - 相关文章

2016年3月21日 - Keywords: Gemstone spectral imaging, Hepatocellular carcinoma, ... (GSI) in hepatocellular cancer (HCC) after transarterial chemoembolization (TACE) treatment. ...

gastrointestinal tract to help identify the relationship between organs and ... After determining tumor location, size, number and tumor-feeding ...

Evaluation of therapeutic effectiveness of transarterial ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/11274885> - 翻译此页

作者 : EY Tsui - 2000 - 被引用次数 : 33 - 相关文章

Evaluation of therapeutic effectiveness of transarterial chemoembolization for hepatocellular carcinoma: correlation of dynamic susceptibility contrast-enhanced ...

Efficacy of Transarterial Chemoembolization for Hepatocellular ...

[www.jvir.org/article/S1051-0443\(12\)00373-9/pdf](http://www.jvir.org/article/S1051-0443(12)00373-9/pdf) ▼ 翻译此页

Purpose: To evaluate the treatment efficacy of unilateral versus bilateral ... carcinoma (HCC) based on whether the tumor is located across the Cantlie line within the watershed zone of the liver. ...

located in the interlobar watershed zone between the right needed to fully explore the relationship between tumor viabil-

Hepatocellular Carcinoma Responding to Superselective Transarterial ...

[www.jvir.org/article/S1051-0443\(12\)01291-2/pdf](http://www.jvir.org/article/S1051-0443(12)01291-2/pdf) - 翻译此页

Purpose: To evaluate the per-nodule efficacy of superselective transarterial chemoembolization of hepatocellular carcinomas. (HCCs). Materials and vessels were examined according to the tumor