

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 34959

Manuscript Type: ORIGINAL ARTICLE

### *Retrospective Study*

**Prognostic factors of response to endoscopic treatment in painful chronic pancreatitis**

Alina Tantau, Alina Mandrutiu, Daniel-Corneliu Leucuta, Lidia Ciobanu, Marcel Tantau

### **Abstract**

#### *AIM*

To evaluate the endoscopic treatment efficacy and prognostic factors of long-term response to treatment for painful chronic pancreatitis.

#### *METHODS*

This retrospective analysis identified 168 patients with painful chronic pancreatitis hospitalized during January 2010-January 2015 in a Romanian tertiary referral center. Data on demographics, medical history, alcohol consumption, smoking habit, clinical parameters, type and number of endoscopic procedures and hospital admissions

### Match Overview

1	<b>Crossref</b> 107 words "UEG Week 2014 Poster Presentations", United European Gastroenterology Journal, 2014.	3%
2	<b>Internet</b> 40 words crawled on 15-Jul-2017 <a href="http://mobile.repository.ubn.ru.nl">mobile.repository.ubn.ru.nl</a>	1%

Prognostic factors of response to endoscopic treatment in painful chronic panc

全部 图片 视频 新闻 地图 图书

找到约 1,650,000 条结果

时间不限  
过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果  
精确匹配

[Google 学术: Prognostic factors of response to endoscopic treatment in painful chronic pancreatitis](#)

[... -term results of pancreatic stents in chronic pancreatitis](#) - Smits - 被引用次数: 244  
[Endoscopic treatment of pancreatic stones in patients ...](#) - Smits - 被引用次数: 145  
[... stenting of biliary strictures in chronic pancreatitis: a ...](#) - Kahl - 被引用次数: 149

[\[PDF\] PROGNOSTIC FACTORS OF RESPONSE TO ENDOSCOPIC ...](#)

<https://cdn.ueg.eu/uegfolga-web/ueg-week-2014/.../P1341.pdf> ▼  
There is no etiological therapy for chronic pancreatitis. ... prognostic factors of long - term response treatment in patients with painful chronic pancreatitis. Method.

[prognostic factors of response to endoscopic treatment in painful ...](#)

<https://www.ueg.eu/.../prognostic-factors-of-response-to-endoscopic-treatment-in-painful-chronic-pancreatitis.../108639/>  
PROGNOSTIC FACTORS OF RESPONSE TO ENDOSCOPIC TREATMENT IN PAINFUL CHRONIC PANCREATITIS - RETROSPECTIVE OBSERVATIONAL ...

[\[PDF\] PDF \(528 KB\) - Clinical Gastroenterology and Hepatology](#)

[www.cghjournal.org/article/S1542-3565\(12\)00056-0/pdf](http://www.cghjournal.org/article/S1542-3565(12)00056-0/pdf) ▼  
quently is used to treat patients with painful chronic pancreatitis (CP), .... endoscopic treatment (ie, stones, strictures, PD dilation, and so forth). ... tal decompression as a predictor of response to surgery, or in ..... factors were identified as significantly associated with clinical ..... insufficiency and prognosis of the disease.

[Endoscopic Therapy is Effective for Patients with Chronic Pancreatitis](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3381994/>  
13 Jan 2012 ... Endoscopic therapy (ET) is frequently used to treat patients with painful chronic pancreatitis (CP), but little is ..... Factors associated with long term clinical response to endoscopic ..... Natural course in chronic pancreatitis: pain, exocrine and endocrine pancreatic insufficiency and prognosis of the disease.





Prognostic factors of response to endoscopic treatment in painful chronic pa ▾



学术搜索

找到约 18,700 条结果 (用时0.11秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 [学术搜索设置](#) 指定搜索语言

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯**Long-term results of pancreatic stents in chronic pancreatitis**ME Smits, SM Badiga, EAJ Rauws, GNJ Tytgat... - ... [endoscopy](#), 1995 - Elsevier

... Twenty-two of these 40 patients maintained the beneficial **response** after stent removal (28.5 months ... accurate determination as to whether continued alcohol drinking was a major **factor** in **pain** ... We did not find **prognostic factors** for clinical improvement during **pancreatic** stenting. ...

被引用次数：252 [相关文章](#) 所有 10 个版本 [引用](#) [保存](#)**Endoscopic treatment of pancreatic stones in patients with chronic pancreatitis**ME Smits, EAJ Rauws, GNJ Tytgat... - ... [endoscopy](#), 1996 - Elsevier

... **Prognostic factors**, Ratio, %, P-value. ... Failure of symptomatic improvement after successful stone removal may be due to several **causes**. ... disease, dilatation of the **pancreatic** duct may not always indicate increased ductal pressure, and **pain** may be caused by other **factors**, such as ...

被引用次数：149 [相关文章](#) 所有 10 个版本 [引用](#) [保存](#)**Risk factors for failure of endoscopic stenting of biliary strictures in chronic pancreatitis: a prospective follow-up study**S Kahl, S Zimmermann, I Genz... - ... [American journal of ...](#), 2003 - [search.proquest.com](#)

... Therefore, identification of patients unlikely to **respond** to stent **therapy** in the long term would be an advantage, inasmuch ... No additional **factors** were identified that improved the **prognostic** accuracy of calcification (Table 4). ... 9) denied duration of CP as a **prognostic factor** for the long ...

被引用次数：154 [相关文章](#) 所有 10 个版本 [引用](#) [保存](#)**Pancreatic duct stones in chronic pancreatitis: criteria for treatment intensity and success**MJ Farnbacher, C Schoen, T Rabenstein... - ... [endoscopy](#), 2002 - Elsevier

... Moreover, patient age is not significant as a risk **factor** for procedure-related morbidity and mortality. ... These findings are confirmed by other analyses (univariate and multivariate) of **prognostic** morphologic **factors**. 4, 8, 12 and 16. ...

被引用次数：172 [相关文章](#) 所有 7 个版本 [引用](#) [保存](#)**Pancreatitis**RMS Mitchell, MF Byrne, J Baillie - [The Lancet](#), 2003 - Elsevier

... Risk **factors** and presentation of acute **pancreatitis**. ... specific to this disorder, a value greater than three times the upper limit of normal excludes most non-**pancreatic causes**. ... Several **prognostic** scoring systems, with clinical, laboratory, and radiological criteria, have been proposed ...

[\[PDF\] researchgate.net](#)

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 438,000 条结果 (用时 0.54 秒)

## Google 学术: Prognostic factors of response to endoscopic treatment in painful chronic pancreatitis

... -term results of pancreatic stents in chronic pancreatitis - Smits - 被引用次数: 253

Endoscopic treatment of pancreatic stones in patients ... - Smits - 被引用次数: 149

... stenting of biliary strictures in chronic pancreatitis: a ... - Kahl - 被引用次数: 155

## PROGNOSTIC FACTORS OF RESPONSE TO ENDOSCOPIC ...

<https://cdn.ueg.eu/uegfolga-web/ueg-week-2014/posters/P1341.pdf> - 翻译此页

There is no etiological therapy for chronic pancreatitis. ... prognostic factors of long - term response treatment in patients with painful chronic pancreatitis. Method.

## Prognostic factors in patients with painful chronic pancreatitis ...

[www.sciencedirect.com/science/article/pii/S1424390317302831](http://www.sciencedirect.com/science/article/pii/S1424390317302831) - 翻译此页

2017年6月9日 - Aims: To evaluate the endoscopic treatment efficacy and the prognostic factors of long-term response treatment in painful chronic pancreatitis.

## Chronic Pancreatitis: Current Status and Challenges for Prevention ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5507364/> - 翻译此页

作者: D Lew - 2017 - 相关文章

2017年5月13日 - Clinical manifestations include mid-epigastric abdominal pain with radiation to ...

Additionally, CP is the strongest identified risk factor for pancreatic .... The propagation of the acute inflammatory response can lead to chronic inflammation if ..... Endoscopic decompression treatment with sphincterotomy and ...

## Endoscopic Therapy is Effective for Patients with Chronic Pancreatitis

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页