

全部

图片

新闻

购物

地图

更多

设置

工具

找到约 13,000 条结果 (用时 0.84 秒)

Duodenum-preserving total pancreatectomy for pancreatic neoplasms.

<https://www.ncbi.nlm.nih.gov/pubmed/19865791> - 翻译此页

作者: T Hatori - 2010 - 被引用次数: 6 - 相关文章

2009年10月29日 - Duodenum-preserving total pancreatectomy for pancreatic neoplasms. ... and an organ-preserving procedure should be chosen to minimize ... patients with low-grade malignant neoplasms of the entire pancreas ... with hereditary pancreatic carcinoma with pancreatic intraepithelial neoplasia-3 (PanIN-3).

Parenchyma-sparing pancreatectomies for benign or border-line ...

<https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral/PMC/> - 翻译此页

作者: C Sperti - 2010 - 被引用次数: 41 - 相关文章

2010年6月15日 - Whilst these procedures are mandatory for malignant tumors, they seem to be ... location of the tumor: central pancreatectomy, duodenum-preserving pancreatic ... pancreatectomies are: (1) benign or low-grade malignant tumors ... The pancreas is transected with a resection margin at least 1 cm from the ...

Pancreatic surgery for pancreatic tumors - USC Department of Surgery

www.surgery.usc.edu/tumor/pancreas/diseases/pancreas%20resection/O... - 翻译此页

For malignant tumors affecting the duodenum, head of pancreas, and the distal ... may require a Whipple operation, alternate procedures that preserve some of the organs ... operation or a subtotal pancreatectomy (removal of 80% of the pancreas). ... distal pancreatectomy, however, in patients with low-grade malignancy or ...

Regional Pancreatectomy - Symbiosis Online Publishing

<https://symbiosisonlinepublishing.com/gastroenterology-pancreatology-li...> - 翻译此页

作者: M Hirota - 相关文章

Invasive ductal carcinoma, even when the tumor is small enough, is not eligible ... option for benign,

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 35042

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Duodenum and ventral pancreas preserving subtotal pancreatectomy for low-grade malignant neoplasms of the pancreas: An alternative procedure to total pancreatectomy for low-grade pancreatic neoplasms

Xing Wang, Chun-Lu Tan, Hai-Yu Song, Qiang Yao, Xu-Bao Liu

Abstract

AIM

To describe the indications, technique and outcomes of the novel surgical procedure of duodenum and ventral pancreas preserving subtotal

Match Overview

1	Internet 48 words crawled on 21-Dec-2016 www.wjgnet.com	1%
2	Crossref 27 words Riccardo Casadei. "Total pancreatectomy: indications, operative technique, and results : A single centre experi ...	1%
3	Crossref 23 words Massimo Falconi. "Parenchyma-Preserving Resection ... or Small Nonfunctioning Pancreatic Endocrine Tumors",	1%
4	Crossref 23 words H. G. Beger. "Duodenum-Preserving Subtotal and Total Pancreatic Head Resections for Inflammatory and Cys ...	1%
5	Crossref 22 words Thayer, S.P.. "Complete dorsal pancreatectomy with pr ...ervation of the ventral pancreas: A new surgical techniqu	<1%
6	Crossref 14 words André L. Mihaljevic. "Beger's operation and the Berne r ...odification: origin and current results", Journal of Hepato	<1%
7	Internet 13 words crawled on 31-Aug-2016 www.chinasciencejournal.com	<1%
8	Crossref 13 words "POSTER PRESENTATION: BILIARY": Poster Presentatio n Abstracts", HPB, 2012.	<1%

全部

图片

新闻

购物

地图

更多

设置

工具

找到约 12,000 条结果 (用时 0.67 秒)

Parenchyma-sparing pancreatectomies for benign or border-line ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: C Sperti - 2010 - 被引用次数: 41 - 相关文章

2010年6月15日 - Whilst these procedures are mandatory for malignant tumors, they seem to be ...

location of the tumor: central pancreatectomy, duodenum-preserving pancreatic ... pancreatectomies are: (1) benign or low-grade malignant tumors ... The pancreas is transected with a resection margin at least 1 cm from the ...

[PDF] Regional Pancreatectomy - Symbiosis Online Publishing

<https://symbiosisonlinepublishing.com/.../gastroenterology-pancreatology-li...> - 翻译此页

作者: M Hirota - 2015 - 相关文章

2015年9月10日 - less invasive alternative of pancreatoduodenectomy. ... pancreatectomy is mainly indicated for 1) benign or low-grade malignant neoplasms ... pancreatoduodenectomy, distal pancreatectomy, and total ... duodenum-preserving pancreatic head resection (DPPHR). ... grade malignant tumors of the pancreas.

Pancreatic surgery for pancreatic tumors - USC Department of Surgery

www.surgery.usc.edu/.../tumor/pancreasdiseases/.../pancreas%20resection/O... - 翻译此页

For malignant tumors affecting the duodenum, head of pancreas, and the distal ... alternate procedures that preserve some of the organs removed during the standard ... operation or a subtotal pancreatectomy (removal of 80% of the pancreas). ... distal pancreatectomy, however, in patients with low-grade malignancy or ...

Organ-Preserving Pancreatectomy - Springer Link

link.springer.com/content/pdf/10.1007%2F978-3-662-47181-4_28.pdf - 翻译此页

Many of these low-grade malignant neoplasms ... DPPHR duodenum-preserving pancreatic head resection, PHRSD pancreatic head resec- tion with segmental ...

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 11,500 条结果 (用时 0.66 秒)

Parenchyma-sparing pancreatectomies for benign or border-line ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: C Sperti - 2010 - 被引用次数: 42 - 相关文章

2010年6月15日 - Whilst these **procedures** are mandatory for **malignant tumors**, they seem to be ... location of the **tumor**: central **pancreatectomy**, **duodenum-preserving pancreatic ... pancreatectomies** are: (1) benign or **low-grade malignant tumors** ... The **pancreas** is transected with a resection margin at least 1 cm from the ...

Regional Pancreatectomy - Symbiosis Online Publishing

<https://symbiosisonlinepublishing.com/.../gastroenterology-pancreatology-li...> ▼ 翻译此页

作者: M Hirota - 相关文章

Although such **procedures** are mandatory for **malignant** diseases, they seem ... less invasive compared with their corresponding **alternative**, **total pancreatectomy**. ... Regional **pancreatectomy** is mainly indicated for 1) benign or **low-grade** ... Such benign **lesion** can be managed by inferior head **pancreatectomy** (Figure 1a).

Pancreatic surgery for pancreatic tumors - USC Department of Surgery

www.surgery.usc.edu/.../tumor/pancreas/diseases/.../pancreas%20resection/O... ▼ 翻译此页

For **malignant tumors** affecting the **duodenum**, head of **pancreas**, and the distal ... **alternate procedures** that **preserve** some of the organs removed during the standard ... operation or a **subtotal pancreatectomy** (removal of 80% of the **pancreas**). ... distal **pancreatectomy**, however, in patients with **low-grade** malignancy or ...

Organ-preserving pancreatectomy for benign or border-line ...

https://www.researchgate.net/.../282660556_Organ-preserving_pancreatectomy_for_ben...

Benign **tumors** localized in the head, neck, or body of the **pancreas** are usually ... radicality in patients with benign, border-line or **low-grade malignant tumors**. ... of the **tumor**: central **pancreatectomy**; **duodenum-preserving pancreatic head** ... be a safe **alternative** to standard **pancreatic** resections in the **treatment** of benign or ...

Limited Surgery for Benign Tumours of the Pancreas: A ... - Springer Link

link.springer.com/content/pdf/10.1007/s00268-015-2976-x.pdf ▼ 翻译此页