



[HTML] [Right-and left-sided colorectal cancers respond differently to cetuximab](#)

[F Wang](#), [L Bai](#), [TS Liu](#), [YY Yu...](#) - Chinese journal ..., 2015 - [cjcjournal.biomedcentral.com](#)

Methods Patients with mCRC treated with cetuximab and standard chemotherapy as first-or second-line treatments were compared with randomly chosen patients who were treated with chemotherapy alone between 2005 and 2013. The main outcome measures were the overall response rate (ORR), progression-free survival (PFS), and overall survival (OS). The differences in the outcome were analyzed by using the chi-squared test, Student's t test, ...

被引用次数: 13 [相关文章](#) [所有 16 个版本](#) [引用](#) [保存](#) [更多](#)

[HTML] [biomedcentral.com](#)

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 35245

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Right- and left-sided colorectal cancers respond differently to traditional Chinese medicine**

Liu SS *et al.* Effects of TCM on primary tumor side

Shan-Shan Liu, Qi Shi, Hong-Jia Li, Wei Yang, Su-Su Han, Shao-Qi Zong,  
Wen Li, Feng-Gang Hou

Abstract

### Match Overview

1	<b>Crossref</b> 40 words Qi Shi, Shanshan Liu, Wen Li, Shaoqi Zong, Susu Han, Wei Yang, Hongjia Li, Fenggang Hou. "Exploring the me	1%
2	<b>Internet</b> 38 words crawled on 13-Jun-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
3	<b>Internet</b> 22 words crawled on 25-Aug-2013 <a href="http://www.karger.com">www.karger.com</a>	1%
4	<b>Internet</b> 20 words crawled on 27-Mar-2017 <a href="http://meetinglibrary.asco.org">meetinglibrary.asco.org</a>	1%
5	<b>Internet</b> 14 words crawled on 19-May-2016 <a href="http://www.science.gov">www.science.gov</a>	<1%
6	<b>Internet</b> 14 words crawled on 06-Aug-2017 <a href="http://cebp.aacrjournals.org">cebp.aacrjournals.org</a>	<1%
7	<b>Internet</b> 13 words crawled on 24-Aug-2016 <a href="http://oriprobe.com">oriprobe.com</a>	<1%



Right- and left-sided colorectal cancers respond differently to traditional Chir ▾



学术搜索

我的著作引用

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

[HTML] Right-and left-sided colorectal cancers respond differently to cetuximab

[F Wang](#), L Bai, TS Liu, YY Yu... - Chinese journal ..., 2015 - cjcjournal.biomedcentral.com

Methods Patients with mCRC treated with cetuximab and standard chemotherapy as first-or second-line treatments were compared with randomly chosen patients who were treated with chemotherapy alone between 2005 and 2013. The main outcome measures were the overall response rate (ORR), progression-free survival (PFS), and overall survival (OS). The differences in the outcome were analyzed by using the chi-squared test, Student's t test, ...

被引用次数: 15 相关文章 所有 16 个版本 引用 保存 更多

[HTML] biomedcentral.com

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

按相关性排序

按日期排序

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

不限语言

中文网页

简体中文网页

包括专利

包含引用



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 37,500 条结果 (用时 0.57 秒)

### Right- and left-sided colorectal cancers respond differently to cetuximab

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: F Wang - 2015 - 被引用次数: 15 - 相关文章

2015年6月10日 - Right-sided colon cancer (RSCC) and left-sided colorectal cancer (LSCRC) differ with respect to their biology and genomic patterns. This study ...

缺少字词: traditional

### Right-sided colon cancer and left-sided colorectal cancers respond ...

<https://www.ncbi.nlm.nih.gov/pubmed/26111811> - 翻译此页

作者: F Wang - 2015 - 被引用次数: 15 - 相关文章

2015年6月10日 - Right-sided colon cancer and left-sided colorectal cancers respond differently to cetuximab. Wang F(1), Bai L(2), Liu TS(3), Yu YY(4), He MM(5) ...

缺少字词: traditional chinese

### Demographic and medication characteristics of traditional Chinese ...

[www.sciencedirect.com/science/article/pii/S2225411016302504](http://www.sciencedirect.com/science/article/pii/S2225411016302504) - 翻译此页

作者: CT Wu - 2017 - 相关文章

Colorectal cancer;; Traditional Chinese medicine;; National health insurance ... information for physicians, enabling them to respond to patients' use of CHP in an ... in the same category, regardless of slight variations in the products among different ... The locations of CRC were divided into five types: right colon, left colon, ...

### The impact of primary tumor location on efficacy of cetuximab in ...

[europepmc.org/articles/pmc5581136](http://europepmc.org/articles/pmc5581136) - 翻译此页

作者: D Cao - 2017

2017年7月5日 - mCRC Patients with left-sided, wild type Kras have a better ... They defined proximal or right-sided colon cancer (RCC) as cancers of ... that colon cancer patients with different tumor location