



**Name of Journal:** *World Journal of Orthopedics*

**Manuscript NO:** 35378

**Manuscript Type:** Original Article

*Retrospective Cohort Study*

**Do Not Resuscitate status as an independent risk factor for patients undergoing surgery for hip fracture**

**Ethan Y Brovman, Andrew J Pisansky, Anair Beverly, Angela M Bader, Richard D Urman**

#### **Abstract**

##### **AIM**

to determine morbidity and mortality in this specific patient group and also to assess for any independent associations between Do Not Resuscitate (DNR) status and increased post-operative morbidity and mortality.

##### **METHODS**

#### Match Overview

There are no matching sources for this report.

All

News

Images

Videos

Shopping

More

Settings

Tools

About 33,500 results (1.36 seconds)

### Do-not-resuscitate orders and early mortality in hip fracture patients.

<https://www.ncbi.nlm.nih.gov/pubmed/28338851>

by AE Simons - 2017

25 Feb 2017 - Background: factors affecting mortality after **hip fracture surgery** have been ...

Methods: all **patients undergoing hip fracture surgery** between 2004 and ... was performed to identify **independent risk factors** for early mortality. ... Conclusions: **DNR patients** have higher mortality rates due to poor health **status**.

### [PDF] Surgical Patients With Do-Not-Resuscitate Orders: An ... - EliScholar

[elischolar.library.yale.edu/cgi/viewcontent.cgi?article=1733&context=ymtdl](http://elischolar.library.yale.edu/cgi/viewcontent.cgi?article=1733&context=ymtdl)

by HS Kazaure - 2012 - Cited by 1 - Related articles

23 Jan 2012 - multivariate analysis, **DNR status** remained independently associated with mortality (odds ratio ... to be an **independent risk factor** for poor **surgical outcome**. .... **Surgical patients who undergo surgery** with **DNR orders** have worse outcomes than .... pneumonia, cerebrovascular accident, or **hip fracture**.

### Miller's Anesthesia E-Book - Page 2415 - Google Books Result

<https://books.google.co.uk/books?isbn=0323280110>

Ronald D. Miller, Lars I. Eriksson, Lee A Fleisher - 2014 - Medical

Minimal cognitive impairment could be a **risk factor** for postoperative ... impairment may help better define **patients at risk** for long-term POCD. ... of "**do not resuscitate**" **status** does not appear to influence short-term **surgical outcome**.123,124 ... die during hospitalization after **hip fracture** repair.130 However, chronologic age ...

### Optimal Perioperative Management of the Geriatric Patient: A Best ...

[www.journalacs.org/article/S1072-7515\(15\)01822-0/pdf](http://www.journalacs.org/article/S1072-7515(15)01822-0/pdf)

by S Mohanty - 2016 - Cited by 18 - Related articles

operative **do-not-resuscitate orders**). .... Repair of **hip fracture** In appropriate **patients undergoing surgery for hip fractures**, ..... after **surgery**.91,92 Older age may be an **independent pre-** ... cation



文章

找到约 8,840 条结果 (用时0.12秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

## Risk factors for venous thromboembolism

FA Anderson, FA Spencer - Circulation, 2003 - Am Heart Assoc

☆ 99 被引用次数: 1423 相关文章 所有 14 个版本

## [HTML] The effect of perioperative anemia on clinical and functional outcomes in patients with hip fracture

EA Halm, JJ Wang, K Boockvar, J Penrod... - ... of orthopaedic trauma, 2004 -.ncbi.nlm.nih.gov

... Information on prefracture sociodemographic characteristics, living arrangements, functional mobility, and Do Not Resuscitate (DNR) status were collected from medical records ... Does transfusion practice affect mortality in critically ill patients ... Can Med Assoc J. 1997;156:S1-S8 ...

☆ 99 被引用次数: 187 相关文章 所有 12 个版本

## [HTML] Clinical outcomes following institution of the Canadian universal leukoreduction program for red blood cell transfusions

PC Hébert, D Fergusson, MA Blajchman, GA Wells... - Jama, 2003 - jamanetwork.com

... Allogeneic blood transfusions, immunomodulation, and postoperative bacterial infection: do we have the answers ... Clark HD, Wells PS, Laupacis A. Perioperative allogeneic blood transfusion does not cause adverse ... Does transfusion practice affect mortality in critically ill patients ...

☆ 99 被引用次数: 388 相关文章 所有 9 个版本

## The effects of nutritional status on outcome after hip fracture

KJ Koval, SG Maurer, ET Su, GB Aharonoff... - ... of orthopaedic trauma, 1999 - journals.lww.com

... Kluwer Health may email you for journal alerts and information, but is committed to maintaining your privacy and will not share your ... Skip Navigation Links Home &gt; March/April 1999 - Volume 13 - Issue 3 &gt; The Effects of Nutritional Status on Outcome After Hip Fract ...

☆ 99 被引用次数: 261 相关文章 所有 7 个版本

## Effects of blood transfusion on clinical and functional outcomes in patients with hip fracture

EA Halm, JJ Wang, K Boockvar, J Penrod... - ..., 2003 - Wiley Online Library

... Prior studies indicate that proxies can provide reliable estimates for the areas of physical function ... Unfortunately, we were unable to do this reliably because 19 percent of the patients ... and have

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 80,700 条结果 (用时 0.48 秒)

## Do-not-resuscitate orders and early mortality in hip fracture patients.

<https://www.ncbi.nlm.nih.gov/pubmed/28338851> - 翻译此页

作者: AE Simons - 2017 - 被引用次数: 1 - 相关文章

2017年2月25日 - **Do-not-resuscitate** orders and early mortality in **hip fracture** patients. ... Background: factors affecting mortality after **hip fracture surgery** have been ... Methods: all **patients undergoing hip fracture surgery** between 2004 and 2015 ... analysis was performed to identify **independent risk factors** for early mortality.

## Comparison of Postoperative Outcomes in Elderly Patients With a Do ...

[journals.sagepub.com/doi/full/10.1177/2151458516685826](https://journals.sagepub.com/doi/full/10.1177/2151458516685826) - 翻译此页

作者: A Beverly - 2017 - 被引用次数: 2 - 相关文章

2017年2月15日 - Keywords **hip surgery**, **hip fracture**, **do not resuscitate**, informed consent, ... Here, we report outcomes of **patients with DNR status undergoing** ... factors were **independent risk factors** associated with emergency **surgery**, ...

## Miller's Anesthesia E-Book - 第 2415 页 - Google 图书结果

<https://books.google.co.jp/books?isbn=0323280110> - 翻译此页

Ronald D. Miller, Lars I. Eriksson, Lee A Fleisher - 2014 - Medical

Minimal cognitive impairment could be a **risk factor** for postoperative ... impairment may help better define **patients at risk** for long-term POCD. ... is an **independent** predictor of postoperative delirium.114 Depression predicts ... of "**do not resuscitate**" **status** does not appear to influence short-term **surgical** outcome.123,124....

## Comparing mortality risk of patients with acute hip fractures admitted to ...

[www.nature.com/scientificreports/articles](http://www.nature.com/scientificreports/articles) - 翻译此页

作者: R Nandra - 2017 - 被引用次数: 1 - 相关文章

2017年4月27日 - Comparing mortality **risk** of **patients** with acute **hip fractures** admitted to a major ... However, we **do not** know whether the day of admission influences **patient** .... We also identified **independent**