

Name of Journal: *World Journal of Gastrointestinal Surgery*

Manuscript NO: 35491

Manuscript Type: CASE REPORT

Surgically treated diaphragmatic perforation after radiofrequency ablation for hepatocellular carcinoma

Nagasu S *et al.* Surgically treated diaphragmatic herniation after RFA

Sachiko Nagasu, Koji Okuda, Ryoko Kuromatsu, Yoriko Nomura, Takuji Torimura, Yoshito Akagi

Abstract

We review 6 cases of diaphragmatic perforation, with and without herniation,

符合内容总览

1 相符

- | | | |
|---|---|----|
| 1 | 互联网 86 个字
于 2017年09月28日 缓慢进行
spandidos-publications.com | 3% |
| 2 | 互联网 47 个字
于 2017年06月13日 缓慢进行
www.wjgnet.com | 2% |
| 3 | Crossref 19 个字
Takuji Yamagami. "Diaphragmatic Hernia After Radiofr ...
quency Ablation for Hepatocellular Carcinoma", CardioV | 1% |
| 4 | Crossref 17 个字
Steven A. Curley. "Early and Late Complications After F ...
diofrequency Ablation of Malignant Liver Tumors in 608 | 1% |
| 5 | 互联网 17 个字
于 2017年09月16日 缓慢进行
www.omicsonline.org | 1% |
| 6 | Crossref 16 个字
Kim, Jong Sun, Hyoung Sang Kim, Dae Sung Myung, Gi
Hoon Lee, Kang Jin Park, Sung Bum Cho, Young Eun Jo | 1% |
| 7 | 互联网 16 个字
于 2016年08月29日 缓慢进行
issuu.com | 1% |
| 8 | 互联网 15 个字
于 2014年09月13日 缓慢进行
cellbiosignal.jp | 1% |

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Complications of radiofrequency ablation in hepatocellular carcinoma

H Rhim - Abdominal imaging, 2005 - Springer

... thermal ablation has been accepted as a promising technique to treat unresectable liver ... Although most tumors can be treated successfully by the percutaneous approach, the open or ... of the most appropriate imaging modality and the best approach, surgical or percutaneous ...

☆ 99 被引用次数：132 相关文章 所有 9 个版本

Adverse events during radiofrequency treatment of 582 hepatic tumors

T de Baère, O Risse, V Kuoch... - American Journal of ..., 2003 - Am Roentgen Ray Soc

... Pneumothoraces occurring after a transpleurodiaphragmatic surgical approach were not taken into account because they ... Therefore, it is probably not advisable to percutaneously treat liver tumors that are less ... a group-to-group comparison in a series of patients treated by the ...

☆ 99 被引用次数：443 相关文章 所有 7 个版本

Percutaneous radiofrequency ablation of hepatocellular carcinoma abutting the diaphragm and gastrointestinal tracts with the use of artificial ascites: safety and

I Song, H Rhim, HK Lim, Y Kim, D Choi - European radiology, 2009 - Springer

... by RFA with artificial ascites as several patients had been previously treated for other ... ablation, percutaneous ethanol injection, and percutaneous acetic acid injection to treat hepatocellular carcinoma of 3 cm ... Annals of Surgical Oncology 7:593-600PubMedGoogle Scholar. 11. ...

☆ 99 被引用次数：123 相关文章 所有 10 个版本

Diaphragmatic hernia after radiofrequency ablation therapy for hepatocellular carcinoma

A Shibuya, T Nakazawa, K Saigenji... - American journal of ..., 2006 - Am Roentgen Ray Soc

... e adjacent to the radiofrequency ablation-treated region. ...



找到约 1,320 条结果 (用时0.05秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

Complications of radiofrequency ablation in hepatocellular carcinoma

H Rhim - Abdominal imaging, 2005 - Springer

... thermal ablation has been accepted as a promising technique to treat unresectable liver ... Although most tumors can be treated successfully by the percutaneous approach, the open or ... of the most appropriate imaging modality and the best approach, surgical or percutaneous ...

☆ 99 被引用次数: 132 相关文章 所有 9 个版本

Adverse events during radiofrequency treatment of 582 hepatic tumors

T de Baère, O Risse, V Kuoch... - American Journal of ..., 2003 - Am Roentgen Ray Soc

... Pneumothoraces occurring after a transpleurodiaphragmatic surgical approach were not taken into account because they ... Therefore, it is probably not advisable to percutaneously treat liver tumors that are less ... a group-to-group comparison in a series of patients treated by the ...

☆ 99 被引用次数: 443 相关文章 所有 7 个版本

Percutaneous radiofrequency ablation of hepatocellular carcinoma abutting the diaphragm and gastrointestinal tracts with the use of artificial ascites: safety and

I Song, H Rhim, HK Lim, Y Kim, D Choi - European radiology, 2009 - Springer

... by RFA with artificial ascites as several patients had been previously treated for other ... ablation, percutaneous ethanol injection, and percutaneous acetic acid injection to treat hepatocellular carcinoma of 3 cm ... Annals of Surgical Oncology 7:593-600PubMedGoogle Scholar. 11, ...

☆ 99 被引用次数: 123 相关文章 所有 10 个版本

Diaphragmatic hernia after radiofrequency ablation therapy for hepatocellular carcinoma

A Shibuya, T Nakazawa, K Saigenji... - American journal of ..., 2006 - Am Roentgen Ray Soc

... e adjacent to the radiofrequency ablation-treated region. ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 11,400 条结果 (用时 0.43 秒)

Google 学术: Surgically treated diaphragmatic perforation after radiofrequency ablation for hepatocellular carcinoma

... of radiofrequency ablation in hepatocellular carcinoma - Rhim - 被引用次数: 134

... events during radiofrequency treatment of 582 hepatic ... - de Baère - 被引用次数: 452

... radiofrequency ablation of hepatocellular carcinoma ... - Song - 被引用次数: 126

Late-onset diaphragmatic hernia after percutaneous radiofrequency ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4791441/> - 翻译此页

作者: T Abe - 2016 - 被引用次数: 4 - 相关文章

2016年3月14日 - Late-onset diaphragmatic hernia after percutaneous radiofrequency ablation of hepatocellular carcinoma: a case study. Tomoyuki ... Percutaneous radiofrequency ablation (RFA) is widely used as an effective treatment of liver tumors. ... The first-line treatment of this disease involves surgical intervention.

[Abstract](#) · [Background](#) · [Case presentation](#)

Laparoscopic Repair of a Diaphragmatic Hernia Associated with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4114366/> - 翻译此页

作者: R Nomura - 2014 - 被引用次数: 7 - 相关文章

Laparoscopic Repair of a Diaphragmatic Hernia Associated with Radiofrequency Ablation for Hepatocellular Carcinoma: Lessons from a Case and the Review of the Literature ... Especially, the appearance of a diaphragmatic hernia after RFA treatment is quite rare and clinically unrecognized as a complication of RFA.

[Abstract](#) · [Case Report](#) · [Discussion](#)

A case of diaphragmatic hernia induced by radiofrequency ablation for ...

<https://www.ncbi.nlm.nih.gov/pubmed/24077629> - 翻译此页