

6  
Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 35507

Manuscript Type: ORIGINAL ARTICLE

Basic Study

4  
Improved experimental model of cystic hydatid disease in liver resembling  
natural infection route with stable growing dynamics and immune reaction

Rui-Qing Zhang, Xin-Hua Chen, Hao Wen

Abstract

AIM

To investigate a safer way to set up the disease model of cystic echinococcosis without contamination risk, this study set up a novel experimental murine model *in vivo* for hepatic cystic echinococcosis.

## Match Overview

1	Internet 161 words crawled on 22-Oct-2008 <a href="http://www.stanford.edu">www.stanford.edu</a>	4%
2	Crossref 42 words Constanze Sanger, Andrea Schenk, Lars Ole Schwen, Lei Wang, Felix Gremse, Sara Zafarnia, Fabian Kiessling, Chic	1%
3	Internet 32 words crawled on 06-Jun-2012 <a href="http://www.cdc.gov">www.cdc.gov</a>	1%
4	Internet 24 words crawled on 22-Sep-2017 <a href="http://www.biorxiv.org">www.biorxiv.org</a>	1%
5	Internet 19 words crawled on 01-Sep-2014 <a href="http://www.zoonosis.ac.uk">www.zoonosis.ac.uk</a>	<1%
6	Internet 15 words crawled on 05-Oct-2017 <a href="http://real.mtak.hu">real.mtak.hu</a>	<1%

An improved experimental model of cystic hydatid disease in liver resembling nat

全部

图片

视频

新闻

地图

图书

找到约 199,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[An improved experimental model of cystic hydatid disease in liver ...](#)

[www.biorxiv.org/content/early/2017/06/24/155168](http://www.biorxiv.org/content/early/2017/06/24/155168)

24 Jun 2017 ... An experimental murine model for hepatic cystic echinococcosis was ... The protoscolice migration in portal vein, hydatid cyst growth, host immune reaction and hepatic ... hepatic hydatid cysts, resembling the natural infection route and course. ... risk but stable growing dynamic for hydatid disease research.

[PDF] [An improved experimental model of cystic hydatid disease in liver ...](#)

[www.biorxiv.org/content/biorxiv/early/2017/.../155168.full.pdf](http://www.biorxiv.org/content/biorxiv/early/2017/.../155168.full.pdf)

24 Jun 2017 ... natural infection route with stable growing dynamics and immune reaction ... orthotopic model resembles primary infection route and natural ... vein, hydatid cyst growth, host immune reaction and hepatic histopathology were.

[An improved experimental model of cystic hydatid disease in liver ...](#)

[www.readcube.com/articles/10.1101%2F155168](http://www.readcube.com/articles/10.1101%2F155168)

An experimental murine model for hepatic cystic echinococcosis was ... vein, hydatid cyst growth, host immune reaction and hepatic histopathology were inspected ... hepatic hydatid cysts, resembling the natural infection route and course. ... model of low biohazard risk but stable growing dynamic for hydatid disease research.

[Pathology et. al. - Horror Writer Ex" gore" dinaire](#)

[www.jeffreybatchelder.com/?p=123](http://www.jeffreybatchelder.com/?p=123)

An improved experimental model of cystic hydatid disease in liver resembling natural infection route with stable growing dynamics and immune reaction.

[Biological, Epidemiological, and Clinical Aspects of Echinococcosis ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC321468/>

Cystic echinococcosis (CE) is caused by Echinococcus granulosus, alveolar ... on new and improved tools for diagnosing the infection in final hosts (dogs, foxes, ... by humans and other

Improved experimental model of cystic hydatid disease in liver resembling natura

全部

图片

视频

新闻

购物

地图

图书

找到约 199,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[An improved experimental model of cystic hydatid disease in liver ...](#)[www.biorxiv.org/content/early/2017/06/24/155168](http://www.biorxiv.org/content/early/2017/06/24/155168)

24 Jun 2017 ... An experimental murine model for hepatic cystic echinococcosis was ... The protoscolice migration in portal vein, hydatid cyst growth, host immune reaction and hepatic ... hepatic hydatid cysts, resembling the natural infection route and course. ... risk but stable growing dynamic for hydatid disease research.

[\[PDF\] An improved experimental model of cystic hydatid disease in liver ...](#)<https://www.biorxiv.org/content/biorxiv/early/.../155168.full.pdf>

24 Jun 2017 ... natural infection route with stable growing dynamics and immune reaction ... orthotopic model resembles primary infection route and natural ... vein, hydatid cyst growth, host immune reaction and hepatic histopathology were.

[An improved experimental model of cystic hydatid disease in liver ...](#)[www.readcube.com/articles/10.1101%2F155168](http://www.readcube.com/articles/10.1101%2F155168)

An experimental murine model for hepatic cystic echinococcosis was ... vein, hydatid cyst growth, host immune reaction and hepatic histopathology were inspected ... hepatic hydatid cysts, resembling the natural infection route and course. ... model of low biohazard risk but stable growing dynamic for hydatid disease research.

[我的学术\\_百度学术](#)[xueshu.baidu.com/scholarID/CN-B373PC1J?site=xueshu\\_ri](http://xueshu.baidu.com/scholarID/CN-B373PC1J?site=xueshu_ri)

Novel Interventional Management of Hepatic Hydatid Cyst with Nanosecond Pulses on ... An improved experimental model of cystic hydatid disease in liver resembling natural infection route with stable growing dynamics and immune reaction.

[Biological, Epidemiological, and Clinical Aspects of Echinococcosis ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC321468/>

Cystic echinococcosis (CE) is caused by Echinococcus granulosus, alveolar ... on new and



[全部](#)[新闻](#)[视频](#)[图片](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 199,000 条结果 (用时 0.87 秒)

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

### [An improved experimental model of cystic hydatid disease in liver ...](#)

[www.biorxiv.org/content/biorxiv/early/2017/06/24/155168.full.pdf](http://www.biorxiv.org/content/biorxiv/early/2017/06/24/155168.full.pdf) - 翻译此页

作者: R Zhang - 2017

2017年6月24日 - natural infection route with stable growing dynamics and immune reaction ... orthotopic model resembles primary infection route and natural ... vein, hydatid cyst growth, host immune reaction and hepatic histopathology were.

### [An improved experimental model of cystic hydatid disease in liver ...](#)

<https://micronow.org/.../an-improved-experimental-model-of-cystic-hydatid...> - 翻译此页

An improved experimental model of cystic hydatid disease in liver resembling natural infection route with stable growing dynamics and immune reaction.

### [An improved experimental model of cystic hydatid disease in liver ...](#)

[www.readcube.com/articles/10.1101%2F155168](http://www.readcube.com/articles/10.1101%2F155168) - 翻译此页

An experimental murine model for hepatic cystic echinococcosis was ... vein, hydatid cyst growth, host immune reaction and hepatic histopathology were inspected ... hepatic hydatid cysts, resembling the natural infection route and course. ... model of low biohazard risk but stable growing dynamic for hydatid disease research.

### [Hepatic Echinococcal Cysts: A Review - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral/PMC/> - 翻译此页

作者: T Pakala - 2016 - 被引用次数: 20 - 相关文章

2016年3月15日 - In hepatic cystic echinococcosis (CE), cyst growth ranges from 1–2 mm to 10 ... The immune system responds to the cyst by forming a calcified ... With E. granulosus infection, cysts most often occur in the liver (70%) or lungs (20%). .... to reflect improvement in surgically treated patients.13 A disadvantage of ...

### [Biological, Epidemiological, and Clinical Aspects of Echinococcosis, a ...](#)

<https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral/PMC/> - 翻译此页

作者: J Eckert - 2004 - 被引用次数: 1250 - 相关文章