





10

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 35675

Manuscript Type: Original Article

### Basic Study

Multi-parameter genes expression profiling in peripheral blood for early detection of hepatocellular carcinoma

Xie H *et al.* Early detection of hepatocellular carcinoma

Hui Xie, Yao-Qin Xue, Peng Liu, Peng-Jun Zhang, Sheng-Tao Tian, Zhao Yang, Zhi Guo, Hua-Ming Wang

### Match Overview

1	Internet 49 words crawled on 25-Mar-2017 <a href="http://www.bioscience.org">www.bioscience.org</a>	1%
2	Crossref 26 words WANG, Jia-li, Dong-cheng LIU, Xiao-li GUO, Wen-long Y ANG, and Ai-min ZHANG. "Expansin Genes Expressed ...	1%
3	Crossref 25 words Marrero, J.A. "GP73, a resident Golgi glycoprotein, is a ... ovel serum marker for hepatocellular carcinoma", Journ	1%
4	Crossref 22 words J. F. Morris. "Lack of Annexin 1 Results in an Increase i ... Corticotroph Number in Male but not Female Mice", Jour	1%
5	Crossref 22 words Zhang, Pengjun, Xinyu Wen, Feng Gu, Xinxin Deng, Juan Li, Jin Dong, Jiao Jiao, and Yaping Tian. "Methylation pro	1%
6	Internet 19 words crawled on 26-Jun-2010 <a href="http://aje.oxfordjournals.org">aje.oxfordjournals.org</a>	1%
7	Internet 18 words crawled on 01-Nov-2009 <a href="http://en.wikipedia.org">en.wikipedia.org</a>	<1%



文章

找到约 815 条结果 (用时0.14秒)

我的个人学术档案

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### EPISPOT assay: detection of viable DTCs/CTCs in solid tumor patients

C Alix-Panabières - ... Disease and Circulating Tumor Cells in Breast Cancer, 2012 - Springer  
... and as a large range of fluorochromes is available, it should permit the extension of this technique to a multi-parameter analysis and ... Ho SB et al (1993) Heterogeneity of mucin gene expression in normal and neoplastic tissues ... Genes Dev 16:693-706PubMedCrossRef. 18 ...

☆ 99 被引用次数: 103 相关文章 所有 5 个版本

### Challenging homeostasis to define biomarkers for nutrition related health

B van Ommen, J Keijer, SG Heil... - Molecular nutrition & ..., 2009 - Wiley Online Library  
... Specifically, comprehensive multi-parameter ("omics") analysis may identify key parameters (biomarkers) and lead to a ... C., Ma, KN, Potter, JD, et al., Vitamin D receptor gene polymorphisms, dietary ... LR, Shelling, AN, Browning, BL, Huebner, C., Petermann, I., Genes, diet and ...

☆ 99 被引用次数: 115 相关文章 所有 12 个版本

### Higher frequencies of GARP+ CTLA-4+ Foxp3+ T regulatory cells and myeloid-derived suppressor cells in hepatocellular carcinoma patients are associated with ...

S Kalathil, AA Lugade, A Miller, R Iyer, Y Thanavala - Cancer research, 2013 - AACR

Skip to main content ...

☆ 99 被引用次数: 112 相关文章 所有 11 个版本

[HTML] nih.gov

### [HTML] Multiparameter immune profiling of operational tolerance in liver transplantation

M Martínez-Llordella, I Puig-Pey... - American Journal of ..., 2007 - Wiley Online Library  
... to confirm at the protein level the up-regulated expression of genes encoding for ... absence of differences between TOL and ID samples in Foxp3 gene expression, TOL recipients ... consortium, and have assessed different immunological variables to define a multi-parameter &lsquo

☆ 99 被引用次数: 205 相关文章 所有 8 个版本

[HTML] wiley.com



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 61,700 条结果 (用时 0.43 秒)

### Genes expression profiling of peripheral blood cells of patients with ...

<https://www.ncbi.nlm.nih.gov/pubmed/22582734> - 翻译此页

作者: PJ Zhang - 2012 - 被引用次数: 11 - 相关文章

Cell Biol Int. 2012 Sep;36(9):803-9. doi: 10.1042/CBI20100920. Genes expression profiling of peripheral blood cells of patients with hepatocellular carcinoma.

缺少字词: multi parameter early detection

### Gene expression profiling of peripheral blood cells for early detection ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2880427/> - 翻译此页

作者: J Aarøe - 2010 - 被引用次数: 87 - 相关文章

2010年1月15日 - Gene expression profiling of peripheral blood cells for early detection ... Early detection of breast cancer is key to successful treatment and patient survival. .... women at multiple time points (biological replicates), three blood samples from .... Parameters such as tumor grade, estrogen receptor (ER) status or ...

缺少字词: hepatocellular

### Expression Profiling of Peripheral-Blood Mononuclear Cells from ...

<https://academic.oup.com/jid/article/195/2/255/820971> - 翻译此页

作者: M Tateno - 2007 - 被引用次数: 19 - 相关文章

MethodsWe investigated the gene-expression profiles of peripheral-blood ... of PBMCs from patients with CH-C and healthy volunteers differed substantially; early T .... and the weight parameter was determined by the SWEEP operator method. .... Identification of differentially expressed genes in hepatocellular carcinoma ...

### Multiple Biomarker Panels for Early Detection of Breast Cancer in ...

<https://www.hindawi.com/journals/bmri/2013/781618/> - 翻译此页

作者: F Zhang - 2013 - 被引用次数: 4 - 相关文章

2013年11月8日 - Aarøe et al. collected peripheral blood from 67 breast cancer ... of gene expression profiling of peripheral blood cells for early detection of blood cancer. ... The validation set is used to tune the parameters of the classifier.

缺少字词: hepatocellular

### An RNA-based signature enables high specificity detection of ...

[www.pnas.org/content/114/5/1123.full](http://www.pnas.org/content/114/5/1123.full) - 翻译此页

作者: M Kalinich - 2017 - 被引用次数: 7 - 相关文章

2017年1月31日 - The early detection of hepatocellular carcinoma (HCC) is of paramount ... a cancer that