

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

### Disseminated fungal infections in very low-birth-weight infants: therapeutic toxicity

JE Baley, RM Kliegman, AA Fanaroff - Pediatrics, 1984 - Am Acad Pediatrics

... 2 February 1984 153 Disseminated Fungal Infections in Very Low-Birth-Weight Infants: Therapeutic Toxicity ... gal therapy of ten very low-birth-weight infants with disseminated fungal infections. ... maximal dose was reached at a mean of five days of therapy (range three to ii days). ...

被引用次数: 128 相关文章 所有 5 个版本 引用 保存

### A clinician's guide to cost-effectiveness analysis

AS Detsky, IG Naglie - Ann Intern Med, 1990 - Am Coll Physicians

... if both the costs and clinical outcomes associated with the alternate therapy (for example ... In these circumstances, the difference in costs between the two therapies equals the cost of ... how- ever, very few clinical circumstances where the alter- nate therapeutic strategy for patients ...

被引用次数: 767 相关文章 所有 8 个版本 引用 保存

### [HTML] Adverse effects of early dexamethasone treatment in extremely-low-birth-weight infants

AR Stark, WA Carlo, JE Tyson, LA Papile... - ... England Journal of ..., 2001 - Mass Medical Soc

... In a two-by-two factorial design, we tested both dexamethasone treatment and a strategy of minimal ... 10 Use of other glucocorticoids or physiologic replacement rather than therapeutic doses may ... Early inhaled glucocorticoid therapy to prevent bronchopulmonary dysplasia. ...

被引用次数: 389 相关文章 所有 11 个版本 引用 保存

### Pediatric acute lung injury: prospective evaluation of risk factors associated with mortality

HR Flori, DV Glidden, GW Rutherford... - American journal of ..., 2005 - Am Thoracic Soc

... These patients provide a valuable group in whom new therapies can be tested. ... Past Medical History, Premature at birth, 43 (13%). ... Definition of abbreviations: ALI = acute lung injury; ARDS = acute respiratory distress syndrome; PICU = pediatric intensive care unit. ...

被引用次数: 344 相关文章 所有 11 个版本 引用 保存

[PDF] wisc.edu

[HTML] nejm.org

[HTML] atsjournals.org

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35806

Manuscript Type: CASE REPORT

**Rescue case of low birth weight infant with acute hepatic failure**

Okada N *et al.* Low weight infant with hepatic failure

Noriki Okada, Yukihiro Sanada, Taizen Urahashi, Yoshiyuki Ihara, Naoya Yamada, Yuta Hirata, Takumi Katano, Kentaro Ushijima, Shinya Otomo, Shujiro Fujita, Koichi Mizuta

### Match Overview

- |   |   |     |
|---|---|-----|
| 1 | <b>Crossref</b> 15 words<br>Sanada, Y. "Hepatic Arterial Buffer Response after Pediatric Living Donor Liver Transplantation: Report of a Case", <i>Tr</i> | 1%  |
| 2 | <b>Internet</b> 13 words<br>crawled on 13-Aug-2017<br><a href="http://bts.org.uk">bts.org.uk</a>  | <1% |
| 3 | <b>Crossref</b> 13 words<br>Jimenez-Rivera, Carolina, Scott Nightingale, Eric I. Benchi mol, George V. Mazariegos, and Vicky L. Ng. "Outcomes in I        | <1% |
| 4 | <b>Crossref</b> 12 words<br>Koura, Uta, Shinjiro Horikawa, Mako Okabe, Yukako Kawasaki, Masami Makimoto, Koichi Mizuta, and Taketoshi Yoshi               | <1% |
| 5 | <b>Crossref</b> 12 words<br>Sanada, Yukihiro, Taiichi Wakiya, Shuji Hishikawa, Yuta Hirata, Naoya Yamada, Noriki Okada, Yoshiyuki Ihara, Taizen           | <1% |

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[\[HTML\] The HELLP syndrome: clinical issues and management. A Review](#)[\[HTML\] biomedcentral.com](#)

K Haram, E Svendsen... - BMC ... , 2009 - bmcpregnancychildbirth. ...

... which may be absent in 10–20% of the cases [9]. Excessive weight gain and generalized oedema precede the syndrome in more than 50% of the cases [8]. ... by high LDH concentration and the presence of unconjugated bilirubin, but the demonstration of low or undetectable ...

被引用次数: 414 相关文章 所有 18 个版本 引用 保存 更多

时间不限

2017以来

2016以来

2013以来

自定义范围...

[\[HTML\] Vitamin A supplementation for extremely-low-birth-weight infants](#)[\[HTML\] nejm.org](#)

JE Tyson, LL Wright, W Oh, KA Kennedy... - ... England Journal of ... , 1999 - Mass Medical Soc

... For example, at most hospitals (those with 4 cases or fewer per 1000 births ... University of Alabama — MV Collins; Brigham and Women's Hospital — K. Fournier; Case Western Reserve ... retinol-binding protein response to vitamin A administration in very-low-birth-weight neonates. ...

被引用次数: 415 相关文章 所有 18 个版本 引用 保存

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

[\[HTML\] Arginine-vasopressin in catecholamine-refractory septic versus non-septic shock in extremely low birth weight infants with acute renal injury](#)[\[HTML\] biomedcentral.com](#)

S Meyer, S Gottschling, A Baghai, D Wurm... - Critical ... , 2006 - ccforum.biomedcentral.com

... a dose-up manner according to clinical judgements specific to each case, adequate volume ... AVP may be a viable rescue therapy for ELBW infants with intractable vasodilatation and ... of vasopressin in refractory hypotension in children with vasodilatory shock: Five cases and a ...

被引用次数: 50 相关文章 所有 12 个版本 引用 保存 更多

 包括专利 包含引用[Extracorporeal membrane oxygenation after stage I reconstruction for hypoplastic left heart syndrome](#)

C Ravishankar, TE Dominguez, J Kreutzer... - Pediatric Critical Care ... , 2006 - journals.lww.com

Objective: Although extracorporeal membrane oxygenation

(ECMO) is an acceptable strategy for children.

被引用次数: 70 相关文章 所有 6 个版本 引用 保存

 创建快讯[Pre-eclampsia](#)[\[PDF\] researchgate.net](#)

B Sibai, G Dekker, M Kupferminc - The Lancet, 2005 - Elsevier

全部 图片 新闻 视频 购物 更多 设置 工具

找到约 88,100 条结果 (用时 0.52 秒)

## Google 学术: Rescue case of low birth weight infant with acute hepatic failure

The HELLP syndrome: clinical issues and ... - Haram - 被引用次数: 414

... supplementation for extremely-low-birth-weight infants - Tyson - 被引用次数: 415

... shock in extremely low birth weight infants with acute ... - Meyer - 被引用次数: 50

## Pregnancy with Portal Hypertension - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: N Aggarwal - 2014 - 被引用次数: 18 - 相关文章

2014年6月23日 - Pregnant patient with cirrhosis may develop liver dysfunction in the form of ... in the acute phase of disease, in case of complications, or if a liver transplant is likely. ... in addition to being a risk factor for pre-term labor, low birth weight. ... vertical transmission to the neonate needs to be avoided by giving ...

## Oxford Textbook of Medicine: Sections 1-10. Vol. 1

<https://books.google.co.jp/books?isbn=0192629220> - 翻译此页

David A. Warrell - 2003

Table 4 Clinical features and laboratory variables in acute fatty liver of ... with acute hepatitis B to her off — spring occurs in 50 per cent of cases, rising to ... development of acute liver failure during the third trimester, but transmission ... fer— tile, although with a high rate of prematurity, low—birthweight babies, and stillbirths.

## The Diagnosis, Management and Postnatal Prevention of ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: HJ McCrea - 2008 - 被引用次数: 166 - 相关文章

Intraventricular hemorrhage occurs in 20 – 25% of very low birth weight preterm ... The more severe grades of IVH are characterized by the acute distension of the ... and the Centers for Disease Control