

Name of Journal: *World Journal of Critical Care Medicine*

Manuscript NO: 36010

Manuscript Type: Original Article

Basic Study

Effects of mineralocorticoid receptor antagonists on responses to hemorrhagic shock in rats

Kanako Yamamoto, Takashi Yamamoto, Masayuki Takamura, Soichiro Usui, Hisayoshi Murai, Shuichi Kaneko, Takumi Taniguchi

Abstract

AIM

To evaluate the effects of mineralocorticoid receptor (MR) antagonists on mortality and inflammatory responses after hemorrhagic shock (HS) in rats.

METHODS

One hundred and two male Sprague-Dawley rats were randomly assigned to one of the following three groups: Control, spironolactone (SPL), and enlerenone (EP) groups. HS was induced by the removal of blood. One half of

Match Overview

1	Internet 26 words crawled on 25-Jun-2016 www.wjgnet.com	1%
2	Internet 20 words crawled on 02-Apr-2014 www.thehbsn.org	1%
3	Internet 14 words crawled on 09-Sep-2016 journals.lww.com	<1%
4	Internet 13 words crawled on 10-Nov-2017 repository.kulib.kyoto-u.ac.jp	<1%
5	Crossref 11 words Blachnio-Zabielska, Agnieszka U., Christina Koutsari, Tamara Tchkonja, and Michael D. Jensen. "Sphingolipid Cont...	<1%
6	Crossref 10 words Zhang, Xiangmei, Kunihiro Yamaoka, Koshiro Sonomoto, Hiroaki Kaneko, Makoto Satake, Yuka Yamamoto, Masahiro	<1%
7	Crossref 10 words Takumi Taniguchi. "EFFECTS OF CARVEDILOL ON MORTALITY AND INFLAMMATORY RESPONSES TO SEVER	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 22,800 条结果 (用时 0.47 秒)

Google 学术 : Effects of mineralocorticoid receptor antagonists on responses to hemorrhagic shock in rats

Neuroendocrine pharmacology of stress - Carrasco - 被引用次数 : 942

Pathophysiological effects of aldosterone in ... - Rocha - 被引用次数 : 226

Inflammatory responses and mediators - Kim - 被引用次数 : 187

The residual effects of hemorrhagic shock on pain reaction and c-fos ...

<https://www.ncbi.nlm.nih.gov/pubmed/11473874> - 翻译此页

作者 : T Fukuda - 2001 - 被引用次数 : 9 - 相关文章

Anesth Analg. 2001 Aug;93(2):424-9, 4th contents page. The residual effects of hemorrhagic shock on pain reaction and c-fos expression in rats. Fukuda T(1) ...

缺少字词 : mineralocorticoid receptor antagonists

A New Model of Severe Hemorrhagic Shock in Rats - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : T Rönn - 2011 - 被引用次数 : 21 - 相关文章

The MAP of rats was adjusted to 25 to 30 mm Hg by blood withdrawals during 30 min..... Hemorrhagic shock results from a life-threatening loss of blood and leads to tissue in the liver inflammatory response after uncontrolled hemorrhagic shock. of peroxisome proliferator-activated receptor γ in hemorrhagic shock.

缺少字词 : mineralocorticoid antagonists

Effects of Hemorrhagic Shock on Adrenal Response in a Rat Model

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : CD Rushing - 2006 - 被引用次数 : 22 - 相关文章



时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Neuroendocrine pharmacology of stress

GA Carrasco, LD Van de Kar - European journal of pharmacology, 2003 - Elsevier

Exposure to hostile conditions initiates responses organized to enhance the probability of survival. These coordinated responses, known as stress responses, are.

☆ 被引用次数：957 相关文章 所有 11 个版本

Pathophysiological effects of aldosterone in cardiovascular tissues

R Rocha, CT Stier - Trends in Endocrinology & Metabolism, 2001 - Elsevier

... Interestingly, hyperkalemia was not a significant side effect in this study ... The side effects of spironolactone via these receptors limit the use of this antagonist, particularly in ... The results from the RALES study with spironolactone showed a 30% risk reduction (95% confidence ...

☆ 被引用次数：235 相关文章 所有 11 个版本

[PDF] academia.edu

Inflammatory responses and mediators

PK Kim, CS Deutschman - Surgical Clinics, 2000 - surgical.theclinics.com

... Cortisol also has some mineralocorticoid activity, enhancing fluid retention ... Because the effect of cytokines in vivo varies depending on time and location, classification into ... TNF- α and IL-1 β have similar effects, despite having different receptors and different intracellular signaling ...

☆ 被引用次数：192 相关文章 所有 5 个版本

How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions

RM Sapolsky, LM Romero, AU Munck - Endocrine reviews, 2000 - academic.oup.com

☆ 被引用次数：5396 相关文章 所有 16 个版本

[HTML] oup.com

Human endothelium: target for aldosterone

H Oberleithner, T Ludwig, C Riethmüller... - ..., 2004 - Am Heart Assoc

Skip to main content. American Heart Association; Science Volunteer; Warning Signs; Search for this keyword. Search. Advanced Search; Donate. Home; About this Journal: General Statistics; Editorial Board; Editors; Information for ...

☆ 被引用次数：138 相关文章 所有 12 个版本

[HTML] ahajournals.org

Physiopharmacological interactions between stress hormones and central serotonergic systems

F Chaouloff - Brain Research Reviews, 1993 - Elsevier

The present review tries to delineate some mechanisms through which the sympathetic nervous

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 25,600 条结果 (用时 0.53 秒)

Google 学术: Effects of mineralocorticoid receptor antagonists on responses to hemorrhagic shock in rats

Neuroendocrine pharmacology of stress - Carrasco - 被引用次数: 957

Pathophysiological effects of aldosterone in ... - Rocha - 被引用次数: 235

Inflammatory responses and mediators - Kim - 被引用次数: 192

Mineralocorticoid receptor antagonists attenuate exaggerated ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/28733447> - 翻译此页

作者: RM Downey - 2017 - 被引用次数: 1

Am J Physiol Heart Circ Physiol. 2017 Oct 1;313(4):H788-H794. doi: 10.1152/ajpheart.00155.2017. Epub 2017 Jul 21. Mineralocorticoid receptor antagonists attenuate exaggerated exercise pressor reflex responses in hypertensive rats. Downey RM(1)(2), Mizuno M(1)(2), Mitchell JH(2), Vongpatanasin W(2)(3), Smith ...

缺少字词: hemorrhagic shock

Brenner and Rector's The Kidney E-Book - 第 299 页 - Google 图书结果

<https://books.google.ae/books?isbn=0323262597> - 翻译此页

Karl Skorecki, Glenn M. Chertow, Philip A. Marsden - 2015 - Medical

cAMP levels. 144 Other factors involved in the effects of lithium on water balance could be altered PGE2 production or secretion, cyclo-oxygenase-2 ... system via captopril (angiotensin-converting enzyme inhibitor), spironolactone (mineralocorticoid receptor blocker), or candesartan (angiotensin II receptor antagonist).293 ...

Effects of mineralocorticoid receptor blockade on glucocorticoid ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3034279/> - 翻译此页