

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 14,400 条结果 (用时 0.46 秒)

Google 学术: Childhood-onset inflammatory bowel diseases associated with mutation of Wiskott–Aldrich syndrome protein gene

... diseases associated with intestinal inflammation: ... - Uhlig - 被引用次数: 127

... very early onset inflammatory bowel disease - Uhlig - 被引用次数: 163

... with infliximab in a patient with PAPA syndrome - Stichweh - 被引用次数: 105

Genetics of inflammatory bowel disease from multifactorial to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4649114/> - 翻译此页

作者: AM Bianco - 2015 - 被引用次数: 31 - 相关文章

跳到MONOGENIC FORMS IN EARLY ONSET IBD - Most of these genes are the cause of very rare monogenic ... very early onset of inflammatory bowel disease ... recessive disease caused by mutations in the MVK gene and it is Wiskott Aldrich Syndrome, an X-linked PID due to mutation in WASP protein, can often ...

The Diagnostic Approach to Monogenic Very Early Onset Inflammatory ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5376484/> - 翻译此页

作者: HH Uhlig - 2014 - 被引用次数: 167 - 相关文章

2014年7月21日 - Genetic analysis is required to identify the cause of the disorder and ... Inflammatory bowel diseases (IBD) are a diverse group of complex and ... includes a neonatal, infantile, toddler and early childhood group. Several other primary immune deficiencies, such as Wiskott Aldrich syndrome (WAS) and ...

Monogenic diseases associated with intestinal inflammation ...

gut.bmj.com › Archive › Volume 62, Issue 12 ▼ 翻译此页

作者: HH Uhlig - 2013 - 被引用次数: 127 - 相关文章

Pathway interaction between key genes associated with inflammatory bowel ... (B) Examples for signalling pathways and protein network interactions that Most monogenic disorders have an onset of colitis symptoms during early childhood. ... monogenic B cell defects, Wiskott–Aldrich syndrome,⁵⁷ Omenn syndrome⁵⁸ or ...

Match Overview

1	Internet 48 words crawled on 14-Jun-2017 www.wjgnet.com	1%
2	Internet 24 words crawled on 08-Nov-2017 e-sciencecentral.org	1%
3	Crossref 19 words Zong, Liang, Jing Guan, Megan Ealy, Qiuqing Zhang, Dayo ng Wang, Hongyang Wang, Yali Zhao, Zhirong Shen, Colle	1%
4	Crossref 19 words Scott B. Snapper, Fred S. Rosen, Emiko Mizoguchi, Paul C ohen et al. "Wiskott-Aldrich Syndrome Protein-Deficient M...	1%
5	Crossref 19 words Hoshino, Akihiro, Masaki Shimizu, Hiroyoshi Matsukura, Hi sano Sakaki-Nakatsubo, Keiko Nomura, Toshio Miyawaki,	1%
6	Crossref 17 words Sheikh, S.M. "A kindred with a non-WASP-associated Wisk ott-Aldrich syndrome variant characterized by mental imp...	<1%
7	Internet 14 words crawled on 05-Oct-2017 real.mtak.hu	<1%
8	Crossref 13 words Tasuku Suzuki, Yoji Sasahara, Atsuo Kikuchi, Humihiko Ka kuta, Toshihiko Kashiwabara, Takashi Ishige, Yoshiko Naka	<1%

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 36449

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Childhood-onset inflammatory bowel diseases associated with mutation of Wiskott-Aldrich syndrome protein gene

Ohya T *et al.* Analysis of genetic background in IBD

Takashi Ohya, Masakatsu Yanagimachi, Kentaro Iwasawa, Shuichiro Umetsu, Tsuyoshi Sogo, Ayano Inui, Tomoo Fujisawa, Shuichi Ito

Abstract

AIM

To screen primary immunodeficiency, Wiskott-Aldrich syndrome (WAS), and chronic granulomatous disease (CGD) among children with inflammatory bowel

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 15,100 条结果 (用时 0.44 秒)

Google 学术: Childhood-onset inflammatory bowel diseases associated with mutation of Wiskott–Aldrich syndrome protein gene

... diseases associated with intestinal inflammation: ... - Uhlig - 被引用次数: 130

... very early onset inflammatory bowel disease - Uhlig - 被引用次数: 178

... with infliximab in a patient with PAPA syndrome - Stichweh - 被引用次数: 109

Genetics of inflammatory bowel disease from multifactorial to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4649114/> - 翻译此页

作者: AM Bianco - 2015 - 被引用次数: 33 - 相关文章

跳到MONOGENIC FORMS IN EARLY ONSET IBD - Most of these genes are the cause of very rare monogenic ... very early onset of inflammatory bowel disease ... recessive disease caused by mutations in the MVK gene and it is Wiskott Aldrich Syndrome, an X-linked PID due to mutation in WASP protein, can often ...

The Diagnostic Approach to Monogenic Very Early Onset Inflammatory ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5376484/> - 翻译此页

作者: HH Uhlig - 2014 - 被引用次数: 173 - 相关文章

2014年7月21日 - Genetic analysis is required to identify the cause of the disorder and ... Inflammatory bowel diseases (IBD) are a diverse group of complex and ... includes a neonatal, infantile, toddler and early childhood group. Several other primary immune deficiencies, such as Wiskott Aldrich syndrome (WAS) and ...

Monogenic diseases associated with intestinal inflammation ...

gut.bmj.com > Archive > Volume 62, Issue 12 - 翻译此页

作者: HH Uhlig - 2013 - 被引用次数: 130 - 相关文章

Pathway interaction between key genes associated with inflammatory bowel ... (B) Examples for signalling pathways and protein network interactions that Most monogenic disorders have an onset of colitis symptoms during early childhood. ... monogenic B cell defects, Wiskott–Aldrich syndrome,57 Omenn syndrome58 or ...

找到约 15,100 条结果 (用时 0.63 秒)

Google 学术 : Childhood-onset inflammatory bowel diseases associated with mutation of Wiskott–Aldrich syndrome protein gene

... diseases associated with intestinal inflammation: ... - Uhlig - 被引用次数 : 130

... very early onset inflammatory bowel disease - Uhlig - 被引用次数 : 178

... with infliximab in a patient with PAPA syndrome - Stichweh - 被引用次数 : 109

Genetics of inflammatory bowel disease from multifactorial to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4649114/> ▼ 翻译此页

作者 : AM Bianco - 2015 - 被引用次数 : 33 - 相关文章

跳到MONOGENIC FORMS IN EARLY ONSET IBD - ... onset IBD (younger than 2 years, VEO-IBD), and early childhood groups[25]. ... Most of these genes are the cause of very rare monogenic disorders that can Wiskott Aldrich Syndrome, an X-linked PID due to mutation in WASP protein, can often present with ...

The Diagnostic Approach to Monogenic Very Early Onset Inflammatory ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5376484/> - 翻译此页

作者 : HH Uhlig - 2014 - 被引用次数 : 173 - 相关文章

2014年7月21日 - Genetic analysis is required to identify the cause of the disorder and ... Inflammatory bowel diseases (IBD) are a diverse group of complex and ... includes a neonatal, infantile, toddler and early childhood group. Several other primary immune deficiencies, such as Wiskott Aldrich syndrome (WAS) and ...

Monogenic diseases associated with intestinal inflammation ...

gut.bmj.com > Archive > Volume 62, Issue 12 ▼ 翻译此页

作者 : HH Uhlig - 2013 - 被引用次数 : 130 - 相关文章

Pathway interaction between key genes associated with inflammatory bowel ... (B) Examples for signalling pathways and protein network interactions that Most monogenic disorders have an onset of colitis symptoms during early childhood. ... monogenic B cell defects, Wiskott–Aldrich syndrome,57 Omenn syndrome58 or ...

The Diagnostic Approach to Monogenic Very Early Onset Inflammatory ...

www.sciencedirect.com/science/article/pii/S0016508514009196 ▼ 翻译此页

Genetic analysis is required to identify the cause of the disorder and offer the patient Based on the enrichment of known causative mutations as well as extreme ... with IBD develop intestinal inflammation during childhood and adolescence. as Wiskott–Aldrich syndrome (WAS) and atypical SCID or