

Characterization of major constituents of biofilms adhering to indwelling biliary

全部 图片 视频 新闻 地图 图书

找到约 13,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Sex Pheromone Response, Clumping, and Slime Production in ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC497634/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC497634/>

Thus, slime production is closely **related** to **biofilm** establishment, and it can be ... Enterococci are known for **their** acquired multidrug resistance, and the recent ... of AS genes and the ability to **adhere** to Caco-2 cells and to produce **biofilms**. ... contamination is a **major factor** in the pathogenesis of **stent occlusion** (2, 25, 28).

[Plastic Biliary Stent Occlusion: Factors Involved and Possible ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1855334/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1855334/>

Factors and mechanisms **involved** in plastic stent clogging arising from ... However, late stent **occlusion**, the **major** complication with **biliary stents**, occurs in a ... In addition to microbial colonization and duodenal reflux of food **constituents** (e.g., ... to **adhere** to in vitro cultured cells and to produce **biofilm**, as well as **their** ...

[Mechanisms of Biliary Plastic Stent Occlusion and Efforts at Prevention](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4821514/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4821514/>

22 Mar 2016 ... Keywords: Stents, Biliary tract, **Occlusion**, Patency, **Biofilms** ... The **main** disadvantage of plastic stents is **their** limited diameter. ... efforts and **related** studies to improve stent patency, and **potential** new ... Donelli G, Guaglianone E, Di Rosa R, Ficoca F, Basoli A. Plastic **biliary stent occlusion: factors involved** ...

[Emilio Guaglianone's scientific contributions in Microbial Biofilms ...](https://www.researchgate.net/scientific.../39888650_Emilio_Guaglianone)

https://www.researchgate.net/scientific.../39888650_Emilio_Guaglianone

Article: Emerging role of Enterococcus spp in catheter-**related** infections: **Biofilm** ... Although **their** virulence is relatively low, recently enterococci have emerged as ... presence of aggregation substance genes, and ability to **adhere** to Caco-2 cells, ... Article: Plastic **Biliary Stent Occlusion: Factors Involved** and Possible ...

[Device-Associated Infections: A Macroproblem ... - Oxford Academic](https://academic.oup.com/.../Device-Associated-Infections-A-Macroproblem-that)

<https://academic.oup.com/.../Device-Associated-Infections-A-Macroproblem-that>

Device-associated infections can cause **major** medical and economic ... **related**, 87% of cases of bloodstream infection originate from an **indwelling** ... (2) address the **potential** impact of bacterial colonization on device function; ... Ultrastructural examination of the **biofilm** that usually blocks **biliary stents**, and requires **their** ...

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 36468

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Characterization of biofilms in biliary stents and potential factors involved in occlusion

Chetana Vaishnavi, Jayanta Samanta, Rakesh Kochhar

Abstract

AIM

To quantify the components in biofilms and analyze the predisposing factors involved in occlusion of biliary stents.

METHODS

In a prospective study conducted from April 2011 to March 2014 at a tertiary care hospital, all consecutive patients who required endoscopic biliary stent

Match Overview

- | | | |
|---|--|----|
| 1 | Internet 35 words
crawled on 05-Aug-2017
preview-aricjournal.biomedcentral.com | 1% |
| 2 | Crossref 23 words
Mah, T.F.C., "Mechanisms of biofilm resistance to antimicrobial agents", Trends in Microbiology, 20010101 | 1% |

找到约 116,000 条结果 (用时 0.61 秒)

Google 学术 : Characterization of biofilms in biliary stents and potential factors involved in occlusion

... metal stents for palliation of distal malignant bile duct ... - Saleem - 被引用次数 : 180

... stents for malignant distal common bile duct strictures - Tringali - 被引用次数 : 72

... strains isolated from occluded biliary stents - Donelli - 被引用次数 : 19

Mechanisms of Biliary Plastic Stent Occlusion and Efforts at Prevention

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4821514/> ▼ 翻译此页

作者 : CI Kwon - 2016 - 被引用次数 : 3 - 相关文章

2016年3月22日 - Removed biliary plastic stents evaluated by longitudinal sectioning show a less than 0.5-mm-thick inner layer of biofilm; the occlusion is mostly caused by debris, Donelli G, Guaglianone E, Di Rosa R, Fiocca F, Basoli A. Plastic biliary stent occlusion: factors involved and possible preventive approaches.

Plastic Biliary Stent Occlusion: Factors Involved and Possible ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1855334/> ▼ 翻译此页

作者 : G Donelli - 2007 - 被引用次数 : 111 - 相关文章

Factors and mechanisms involved in plastic stent clogging arising from epidemiological, clinical and experimental data, as well as the possible strategies to prevent biliary stent failure, will be reviewed and discussed. Keywords: Biliary stent, Cholangitis, Endoscopic insertion, Microbial biofilm, Prevention, Stent occlusion.

缺少字词 : potential

The ISME Journal - Characterization of the complex bacterial ... - Nature

www.nature.com > Journal home > Archive > Original Articles ▼ 翻译此页

作者 : BK Scheithauer - 2009 - 被引用次数 : 13 - 相关文章

2009年4月9日 - However, the positioning of biliary stents results in the disruption of the sphincter of Oddi and microbial contamination through an ascending infection by duodenal biliary reflux (Sung et al., 1992). The major limitation of stent therapy is stent occlusion by a microbial biofilm (Donelli et al., 2007; Nocker et al., ...

Biliary Endoprosthesis: A Prospective Analysis of Bacterial ... - PLOS

journals.plos.org/plosone/article?id=10.1371/journal.pone.0110112 ▼ 翻译此页

作者 : J Schneider - 2014 - 被引用次数 : 16 - 相关文章

2014年10月14日 - Bacterial colonization of biliary stents is one of the driving forces behind sludge