

6

Name of Journal: *World Journal of Gastroenterology***Manuscript NO:** 37130**Manuscript Type:** ORIGINAL ARTICLE***Basic Study*****Long noncoding RNA RP4 functions as a competing endogenous RNA through miR-7-5p sponge activity in colorectal cancer**Mu-Lin Liu, Qiao Zhang, Xiao Yuan, Long Jin, Li-Li Wang, Tao-Tao Fang,
Wen-Bin Wang**Abstract*****AIM***

To investigate the role of long noncoding (lnc)RNA RP4 in colorectal cancer.

METHODS

Lentivirus-mediated lncRNA RP4 overexpression and knockdown were

Match Overview

1

Crossref 116 words

Guanli Huang, Xiaoli Wu, Shi Li, Xiaoqun Xu, Hua Zhu, Xiangjian Chen: "The long noncoding RNA CASC2 functions ...

4%

2

Internet 52 wordscrawled on 25-Jan-2017
bmcgastroenterol.biomedcentral.com

2%

3

Crossref 41 words

Xiao-Lin Liu, Hai-Xia Cao, Bao-Can Wang, Feng-Zhi Xin, Rui-Nan Zhang, Da Zhou, Rui-Xu Yang, Ze-Hua Zhao, Qin P

1%

4

Internet 40 wordscrawled on 30-Aug-2013
www.atgcchecker.com

1%

5

Crossref 15 words

Keith M. Giles, Rikki A. M. Brown, Clarissa Ganda, Melissa J. Podgorny et al. "microRNA-7-5p inhibits melanoma cell ...

<1%

6

Internet 15 wordscrawled on 05-Oct-2017
real.mtak.hu

<1%

7

Publications 14 words

"ITUS Demonstrates Efficacy of Its Cchek(TM) Early Cancer Detection Platform With Colon Cancer.", Internet Wire, Sept

<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 46 条结果 (用时 0.56 秒)

LncRNA AFAP1-AS Functions as a Competing Endogenous RNA to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5599927/> - 翻译此页

作者: G Chen - 2017

2017年9月3日 - Moreover, the competing endogenous RNA (ceRNA) activity of ... RAP1B via its competing endogenous RNA (ceRNA) activity on miR-181a. ... Long non-coding RNAs, also known as lncRNAs, have recently ... the expression of AFAP1-AS in HSCR and control colon tissues by qRT-PCR. ... 1985;32:171-7.

缺少字词: rp4 5p sponge

The long noncoding RNA CASC2 functions as a competing ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4873821/> - 翻译此页

作者: G Huang - 2016 - 被引用次数: 40 - 相关文章

2016年5月20日 - In colorectal cancer (CRC), the expression of several lncRNAs is ... of human colorectal cancer and may serve as novel therapeutic targets. ... A large number of lncRNAs may function by competing with endogenous RNA (ceRNA) through a common ... CASC2 functions as a miR-18a decoy in CRC cells.

Long non-coding RNA MEG3 functions as a competing endogenous ...

<https://jeccr.biomedcentral.com/articles/10.1186/s13046-015-0197-7> - 翻译此页

作者: W Peng - 2015 - 被引用次数: 88 - 相关文章

2015年8月8日 - Long noncoding RNAs (lncRNAs) have recently emerged as important ... RNA (ceRNA) activity of MEG3 on miR-181a was investigated via ... MEG3Gastric cancerCompeting endogenous RNAmiR-181a ... H19 dysregulation has also been implicated in a variety of other cancers, as colorectal cancer, ...

Long Non-Coding RNA and Alternative Splicing Modulations in ...

journals.plos.org/ploscompbiol/article?id=10.1371/journal.pcbi.1003517 - 翻译此页

作者: L Soreq - 2014 - 被引用次数: 61 - 相关文章

2014年3月20日 - Author Summary Long non-coding RNAs (lncRNAs) comprise a novel, ... Using RNA-sequencing technology and a novel computational workflow for in-depth ... that in the nervous system, lncRNA functions span regulating brain ... (2006) Alternative splicing and differential gene expression in colon cancer.

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 45 条结果 (用时 0.52 秒)

Long noncoding RNA CRNDE functions as a competing endogenous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5221653/> 翻译此页

作者: H Gao - 2017 - 被引用次数: 7 - 相关文章

2017年1月5日 - Long noncoding RNA CRNDE functions as a competing endogenous RNA to promote metastasis and oxaliplatin resistance by sponging miR-136 in ... irinotecan, cetuximab and bevacizumab are the first-line options for treatment of metastatic colorectal cancer.7–9 Increasing data have implicated the ...

缺少字词: rp4

The long noncoding RNA CASC2 functions as a competing ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4873821/> 翻译此页

作者: G Huang - 2016 - 被引用次数: 47 - 相关文章

2016年5月20日 - The long noncoding RNA CASC2 functions as a competing endogenous RNA by sponging miR-18a in colorectal cancer ... evidence has suggested that various lncRNAs also act as modulators in carcinogenesis and the progression of human colorectal cancer and may serve as novel therapeutic targets.

缺少字词: rp4

Long non-coding RNA MEG3 functions as a competing endogenous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4529701/> 翻译此页

作者: W Peng - 2015 - 被引用次数: 95 - 相关文章

2015年8月8日 - Long non-coding RNA MEG3 functions as a competing endogenous RNA to regulate gastric cancer progression. Weizhao Peng ..., and MGC-803. Moreover, the competing endogenous RNA (ceRNA) activity of MEG3 on miR-181a was investigated via luciferase reporter assay and immunoblot analysis.

缺少字词: rp4 5p

Progress in research of competing endogenous RNAs related to ...

https://www.researchgate.net/.../314267321_Progress_in_research_of_comp... 翻译此页

Competing endogenous RNAs (ceRNAs) are RNA transcripts which can communicate with each other by sponging and decreasing target microRNAs (miRNAs) and thus de-repressing messenger RNAs

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 207 条结果 (用时 0.69 秒)

Long noncoding RNA CRNDE functions as a competing endogenous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5221653/> ▼ 翻译此页

作者: H Gao - 2017 - 被引用次数: 7 - 相关文章

2017年1月5日 - Long noncoding RNA CRNDE functions as a competing endogenous RNA to promote metastasis and oxaliplatin resistance by sponging miR-136 in ... irinotecan, cetuximab and bevacizumab are the first-line options for treatment of metastatic colorectal cancer.7–9 Increasing data have implicated the ...

缺少字词: rp4

The long noncoding RNA CASC2 functions as a competing - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4873821/> ▼ 翻译此页

作者: G Huang - 2016 - 被引用次数: 48 - 相关文章

2016年5月20日 - The long noncoding RNA CASC2 functions as a competing endogenous RNA by sponging miR-18a in colorectal cancer ... evidence has suggested that various lncRNAs also act as modulators in carcinogenesis and the progression of human colorectal cancer and may serve as novel therapeutic targets.

缺少字词: rp4

Long non-coding RNA MEG3 functions as a competing endogenous ...

<https://jeccr.biomedcentral.com/articles/10.1186/s13046-015-0197-7> ▼ 翻译此页

作者: W Peng - 2015 - 被引用次数: 97 - 相关文章

Weizhao Peng,; Shuang Si,; Qingxia Zhang,; Chaofeng Li,; Fang Zhao,; Fang WangEmail author,; Jia YuEmail author and; Ren MaEmail author. Journal of Experimental & Clinical Cancer Research201534:79. <https://doi.org/10.1186/s13046-015-0197-7>. © Peng et al. 2015. Received: 2 April 2015. Accepted: 29 July 2015.

缺少字词: rp4 5p

Long noncoding RNA associated-competing endogenous RNAs in ...