

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37323

Manuscript Type: ORIGINAL ARTICLE

Observational Study

**Development and predictive validity of the cirrhosis-associated ascites symptom scale:
A cohort study of 103 patients**

Agnete Nordheim Riedel, Nina Kimer, Anne-Sofie Houlberg Jensen, Emilie Kristine Dahl,
Mads Israelsen, Luise Aamann, Lise Lotte Gluud

**Agnete Nordheim Riedel, Nina Kimer, Anne-Sofie Houlberg Jensen, Emilie Kristine
Dahl, Lise Lotte Gluud**, Gastro Unit, Medical Davison, Copenhagen University Hospital
Hvidovre, Hvidovre 2650, Denmark

Nina Kimer, Abdominal Center K, Medical Section, Copenhagen University Hospital

Match Overview

1

Crossref 31 words

**Handbook of Disease Burdens and Quality of Life Measure
s, 2010.**

1%



Development and predictive validity of the Cirrhosis-associated Ascites S



全部

新闻

图片

购物

地图

更多

设置

工具

找到约 9,040 条结果 (用时 0.48 秒)

Google 学术: Development and predictive validity of the Cirrhosis-associated Ascites Symptom Scale: A cohort study of 103 patients

Liver cirrhosis - Schuppan - 被引用次数: 1313

American Association for the Study of Liver Diseases ... - Silveira - 被引用次数: 67

Hyponatremia and mortality among patients on the liver ... - Kim - 被引用次数: 695

Diagnosis of cirrhosis by transient elastography (FibroScan): a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1856085/> ▼ 翻译此页

作者: J Foucher - 2006 - 被引用次数: 1183 - 相关文章

In cirrhotic patients, liver stiffness measurements range from 12.5 to 75.5 kPa. ... patients with cirrhosis were detected with a positive predictive value and a negative ... Progressive hepatic fibrosis with the development of cirrhosis is a feature of of the present study conducted prospectively in a large cohort of patients with ...

Liver Cirrhosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2271178/> ▼ 翻译此页

作者: D Schuppan - 2008 - 被引用次数: 1313 - 相关文章

Cirrhosis is defined as the histological development of regenerative nodules surrounded by ... Cirrhosis and its associated vascular distortion are traditionally considered to be ... Alcoholic liver disease and hepatitis C are the most common causes in the Cohort studies showed that some cirrhotic patients with autoimmune ...

Important predictor of mortality in patients with end-stage liver disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3701842/> ▼ 翻译此页

作者: HJ Kim - 2013 - 被引用次数: 50 - 相关文章

2013年6月27日 - In patients with decompensated cirrhosis, any study of predictors of death or acute on chronic liver disease who developed HE.44 Ascites and/or low ... in determining survival in other patient cohorts with end-stage liver disease. ... liver cirrhosis, including ascites, hepatorenal syndrome and liver related ...

Age and Ethnicity in Cirrhosis - NCBI - NIH

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 7,530 条结果 (用时 0.62 秒)

Google 学术 : Development and predictive validity of the cirrhosis-associated ascites symptom scale: A cohort study of 103 patients

Liver cirrhosis - Schuppan - 被引用次数 : 1354

American Association for the Study of Liver Diseases ... - Silveira - 被引用次数 : 67

Hyponatremia and mortality among patients on the liver ... - Kim - 被引用次数 : 717

Liver Cirrhosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2271178/> ▼ 翻译此页

作者 : D Schuppan - 2008 - 被引用次数 : 1354 - 相关文章

Biopsy confirmation of cirrhosis is not necessary when clear signs of cirrhosis, such as ascites, coagulopathy, and a shrunken nodular appearing liver are present. Cohort studies showed that some cirrhotic patients with autoimmune hepatitis showed regression after long-term treatment with corticosteroids (69,70), and ...

Clinical course of alcoholic liver cirrhosis: a Danish population-based ...

<https://www.ncbi.nlm.nih.gov/pubmed/20186844> ▼ 翻译此页

作者 : P Jepsen - 2010 - 被引用次数 : 213 - 相关文章

We examined prevalence, risk, chronology, and mortality associated with three complications of cirrhosis: ascites, variceal bleeding, and hepatic encephalopathy. We followed a population-based cohort of 466 Danish patients diagnosed with alcoholic cirrhosis in 1993-2005, starting from the date of hospital diagnosis and ...

缺少字词 : predictive validity scale 103

Risk factors for hospitalizations among patients with cirrhosis: A ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29149171> - 翻译此页

作者 : SS Rogal - 2017

2017年11月17日 - Risk factors for hospitalizations among patients with cirrhosis: A prospective cohort study. Rogal SS(1)(2)(3), Udawatta V(4), Akpan ... This study was designed to assess unique baseline factors associated with subsequent hospitalizations in a cohort of outpatients with cirrhosis. A cohort of 193 patients with ...

缺少字词 : development predictive validity scale 103

Neuropsychiatric performance in patients with cirrhosis: Who is ...

www.sciencedirect.com/science/article/pii/S0168827816306985 ▼ 翻译此页

In patients with cirrhosis a normal neuropsychiatric performance has been traditionally defined by the

[全部](#)[新闻](#)[图片](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 28,000 条结果 (用时 0.48 秒)

Google 学术: Development and predictive validity of the cirrhosis-associated ascites symptom scale: A cohort study of 103 patients

Liver cirrhosis - Schuppan - 被引用次数: 1357

American Association for the Study of Liver Diseases ... - Silveira - 被引用次数: 67

Hyponatremia and mortality among patients on the liver ... - Kim - 被引用次数: 718

Liver Cirrhosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2271178/> ▼ 翻译此页

作者: D Schuppan - 2008 - 被引用次数: 1357 - 相关文章

This concise overview focuses on diagnosis, complications and management of cirrhosis, and novel clinical and scientific developments. Cohort studies showed that some cirrhotic patients with autoimmune hepatitis showed regression after long-term treatment with corticosteroids (69,70), and venesection of patients ...

Clinical course of alcoholic liver cirrhosis: a Danish population-based ...

<https://www.ncbi.nlm.nih.gov/pubmed/20186844> ▼ 翻译此页

作者: P Jepsen - 2010 - 被引用次数: 213 - 相关文章

We examined prevalence, risk, chronology, and mortality associated with three complications of cirrhosis: ascites, variceal bleeding, and hepatic encephalopathy. We followed a population-based cohort of 466 Danish patients diagnosed with alcoholic cirrhosis in 1993-2005, starting from the date of hospital diagnosis and ...

缺少字词: predictive validity scale 403

Risk factors for hospitalizations among patients with cirrhosis: A ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29149171> - 翻译此页

作者: SS Rogal - 2017

2017年11月17日 - Risk factors for hospitalizations among patients with cirrhosis: A prospective cohort study. Rogal SS(1)(2)(3), Udawatta V(4), Akpan ... This study was designed to assess unique baseline factors associated with subsequent hospitalizations in a cohort of outpatients with cirrhosis. A cohort of 193 patients with ...

缺少字词: development predictive validity scale 403