

Name of Journal: *World Journal of Orthopaedics*

Manuscript NO: 37611

Manuscript Type: Case Report

Periosteal pseudotumor in complex total knee arthroplasty resembling a neoplastic process

Chowdhry M *et al.* Pseudotumor formation in TKA

Madhav Chowdhry, Matthew V Dipane, Edward J McPherson

### Abstract

This case report describes in detail an erosive distal diaphyseal pseudotumor that occurred 6 years after a complex endoprosthetic hinge total knee arthroplasty (TKA). A female patient had conversion of a knee fusion to an endoprosthetic hinge TKA at the age of 62. At her scheduled 6-year follow-up, she presented with mild distal

### 符合内容总览

- |   |   |     |
|---|---|-----|
| 1 | 互联网 15 个字<br>于 2017 年 09 月 11 日 缓慢进行<br><a href="http://scholarworks.iupui.edu">scholarworks.iupui.edu</a>                | <1% |
| 2 | Crossref 11 个字<br>Dae Geun Jeon. "Primary Osteosarcoma in Patients Older than 40 Years of Age". <i>Journal of Korean</i>  | <1% |
| 3 | Crossref 10 个字<br>Ashley K. Matthies. "Pseudotumors Are Common in Well-positioned Low-wearing Metal-on-Metal H"           | <1% |
| 4 | Crossref 10 个字<br>Kenan, Shachar, Leonard Kahn, Noga Haramati, and Samuel Kenan. "A rare case of pseudotumor f            | <1% |
| 5 | Crossref 10 个字<br>Duckworth, A. D., I. Beggs, D. M. Salter, J. T. Patton, and D. F. Porter. "Multifocal primary bone sarc | <1% |
| 6 | 互联网 9 个字<br>于 2017 年 06 月 11 日 缓慢进行<br><a href="http://www.wjgnet.com">www.wjgnet.com</a>                                 | <1% |
| 7 | Crossref 8 个字<br>Nadlajan, L.M.. "Wear debris-induced pseudotumor in a cemented total knee replacement". <i>The k</i>     | <1% |



时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[\[HTML\] Integrating Principles and Evidence](#)[T Goyal](#), [SK Tripathy](#) - [orthopaedicprinciples.com](#)

... Adjacent bony structures may be normal or show focal bone formation (may be seen only beneath the **periosteum**), extrinsic erosion, **periosteal** reaction, or medullary destruction ... Gaary E, Gorlin J, Jaramillo D. **Pseudotumor** and arthropathy in the knees of a hemophiliac ...

☆ 00 相关文章 &gt;&gt;

[\[HTML\] orthopaedicprinciples.com](#)[SPECT-CT in total hip arthroplasty](#)[HH Tam](#), [B Bhaludin](#), [F Rahman](#), [A Weller](#), [V Ejindu](#),... - [Clinical radiology](#), 2014 - Elsevier

... 7 are used for problem-solving purposes in **complex** or equivocal ... infection, histiocytic reactions, periprosthetic fractures, polyethylene wear, and **pseudotumour** formation ... Periprosthetic infection, Irregular periprosthetic radiolucencies **Periosteal** reaction Prolonged intense activity ...

☆ 00 被引用次数：24 相关文章 所有 9 个版本

[\[HTML\] clinicalradiologyonline.net](#)[Advanced MR imaging after total hip arthroplasty: the clinical impact](#)[I Khodarahmi](#), [J Fritz](#) - [Seminars in musculoskeletal radiology](#), 2017 - thieme-connect.com

... Table 1 Modes of failure of **total hip arthroplasty**. Osseous abnormalities ... Bone resorption. • **Pseudotumor** ... The normal postoperative MRI findings following hip **arthroplasty** depend on the type of implant, surgical approach, and postoperative time frame at the time of imaging ...

☆ 00 被引用次数：1 所有 5 个版本

[MR imaging of hip arthroplasty implants](#)[J Fritz](#), [B Lurie](#), [TT Miller](#), [HG Potter](#) - [Radiographics](#), 2014 - pubs.rsna.org[\[HTML\] rsna.org](#)



Periosteal pseudotumor in complex total knee arthroplasty resembling a neop



文章

找到约 241 条结果 (用时0.06秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

创建快讯

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### MR imaging of hip arthroplasty implants

[HTML] rsna.org

J Fritz, B Lurie, TT Miller, HG Potter - Radiographics, 2014 - pubs.rsna.org

... At MR imaging, the intact periprosthetic cortex and periosteum demonstrate hypointense signal intensity with ... fast SE MR image (4100/22) shows cortical hypointensity and periosteal new bone ... on radiographs and are therefore not well suited for the complex three-dimensional ...

☆ 99 被引用次数: 39 相关文章 所有 7 个版本

### Advanced MR imaging after total hip arthroplasty: the clinical impact

I Khodarahmi, J Fritz - Seminars in musculoskeletal radiology, 2017 - thieme-connect.com

... Table 1 Modes of failure of total hip arthroplasty. Osseous abnormalities ... Bone resorption. • Pseudotumor ... The normal postoperative MRI findings following hip arthroplasty depend on the type of implant, surgical approach, and postoperative time frame at the time of imaging ...

☆ 99 被引用次数: 1 相关文章 所有 5 个版本

### MR imaging with metal-suppression sequences for evaluation of total joint arthroplasty

[HTML] rsna.org

BS Talbot, EP Weinberg - Radiographics, 2015 - pubs.rsna.org

... replacements has increased; 332,000 total hip replacements and 719,000 total knee replacements were ... The average age for knee replacement decreased from 68 years in 2000 to 66 ... Complex reconstruction algorithms are then used to correct these through-section distortions ...

☆ 99 被引用次数: 20 相关文章 所有 3 个版本

### SPECT-CT in total hip arthroplasty

[HTML] clinicalradiologyonline.net

HH Tam, B Bhaludin, F Rahman... - Clinical ..., 2014 - clinicalradiologyonline.net

... image of the left hip reveals cortical thickening and a periosteal reaction (arrows ... infection, histiocytic reactions, periprosthetic fractures, polyethylene wear, and pseudotumour formation, complicated THA Complications of total hip arthroplasty ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 4 条结果 (用时 0.49 秒)

## Google 学术: Periosteal pseudotumor in complex total knee arthroplasty resembling a neoplastic process

MR imaging of hip arthroplasty implants - Fritz - 被引用次数: 39

... sequences for evaluation of total joint arthroplasty - Talbot - 被引用次数: 21

SPECT-CT in total hip arthroplasty - Tam - 被引用次数: 25

## Complex primary and revision total knee arthroplasty using the ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/9645517> - 翻译此页

作者: JM Hartford - 1998 - 被引用次数: 107 - 相关文章

Complex primary and revision total knee arthroplasty using the condylar constrained prosthesis: an average 5-year follow-up. Hartford JM(1), Goodman SB, Schurman DJ, Knoblick G. Author information: (1)Stanford University Medical Center, California 94305, USA. The condylar constrained total knee arthroplasty was ...  
缺少字词: periosteal pseudotumor resembling neoplastic process

## Wear debris pseudotumor following total knee arthroplasty: a case report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2803827/> - 翻译此页

作者: AF Mavrogenis - 2009 - 被引用次数: 13 - 相关文章

2009年11月29日 - An 81-year-old man presented with a painful and enlarging mass at the popliteal fossa and calf of his right knee. He had had a total right knee replacement seven years previously. Plain radiographs showed narrowing of the medial compartment. Magnetic resonance imaging showed a cystic lesion at the ...

缺少字词: periosteal complex resembling neoplastic process

## A Rare Case of Pseudotumor Formation following Total Knee ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5349350/> - 翻译此页