

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 37722

Manuscript Type: Original Article

Basic Study

Optimal surgical approach for the treatment of Quervains disease: A surgical-anatomical study

Poublon AR *et al.* Surgical approach for de Quervains disease

Alexander R Poublon, Gert-Jan Kleinrensink, Anton LA Kerver, J Henk Coert,
Erik T Walbeehm

符合内容总览

1	互联网 121 个字 于 2017年08月30日 缓慢进行 repub.eur.nl	3%
2	Crossref 34 个字 Poublon, A.R., E.T. Walbeehm, L.S. Duraku, P.H. C. Filers, A I A. Kerver, G.J. Kleinrensink, and J.H.	1%
3	互联网 28 个字 于 2017年06月07日 缓慢进行 www.oalib.com	1%
4	Crossref 24 个字 M. Lanzetta. "Entrapment of the superficial branch of the radial nerve (Wartenberg's syndrome)" <i>Inter</i>	1%
5	互联网 14 个字 于 2017年09月20日 缓慢进行 eprints.gla.ac.uk	<1%
6	Crossref 12 个字 Cavaleri, Rocco, Siobhan M. Schabrun, Maxine T e and Lucy S. Chinchase. "Hand therapy versus c	<1%



文章

获得 1 条结果 (用时0.09秒)

- 时间不限
- 2017以来
- 2016以来
- 2013以来
- 自定义范围...

- 按相关性排序
- 按日期排序

- 不限语言
- 中文网页
- 简体中文网页

- 包括专利
- 包含引用

创建快讯



您是不是要找: Optimal surgical approach for the treatment of *Quervain's* disease: a surgical-anatomical study.

小提示: 只搜索中文(简体)结果,可在 学术搜索设置 指定搜索语言

Abstracts from current literature on diseases of the thyroid gland

J McGrath, PT OF, FJ O'D - Irish Journal of Medical Science (1926-1967 ... , 1930 - Springer
 ... and prolonged use is to be deprecated, as by such practice the optimum operative period ... A series
 of dissections was carried out to study the surgical anatomical relations of these nerves in ... Wchschr.,
 1929, 49, 2040.) Local measures are the best of all methods of treatment of ...

☆ 99

您是不是要找: Optimal surgical approach for the treatment of *Quervain's* disease: a surgical-anatomical study.



获得 1 条结果 (用时0.06秒)

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

您是不是要找 : Optimal surgical approach for the treatment of **Quervain's** disease: A surgical-anatomical study

小提示 : 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

Abstracts from current literature on diseases of the thyroid gland

[J McGrath](#), PT O'F, FJ O'D - Irish Journal of Medical Science (1926-1967 ..., 1930 - Springer

... and prolonged use is to be deprecated, as by such practice the optimum operative period ... A series of dissections was carried out to study the surgical anatomical relations of these nerves in ... Wchschr., 1929, 49, 2040.) Local measures are the best of all methods of treatment of ...

☆ 99

Seek68文献馆, 中外期刊数据库应有尽有, 9年金牌服务, 数万用户信赖。

您是不是要找 : Optimal surgical approach for the treatment of **Quervain's** disease: A surgical-anatomical study



文章

- 时间不限
- 2018以来
- 2017以来
- 2014以来
- 自定义范围...

- 按相关性排序
- 按日期排序

- 不限语言
- 中文网页
- 简体中文网页

- 包括专利
- 包含引用

创建快讯

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 42,100 条结果 (用时 0.56 秒)

Ultrasound-guided Injections for de Quervain's Tenosynovitis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3369070/> [▼ 翻译此页](#)

作者: JD McDermott - 2012 - 被引用次数: 45 - 相关文章

2012年5月3日 - Furthermore, failure to respond to injections has been attributed to inaccurate **technique** and these **anatomic** variations in the first dorsal compartment [25, 37]. Several **studies** suggested a 40% to 86% incidence of subcompartments identified intraoperatively in patients who had undergone **surgical** release ...

Long-term results of surgical release of de Quervain's stenosing ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2899112/> [▼ 翻译此页](#)

作者: A Scheller - 2009 - 被引用次数: 40 - 相关文章

2008年10月28日 - Abstract. The **management** of de Quervain's disease (DD) is nonoperative in the first instance, but **surgery** should be considered if conservative measures fail. into the sheath of both the extensor pollicis brevis and abductor pollicis longus tendon was considered very effective for DD in a recent **study** [13].

A novel classification of the anatomical variations of the first extensor ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5585493/> - [翻译此页](#)

作者: ZY Gao - 2017

2017年9月1日 - Many **studies** suggested that poor injection techniques and **anatomical** variations in the first extensor compartment are the reasons of **treatment** failures. It has been indicated ... The presence of a septum in the first extensor compartment also affects the efficacy of **surgical treatment** of de Quervain disease.

[PDF] DeQuervains - Nonoperative Treatment. - Brigham and Women's ...

www.brighamandwomens.org/.../Hand%20-%20DeQuervains%20Nonopera... [▼ 翻译此页](#)

Standard of Care: de Quervain's Syndrome: Nonoperative Management. Case Type / Diagnosis / Anatomy: Since the first description of "washerwoman's sprain". 11 tenosynovitis of the first dorsal compartment has